

Samsung Galaxy SM- S741BZKDEUE smartphone 17 cm (6.7") Dual SIM Android 17 5G USB Type-C 128 GB 4900 mAh Graphite



Model: SM-S741BZKDEUE

Manufacturer: SAMSUNG

EAN: 8806099395391

Product Code: 1013270

R13,045

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Display technology marketing name: Dynamic AMOLED 2X | Maximum display brightness (HDR): 1900 cd/m² | 5G standard: Sub6 FDD | 5G standard: Sub6 SDL | 5G standard: Sub6 TDD | Third rear camera sensor size: 1/4.4" | Height: 161.6 mm | Processor model: 2500 | Processor cores: 10 | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | International Protection (IP) code: IP68 | Front camera sensor size: 1/3.2" | Bluetooth: Yes | Optical zoom: 3x | USB connector type: USB Type-C | Barometer: Yes | Display resolution: 2340

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

x 1080 pixels | Quasi-Zenith Satellite System (QZSS): Yes | Processor family: Samsung Exynos | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Wi-Fi standards: 802.11b | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11g | Rear camera flash: Yes | Display diagonal: 17 cm (6.7") | Energy efficiency class: A | Front camera aperture number: 2.2 | Weight: 193 g | Operating system installed: Android 17 | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Video formats supported: M4V | Compatible memory cards: Not supported | Mobile network generation: 5G | Front camera type: Single camera | Audio formats supported: Mid | Rear camera aperture number: 1.8 | Gorilla Glass version: Gorilla Glass Victus | Galileo: Yes | Image stabilizer type: Optical Image Stabilization (OIS) | Front camera field of view (FOV) angle: 85° | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: WAV | Audio formats supported: AMR | Video formats supported: 3G2 | Third rear camera resolution (numeric): 8 MP | Audio formats supported: 3GA | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Audio formats supported: M4A | Video formats supported: MKV | Width: 76.9 mm | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Third rear camera field of view (FOV) angle: 32° | Video formats supported: 3GP | Display glass type: Gorilla Glass | Audio formats supported: AWB | AC adapter included: No | Third rear camera aperture number: 2.4 | Video formats supported: AVI | Video formats supported: WEBM | Audio formats supported: RTTTL | Video formats supported: MP4 | Video formats supported: FLV | Rear camera type: Triple camera | Depth: 7.4 mm | Audio formats supported: IMY | Audio formats supported: DSF | Energy efficiency scale: A to G | Product colour: Graphite | BeiDou: Yes | Panorama: Yes | Second rear camera resolution (numeric): 12 MP | 4G standard: LTE-TDD & LTE-FDD | Display brightness: 1200 cd/m² | Maximum frame rate: 240 fps | Battery recharge time: 1.1 h | SIM card type: NanoSIM + eSIM | Bluetooth version: 5.4 | Display number of colours: 16 million colours | Second rear camera sensor size: 1/3.2" | Near Field Communication (NFC): Yes | Rear camera resolution (numeric): 50 MP | GPS (satellite): Yes | Face recognition: Yes | Headphone connectivity: USB Type-C | Portrait mode: Yes | Position location: Yes | Night mode: Yes | Front camera resolution (numeric): 12 MP | Accelerometer: Yes | Pixel density: 382 ppi | Platform: Android | Battery capacity: 4900 mAh | Ambient light sensor: Yes | Second rear camera field of view (FOV) angle: 123° | 3G bands supported: 2100 MHz | Flash type: LED | SIM card capability: Dual SIM | Image stabilizer: Yes | USB version: 2.0 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 3500 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 850 | Internal storage

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

capacity: 128 GB | 4G bands supported: 700 | 4G bands supported: 2300 | 5G bands supported: 1900
| 5G bands supported: 3700 | 4G bands supported: 1900 | Proximity sensor: Yes | 4G bands
supported: 2100 | 4G bands supported: 800 | 4G bands supported: 1800 | 5G bands supported: 2100
| Rear camera field of view (FOV) angle: 84° | Rear camera sensor size: 1/1.56" | 5G bands
supported: 2500 | Video capture resolution (max): 4320 x 7680 pixels | 4G bands supported: 900 |
3G bands supported: 1900 | 3G standards: UMTS | 3G bands supported: 850 | Wireless charging: Yes
| Hall sensor: Yes | Maximum refresh rate: 120 Hz | Wi-Fi Direct: Yes | GLONASS: Yes | Magnetic
sensor: Yes | Second rear camera aperture number: 2.2 | 3G standards: WCDMA | Gyroscope: Yes |
Battery endurance in cycles: 1200 | Repeated free fall reliability class: A | USB Type-C required
charging power (max): 45 W | USB Type-C charging port: Yes | USB Type-C required charging power
(min): 10 W | Rear camera pixel size (Quad Pixel technology): 1.12 µm | Slow motion mode: Yes |
Third rear camera pixel size (Quad Pixel technology): 1 µm | Repairability class: C | Battery
endurance per cycle: 3000 min

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950