



Samsung Galaxy SM- S741BLGDEUE smartphone 17 cm (6.7") Dual SIM Android 17 5G USB Type-C 128 GB 4900 mAh Green

Model: SM-S741BLGDEUE

Manufacturer: SAMSUNG

EAN: 8806099395100

Product Code: 1013271

R13,549

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Product colour: Green | Bluetooth: Yes | Image stabilizer: Yes | Display diagonal: 17 cm (6.7") | Platform: Android | 3G standards: UMTS | 4G bands supported: 1900 | Display resolution: 2340 x 1080 pixels | 5G bands supported: 3700 | 5G bands supported: 2500 | 5G bands supported: 2300 | Display technology marketing name: Dynamic AMOLED 2X | 4G bands supported: 900 | Width: 76.9 mm | Proximity sensor: Yes | Operating system installed: Android 17 | Battery capacity: 4900 mAh | Height: 161.6 mm | Pixel density: 382 ppi |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Headphone connectivity: USB Type-C | Front camera resolution (numeric): 12 MP | Near Field Communication (NFC): Yes | 4G bands supported: 2100 | 4G bands supported: 800 | 4G standard: LTE-TDD & LTE-FDD | Ambient light sensor: Yes | 4G bands supported: 1800 | Optical zoom: 3x | Rear camera pixel size (Quad Pixel technology): 1.12 μm | Slow motion mode: Yes | 5G bands supported: 1900 | 4G bands supported: 700 | 4G bands supported: 2300 | AC adapter included: No | Maximum frame rate: 240 fps | Battery recharge time: 1.1 h | Internal storage capacity: 128 GB | Battery endurance in cycles: 1200 | USB connector type: USB Type-C | USB version: 2.0 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | Maximum refresh rate: 120 Hz | Display number of colours: 16 million colours | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | International Protection (IP) code: IP68 | Video formats supported: 3GP | Display brightness: 1200 cd/m^2 | Wi-Fi standards: 802.11g | Processor model: 2500 | Weight: 193 g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 4 (802.11n) | Video formats supported: MKV | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | USB Type-C required charging power (min): 10 W | Compatible memory cards: Not supported | Wi-Fi standards: 802.11b | Video formats supported: 3G2 | Video formats supported: FLV | Processor cores: 10 | Video formats supported: M4V | Energy efficiency class: A | Video formats supported: AVI | Video formats supported: WEBM | GPS (satellite): Yes | 3G standards: WCDMA | Video formats supported: MP4 | Bluetooth version: 5.4 | Processor family: Samsung Exynos | Battery endurance per cycle: 3000 min | USB Type-C required charging power (max): 45 W | Accelerometer: Yes | Front camera field of view (FOV) angle: 85° | 3G bands supported: 2100 MHz | 3G bands supported: 850 | Rear camera resolution (numeric): 50 MP | Gyroscope: Yes | 3G bands supported: 1900 | Second rear camera resolution (numeric): 12 MP | Rear camera type: Triple camera | Front camera aperture number: 2.2 | Second rear camera sensor size: 1/3.2" | SIM card type: NanoSIM + eSIM | BeiDou: Yes | Front camera sensor size: 1/3.2" | Position location: Yes | Night mode: Yes | Second rear camera field of view (FOV) angle: 123° | Rear camera field of view (FOV) angle: 84° | USB Type-C charging port: Yes | Panorama: Yes | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 850 | 5G bands supported: 3500 | Video capture resolution (max): 4320 x 7680 pixels | Display glass type: Gorilla Glass | 5G bands supported: 700 | 5G bands supported: 1800 | Energy efficiency scale: A to G | Rear camera sensor size: 1/1.56" | Flash type: LED | Front camera type: Single camera | Third rear camera field of view (FOV) angle: 32° | SIM card capability: Dual SIM | Face recognition: Yes | 5G bands supported: 2100 | Rear camera aperture number: 1.8 | Barometer: Yes | Quasi-Zenith Satellite System (QZSS): Yes | Image stabilizer type: Optical Image Stabilization (OIS) | Wireless charging: Yes | Galileo: Yes | Gorilla Glass version: Gorilla Glass Victus | Portrait mode: Yes | Third rear camera resolution (numeric): 8 MP | Third rear camera aperture number: 2.4 | Rear camera flash: Yes | Audio

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

formats supported: RTTTL | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Audio formats supported: OGG | Audio formats supported: WAV | Audio formats supported: AMR | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: DFF | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Wi-Fi Direct: Yes | Audio formats supported: M4A | Audio formats supported: DSF | Depth: 7.4 mm | Audio formats supported: IMY | Fingerprint reader: Yes | Audio formats supported: MIDI | Magnetic sensor: Yes | Audio formats supported: Mid | GLONASS: Yes | Audio formats supported: AWB | Audio formats supported: MXMF | Maximum display brightness (HDR): 1900 cd/m² | Mobile network generation: 5G | Hall sensor: Yes | Audio formats supported: 3GA | Second rear camera aperture number: 2.2 | Third rear camera sensor size: 1/4.4" | 5G standard: Sub6 TDD | 5G standard: Sub6 SDL | 5G standard: Sub6 FDD | Repeated free fall reliability class: A | Third rear camera pixel size (Quad Pixel technology): 1 µm | Repairability class: C

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950