



StarTech.com
Industrial 5 Port
Gigabit PoE
Switch - 30W -
Power Over
Ethernet Switch
- Hardened GbE
PoE+
Unmanaged
Switch - Rugged
High Power
Gigabit Network
Switch IP-30/-40
C to 75 C - TAA

Model: IESC1G50UP

Manufacturer: STARTECH

EAN: 065030889629

Product Code: 1053340

R6,760

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Rugged PoE Switch | 30 Watts | IP-30 Aluminum Housing | Unmanaged | 5 Port

This industrial 5 port gigabit PoE switch (4-port PoE) features 30W of power and is designed to be installed in harsh environments and supports up to a total of 120W power outputs.

For Demanding Environments Where No Fiber Connections Are Required

Using Cat 5e (or higher rated) Ethernet cabling, this Ethernet switch Provides up to 30W of PSE power per PoE port (PSE) to IEEE 802.3af (PoE / Type 1) and IEEE 802.3at (PoE+ / Type 2) PD devices like:

- Cameras
- Sensors
- Wi-Fi Access Points

High total power budget with high PoE port count at a maximum of 30 watts per port, up to 120 watts max. Power provided in order of device connection; max four 802.3at (30W) devices (120W total) at any time.

Truly Industrial for Devices That Must Function Under Harsh Conditions

Industrial features include:

- Operating Temperature Range: -40 C to 75 C
- IP-30 rated housing
- Vibration, shock, and free-fall standard testing

This Ethernet switch supports additional features such as redundant power inputs, 2kV surge protection on RJ45 ports, and an MTBF of 600,000+ hrs (Telcordia/Bellcore) at 50°C; for long-term

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

reliability.

A Flexible & Easy-to-Deploy Solution

Includes hardware for DIN rail or wall mounting, right out of the box. The unique barrel power adapter allows for standard wall adapters to be used instead of being hardwired and the alarm relay can be integrated into any solution.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950