

LG 49XE4F-M Digital signage display 124.5 cm (49") IPS 4000 cd/m² Full HD Black 24/7

LG 49XE4F-M Digital signage display 124.5 cm (49") IPS 4000 cd/m² Full HD Black 24/7



Model: 49XE4F-M

Manufacturer: LG ELECTRONICS

EAN: 8806098653775

Product Code: 1095256

R170,010

Slim & Robust Design with Outstanding Visibility

With a slim & robust design, XE4F series can be easily installed to meet the customer's needs in external environments that require complex installation conditions. And upgraded brightness captures the attention of customers even under strong and direct sunlight.

SLIM & ROBUST DESIGN

Slim & Light Design

XE4F series is composed of single display with a light and slim design and it can be easily customized to suit various external environments with no need for separate casing.

SLIM & ROBUST DESIGN

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Easy integration for partner's customized design

The XE4F series is lighter and ready to be customized for various customer needs and settings. From outdoor menu boards to kiosks, the XE4F series is also mountable and optimized for customers, based on the industry purpose and use.

OUTSTANDING VISIBILITY

Bright & Brilliant

The XE4F series possesses powerful brightness of 4,000nits, providing clear and vivid picture quality even under direct sunlight.

OUTSTANDING VISIBILITY

Wide Viewing Angle

IPS technology provides better control of the liquid crystals, which in turn allows the screen to be viewed at virtually any angle.

OUTSTANDING VISIBILITY

Long Lasting Brightness

By adding more LED units, XE4F operates brighter at a lower temperature, thereby lasting longer than conventional products.

OUTSTANDING VISIBILITY

Visible with Polarized Sunglasses

QWP* enables clear visibility even when the viewer is wearing polarized sunglasses.

RELIABILITY FOR OUTDOOR USAGE

Secured Protection with IP56 Design

The display is sealed with IP56 design for reliable operation. It's designed to be not only waterproof but also weatherproof against the damaging effects of the sun, rain, snow, dust and wind, an essential feature for outdoor application.

RELIABILITY FOR OUTDOOR USAGE

Protective Glass (IK10 Certified)

The tempered and laminated front glass ensures optimum protection from outdoor extremities, resulting in minimal to no damage from external impacts.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

EASY MAINTENANCE

Support HDBaseT™

The XE4F Series supports HDBaseT™, the global standard for the transmission of ultra-high definition video & audio, Ethernet, controls, USB and IR over a single, long-distance cable, for easier control of the display and saving installation and maintenance costs.

EASY MAINTENANCE

Web Monitoring

This web-based monitoring solution is user-friendly and allows the user to be at ease. It enables the user to have full access anywhere at anytime from their mobile phone while having access to both current and past data. It allows the user to monitor the unit, make adjustments, and control the unit remotely in real time.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950