



**Wireless Router
DAHUA AX15M
AX1500 Wireless
Router Wi-Fi 6
(802.11ax) Data
speed 1500
Mbit/s Ethernet
WAN Yes WAN
connection type
RJ-45 Ethernet
LAN Yes 3xLAN
ports AX15M**

Model: AX15M

Manufacturer: DAHUA

EAN: 6923172562425

Product Code: 1176752

R1,296

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

DH-AX15M Gigabit Wireless Router provides wireless access through dual concurrent wireless networks. It provides access to a large number of users, and has wide signal coverage and fast wireless speed. It complies with the IEEE 802.11ax standard, and its wireless speed reaches up to 1,500 Mbps allowing smooth internet access. Using MU-MIMO technology, it supports concurrent connections, greatly reducing network latency. It has a built-in 1 GHz high performance processor, enabling it to have high processing capabilities and fast data transmission speed. It provides excellent wireless networks, and is the good choice for new generation network activities.

- 6th Gen Wireless Technology
- 1.5 Gbps Wireless speed (300 Mbps@2.4 GHz, 1201Mbps@5 GHz)
- Backward compatible (IEEE 802.11 b/g/n/ac/ax standard)
- Beamforming for better Coverage
- OFDMA and 1024-QAM
- Bi-directional MU-MIMO
- WiFi protected Access(WPA/WPA2/WPA3)
- Guest Wi-Fi
- Parental Control

Summary: Dahua Technology AX15M AX1500 Wireless Router. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 1500 Mbit/s. Ethernet LAN interface type: Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Security algorithms: WPA-PSK, WPA2-PSK, WPA3. Product type: Tabletop router, Product colour: Black | Vendor Homepage:

<https://www.dahuasecurity.com/products/All-Products/Transmission/IT-Channel-Products/Wireless-Router/AX15M> | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | WLAN data transfer rate (max): 1500 | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax) | WLAN data transfer rate (first band): 300 | WLAN data transfer rate (second band): 1201 | Channels quantity: 165 | Modulation: 1024-QAM | Channel bandwidth: 80 | Ethernet WAN: Yes | DSL WAN: No | SIM card slot: No | 3G/4G USB modem compatibility: No | WAN connection type: RJ-45 | Ethernet LAN: Yes | Ethernet LAN interface type: Ethernet | Ethernet LAN data rates: 10/100/1000 | Cabling technology: 10/100/1000Base-T(X) | Automatic channel selection: Yes | Dynamic DNS (DDNS): Yes | Receiver sensitivity: 2.4 GHz 11n HT20_MCS0: -95 dbm 11n HT20_MCS7: -75 dbm 11n HT40_MCS0: -92 dbm 11n HT40_MCS7: -72 dbm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

5 GHz 11ac VHT80_MCS0: -89 dbm 11ac VHT80_MCS9: -62 dbm 11ax HE80_MCS0: -89 dbm 11ax HE80_MCS11: -59 dbm | Ethernet LAN (RJ-45) ports: 3 | USB port: No | DC-in jack: Yes | Web-based management: Yes | Quality of Service (QoS) support: Yes | Reset button: Yes | WPS push button: Yes | MIMO: Yes | MU-MIMO technology: Yes | Security algorithms: WPA2-PSK/WPA3/WPA-PSK | Guest access: Yes | Parental control: Yes | System event log: Yes | Network address translation (NAT): Yes | DHCP client: Yes | DHCP server: Yes | Product colour: Black | Indication light: Yes | Product type: Tabletop router | Cables included: LAN (RJ-45) | AC adapter included: Yes | Manual: Yes | Antenna design: External | Antenna type: 2x2 | Antenna gain level (max): 5 | Antennas quantity: 4 | Internal memory: 128 | Flash memory: 128 | Number of simultaneously connected devices (max): 32 | Firmware upgradeable: Yes | Power source type: DC | Output voltage: 12 | Output current: 1 | Power consumption (typical): 10 | External power adapter: Yes | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage temperature (T-T): -20 - 70 | Depth: 215 | Height: 173 | Weight: 260 | Width: 119 | Package width: 285 | Package depth: 295 | Package height: 70 | Package weight: 560 | Number of products included: 1 | Bandwidth (first): 2.484 | Bandwidth (second): 5.85 | Unit Calculated Weight: 0.8 | Product Net Weight: 0.26 | Unit Calculated Volume: 0.00756 | Units per Shipping Box: 10 | Unit Width: 7.5 | Shipping Box Height: 35 | Unit Depth: 32 | Unit Height: 25.5 | Name: WRL ROUTER 1500MBPS/AX15M DAHUA | Model name: AX15M AX1500 Wireless Router

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950