
The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950



Ubiquiti UMR- Ultra Cellular network router



Model: UMR-Ultra

Manufacturer: UBIQUITI

EAN: 810084697146

Product Code: 1177695

R3,063

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Compliance certificates: CE | LED indicators: Status | Antenna type: External | WLAN data transfer rates supported: 2 | Number of SIM cards: 1 | Compliance certificates: Industry Canada (IC) | Compliance certificates: Federal Communications Commission (FCC) | Ethernet LAN data rates: 100 | Compliance certificates: GCF | USB port type: USB Type-C | Detachable antenna(s): Yes | Ethernet LAN (RJ-45) ports: 2 | WLAN data transfer rates supported: 48 | Reset button: Yes | Device type: Cellular network router | WLAN data transfer rates supported: 12 | WLAN data transfer rates supported: 24 | WLAN data transfer rates supported: 54 | Wi-Fi standards: Wi-Fi 4 (802.11n) | WLAN data transfer rates supported: 6.5 | Weight: 200 g | Wi-Fi standards: 802.11g | WLAN data transfer rates supported: 6 | WLAN data transfer rates supported: 18 | Wi-Fi standards: 802.11b | WLAN data transfer rates supported: 1 | Housing material: Polycarbonate (PC) | Wi-Fi frequency: 2.4 GHz | Operating temperature (T-T): -30 - 70 °C | Wi-Fi: Yes | 4G standard: LTE | Power source type: DC, USB | Product colour: Black | SIM card type: NanoSIM | WLAN data transfer rates supported: 5.5 | Data network: 4G | Height: 193.5 mm | Compliance certificates: PTCRB | Housing material: Aluminium | Ethernet LAN data rates: 10 | WLAN data transfer rates supported: 150 | Input voltage: 5 - 30 V | Width: 82 mm | USB port: Yes | Antennas quantity: 3 | Ethernet LAN: Yes | Depth: 26 mm | WLAN data transfer rates supported: 9 | WLAN data transfer rates supported: 11 | Power consumption (typical): 5.7 W | Ethernet LAN interface type: Fast Ethernet | User guide: Yes | Antenna connector type: SMA/RP-SMA | Operating relative humidity (H-H): 10 - 90% | WLAN data transfer rates supported: 36 | Mounting: DIN-rail/Wall mounting | Data transfer rate (LTE) (upload): 50 Mbit/s | Data transfer rate (LTE) (download): 150 Mbit/s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950