



## **Samsung Galaxy SM- S741BLGDEUE smartphone 17 cm (6.7") Dual SIM Android 17 5G USB Type-C 128 GB 4900 mAh Green**

Model: SM-S741BLGDEUE

Manufacturer: SAMSUNG

EAN: 8806099395100

Product Code: 1178052

## **R12,407**

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Third rear camera aperture number: 2.4 | Front camera field of view (FOV) angle: 85° | Image stabilizer type: Optical Image Stabilization (OIS) | Gorilla Glass version: Gorilla Glass Victus | Energy efficiency scale: A to G | Portrait mode: Yes | Mobile network generation: 5G | Panorama: Yes | Quasi-Zenith Satellite System (QZSS): Yes | Third rear camera field of view (FOV) angle: 32° | USB connector type: USB Type-C | Wi-Fi standards: Wi-Fi 6E (802.11ax) | Energy efficiency class: A | Wi-Fi standards: Wi-Fi 4 (802.11n) |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Depth: 7.4 mm | Bluetooth: Yes | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Product colour: Green | Display diagonal: 17 cm (6.7") | Processor model: 2500 | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Weight: 193 g | AC adapter included: No | Height: 161.6 mm | Display number of colours: 16 million colours | Processor cores: 10 | Wi-Fi standards: 802.11g | Processor family: Samsung Exynos | International Protection (IP) code: IP68 | Operating system installed: Android 17 | Width: 76.9 mm | Display resolution: 2340 x 1080 pixels | Compatible memory cards: Not supported | Wi-Fi standards: 802.11b | Third rear camera pixel size (Quad Pixel technology): 1 µm | Repairability class: C | Repeated free fall reliability class: A | Audio formats supported: IMY | Audio formats supported: DSF | Barometer: Yes | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: RTTTL | Audio formats supported: Mid | Battery endurance in cycles: 1200 | Rear camera type: Triple camera | Video formats supported: FLV | Video capture resolution (max): 4320 x 7680 pixels | Video formats supported: M4V | Front camera aperture number: 2.2 | BeiDou: Yes | Front camera sensor size: 1/3.2" | USB Type-C required charging power (max): 45 W | Front camera type: Single camera | Maximum display brightness (HDR): 1900 cd/m² | Battery endurance per cycle: 3000 min | Rear camera aperture number: 1.8 | Rear camera flash: Yes | Second rear camera aperture number: 2.2 | Audio formats supported: AWB | Optical zoom: 3x | Hall sensor: Yes | 5G bands supported: 3500 MHz | 5G bands supported: 3700 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 2500 | Display glass type: Gorilla Glass | Video formats supported: AVI | Video formats supported: WEBM | USB Type-C charging port: Yes | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | Night mode: Yes | 5G bands supported: 1900 | Audio formats supported: 3GA | 3G bands supported: 2100 | Third rear camera resolution (numeric): 8 MP | Audio formats supported: M4A | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Video formats supported: 3G2 | Video formats supported: MKV | Video formats supported: 3GP | 5G standard: Sub6 TDD | Rear camera pixel size (Quad Pixel technology): 1.12 µm | Display technology marketing name: Dynamic AMOLED 2X | Slow motion mode: Yes | 3G bands supported: 1900 | Second rear camera field of view (FOV) angle: 123° | 3G bands supported: 850 | Rear camera field of view (FOV) angle: 84° | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Second rear camera sensor size: 1/3.2" | Third rear camera sensor size: 1/4.4" | Audio formats supported: WAV | Audio formats supported: AMR | Video formats supported: MP4 | SIM card capability: Dual SIM | Rear camera sensor size: 1/1.56" | 5G bands supported: 850 | 5G bands supported: 2100 | USB Type-C required charging power (min): 10 W | Wireless charging: Yes |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Galileo: Yes | Bluetooth version: 5.4 | Internal storage capacity: 128 GB | Display brightness: 1200 cd/m<sup>2</sup> | Headphone connectivity: USB Type-C | USB version: 2.0 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | 4G bands supported: 700 | 4G bands supported: 2300 | Wi-Fi Direct: Yes | 4G bands supported: 900 | Magnetic sensor: Yes | Ambient light sensor: Yes | Battery capacity: 4900 mAh | Second rear camera resolution (numeric): 12 MP | 3G standards: WCDMA | GPS (satellite): Yes | GLONASS: Yes | SIM card type: NanoSIM + eSIM | Maximum frame rate: 240 fps | Position location: Yes | Image stabilizer: Yes | Face recognition: Yes | 3G standards: UMTS | Pixel density: 382 ppi | Front camera resolution (numeric): 12 MP | Accelerometer: Yes | 4G standard: LTE-TDD & LTE-FDD | Rear camera resolution (numeric): 50 MP | Gyroscope: Yes | Flash type: LED | Maximum refresh rate: 120 Hz | Battery recharge time: 1.1 h | 4G bands supported: 1800 | 4G bands supported: 2100 | 4G bands supported: 800 | 4G bands supported: 1900 | Platform: Android | Near Field Communication (NFC): Yes | Proximity sensor: Yes

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950