

MOBILE PHONE ARMOR 29 PRO/THERMAL 16/512GB BLACK ULEFONE



Model: 29 PRO THERMAL BLACK

Manufacturer: ULEFONE

Product Code: 1181238

R14,779

Iron Man Helmet

Elements Design

Power, Strength, Superhero

In the spirit of Iron Man, who pushes the boundaries of human potential, the Armor 29 Pro is crafted for those who do the same in nature. It's more than a rugged smartphone; it's a tool that empowers you to conquer the outdoors with the same confidence and style as your favorite superhero.

Pro photography, first batch to house four main camera-grade lens, mega main camera sensor, rivaling professional cameras in quality.

1/1.31" Ultra-Large Sensor

50MP Low-Light Powerhouse

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The primary camera is equipped with a 1/1.31" ultra-large 50MP Samsung ISOCELL GN1 image sensor. Boasting a 1.2µm pixel size and a wide f/1.95 aperture, this advanced sensor delivers a remarkable enhancement of over 40% in low-light imaging performance, allowing it to capture brighter and clearer photos.

50MP Ultra-wide

Beyond Sight

Ultra Wide Angle and Macro in 1

Armor 29 Pro boasts an 117.3° ultrawide lens with autofocus, enabling macro photography. Whether it's capturing grand landscapes or tiny details, the 50MP ultra wide and macro camera promises to deliver stunning images every time.

64MP Night Vision Camera

NightElf 3.0, See Further, See More Clearly

Our infrared night vision camera brightens the night, equipped with a high-resolution 64MP OMNIVISION OV64B sensor and enhanced by Ulefone's NightElf 3.0 technology. The upgrade to 4 infrared LEDs significantly improves brightness and clarity, providing superior image quality and detail even at greater distances.

50MP-Class

Selfie Shooter

Each Shot, A Spectacle

With a 50MP selfie camera, vlogs and video calls are elevated to a new level of clarity and detail. Now, your cherished moments and thrilling adventures come to life in vivid, high-resolution images, turning everyday selfies into breathtaking works of visual art.

Instant Capture

Dedicated Camera Key

Utilize the physical key for swift photography. With a single long press, you bypass the lock screen and jump straight into camera mode, while a quick press takes the shot without delay. Perfect for seizing those fleeting sports plays or candid pet moments, you never miss a beat.

6.67" AMOLED Primary Display

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Engaging Instantly

Redefine the colors you see on a screen, the 6.67-inch flexible AMOLED display, incredibly captivates you. Boasting a higher 120Hz refresh rate, no more glitchy games or blurry videos. In ultra-bright mode, it can reach up to 900 nits, and peak at 2200 nits, making it easy to read even in the harshest sunlight.

Luxury Watch Sub-Display

Doubling Your Vision, Doubling Your World

Experience the sophistication of the top-tier flexible AMOLED sub-screen, which enables touch interactions, keeps you updated with a persistent notification view, and serves as a hub for music control and instant selfies. And you can alter the interface, tailoring your watch's face to reflect your personal flair.

Versatile Screen, Ultra-Handy

Crisp dynamic sub-display – swipe left or right for photos, music, calendars, and more. It's all about shortcut features, seamless interaction, and versatility in one sleek display. Incredibly user-friendly.

AOD Mode

Always On Display

Both the main and sub screens feature always-on displays for quick time and notification checks, and support custom lock screen wallpapers.

21200mAh Crazy Battery

Endless Power for 7 Days

Insane 21200mAh powerhouse, be safe outdoors. With a 7.74V high-voltage output for more reliable and efficient power, your battery endurance is significantly boosted. Designed with safety and performance in mind, this battery stands the test of time.

Fastest 120W Flash Charger

Power Surges Up at Once

Charge with lightning speed, leaving battery worries behind. Always at the ready for whatever comes your way, equipped with the versatile PD (PPS) charging protocol, capable of rapidly juicing up a variety of devices, including iPhones.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

MediaTek

Dimensity 7400

High-Performance Output

Built on a 4nm process, effortlessly handles routine tasks and entertainment with enhanced efficiency. A huge lift in both CPU and GPU performance, enjoy uninterrupted streaming and gaming with its octa-core CPU that reaches clock speeds of up to 2.6GHz.

Monstrous RAM Dynamics

Navigate through your device with ease, thanks to up to 16 GB of physical memory, and boost your performance with an additional 16 GB for a faster and more agile user interface.

512GB Massive Storage

Substantial 512GB of onboard storage, perfect for storing a vast collection of HDR photos, videos, and a multitude of apps and documents. With 2TB expandable storage, you have the flexibility to grow your digital library without limits.

Graphene Cooling Stay Cool, Always

With over 15,314 mm² of graphene cooling technology integrated into a cutting-edge heat sink design, we've achieved a remarkable CPU temperature reduction to 4.6°C. The device stays ice-cold, even under the strain of the most demanding apps and games, sustaining peak efficiency and performance without compromise.

Enhanced AI Ulefone Armor 29 Pro

Computing

With MediaTek NPU 655, AI task performance is greatly improved, leading to innovative experiences, sharper visuals, optimized power usage, and enhanced overall capabilities.

Third-Party AI App Enabled

Harness the power of the AI engine for fast AI application experiences like Google Gemini, and converse to optimize your workflow.

IP68/IP69K, MIL-STD-810H Fortified

Ambitious and Bold

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Tough as MIL-STD-810H and IP68/IP69K ratings, Armor 29 Pro defies the challenge of the outdoors, survives water, dust, drops and rough handling with ease. It stands strong against extreme weather and other harsh conditions.

Versatile LED Light

Armor 29 Pro features a high-intensity rear LED light capable of emitting up to 1000 lumens, sustained by a substantial 21200mAh battery for extended use, outperforming a standalone camping lantern. Equipped with 570 LEDs and a 5-watt output, this light projects a powerful beam efficiently. The design is water-resistant and rugged, ready for the demands of challenging environments and tough use.

The Versatile LED Light provides 4 modes and infinite adjustment of brightness, duration, and a one-touch custom button, perfect for shooting fill light or whenever a dependable, portable light is needed.

Warning Light

Use in Case of Emergency

Armor 29 Pro acts as an emergency beacon, featuring red, blue, and alternating red-blue warning lights for fire, medical, law enforcement, and other accidents, and works with selectable alarm sounds. It offers constant and flashing light modes for visibility and alert purposes.

uSmart Expansion Connector

More Stable and Efficient Work

Exclusive engineered for expansion connectivity of the device, this uSmart Connector has wide compatibility for uSmart E03, E02, E01 endoscopes and uSmart C01 microscope, providing stable connectivity and efficient work.

uSmart 2.0

The upgraded uSmart 2.0 technology allows the connector to work without interference with the charging function of the Type-C port.

Armor Molle Holster

Adjustable tactical phone pouch with buckle enclosure to be attached to backpack or be carried on

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

the belt upright or sideways.

Dual 5G Connectivity

Dual Band 5G Hotspot

Embrace the future with 5G, offering rapid speeds and wide coverage. Enjoy a swift 5G hotspot that connects multiple devices reliably, anytime, anywhere.

Wi-Fi 6E

Discover Wi-Fi 6E, with speeds up to 9.6 Gbps for fast and reliable streaming, gaming, and web browsing.

Newest Android 15

Smarter, Faster, Yours

Latest Android 15 enhances privacy with Private Space, lets you share screens selectively, and multitasks more efficiently with app pairs. The Home Controls screensaver turns your device into a smart home hub for convenient device management.

Your Exclusive

Service Center

To elevate the caliber of our service, we have built a Service Center app in our device. You are easy access to supports such as FAQs, troubleshooting guides, and user manuals, and even leave us your questions and problems. This app can deliver product updates, and you can click into the mall to order products.

Relentless Quality

Trusted by Over 1000,000 Customers Globally

Armor 29 Pro, forged through intensive durability and performance trials under various conditions at the Ulefone lab, embodies unwavering quality control standards, ensuring its longevity and resilience against the harshest of elements.

Summary: Ulefone Armor 29 Pro. Display diagonal: 16.9 cm (6.67"), Display resolution: 1080 x 2400 pixels. Processor frequency: 2 GHz, Processor family: MediaTek Dimensity, Processor model: 7400. RAM capacity: 16 GB, RAM type: LPDDR5, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

installed: Android 15. Battery capacity: 21200 mAh. Product colour: Black. Weight: 688 g | Vendor Homepage: <https://www.ulefone.com/products/armor-29-pro> | Forma: Plytelė | Produkto spalva: Juoda | Spalva:: Marvel Black | Apsaugos ypatybės: Atsparus aptaškymui/Atsparus dulkėms/Atsparus numetimui/Atsparus vandeniui | Atsparumas vandeniui iki: 2 | Šviesos signalas: Taip | Šviesos galia: 1000 | LED diodų skaičius: 570 | Šviesos energija: 5 | Vidinės saugyklos talpa: 512 | RAM talpa: 16 | RAM tipas: LPDDR5 | Suderinamos atminties kortelės: MicroSD (TransFlash) | Maksimalus atminties kortelės dydis: 2000 | Ekrano įstrižainė: 6.67 | Ekrano forma: Plokščias | Skydo tipas: AMOLED | Ekrano stiklo tipas: Gorilla Glass | „Gorilla Glass“ versija: Gorilla Glass 3 | Ekrano rezoliucija: 1080 x 2400 | Spalvų gylis: 10 | Maksimalus atnaujinimo dažnis: 120 | Ekrano ryškumas: 2200 | Išskirtinės prekės ženklo technologijos: Visada įjungtas ekranas | Oleofobinė danga: Taip | Pikselių tankumas: 395 | Atsparus pirštų atspaudams: Taip | Antras ekranas: Taip | Antro ekrano įstrižainė: 1.04 | Antro ekrano rezoliucija: 340 x 340 | Didžiausias antrojo ekrano skaistis: 600 | Antro ekrano tipas: AMOLED | Antro monitoriaus ekrano stiklo tipas: Corning Glass | Antro monitoriaus ekrano atnaujinimo dažnis: 60 | Antrojo ekrano „Gorilla Glass“ versija: Gorilla Glass 3 | Procesoriaus šeima: MediaTek Dimensity | Procesoriaus modelis: 7400 | Procesoriaus architektūra: ARM Cortex-A78+Cortex-A55 | Procesoriaus branduoliai: 8 | Dideli branduoliai: 4 | Maži branduoliai: 4 | Procesoriaus padidintas dažnis: 2.6 | Procesoriaus dažnis: 2 | Neuroninis procesorius (NPU): MediaTek NPU 655 | Galinės kameros jutiklio dydis: 1/1.31 | Galinės kameros rezoliucija (skaitmeninė): 50 | Antros galinės kameros rezoliucija (skaitmeninė): 64 | Trečios galinės kameros skiriamoji geba (skaitmeninė): 50 | Galinės kameros apertūros skaičius: 1.95 | Antros galinės kameros apertūros skaičius: 1.79 | Trečios galinės kameros diafragmos numeris: 2.2 | Galinės kameros pikselių dydis: 1.2 | Galinės kameros matymo lauko (FOV) kampas: 85 | Antrosios galinės kameros matymo lauko (FOV) kampas: 79.4 | Trečios galinės kameros matymo lauko (FOV) kampas: 117.3 | Galinės kameros objektyvo elementai: 7 elementų objektyvas | Priekinės kameros objektyvo elementai: 5 elementų objektyvas | Priekinės kameros tipas: Viena kamera | Priekinės kameros rezoliucija (skaitmeninė): 50 | Priekinės kameros pikselių dydis: 0.64 | Priekinės kameros matymo lauko (FOV) kampas: 80.4 | Kameros su dangteliu angų skaičius: 2.45 | Galinės kameros blykstė: Taip | Jutiklio tipas: CMOS | Rezoliucija pagal fiksavimo greitį: 1280x720@30fps/1280x720@60fps/1920x1080@30fps/1920x1080@60fps/3840x2160@30fps/640x480@30fps | Vaizdo įrašymo režimai: 1080p/2160p/480p/720p | Galinės kameros tipas: Trigubas fotoaparatas | Kameros didelio dinaminio diapazono (HDR) režimas: Taip | Foto efektai: Veidrodys | Vaizdo stabilizatorius: Taip | Automatinis laikmatis: Taip | Naktinis režimas: Taip | Panorama: Taip | Portreto režimas: Taip | Sulėtinto filmavimo režimas: Taip | Terminio vaizdo kamera: Ne | Termovizinio vaizdo tikslumas: 2 | Vietos SIM kortelėms: Dviguba SIM jungtis | Mobiliojo tinklo generavimas: 5G | SIM

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

kortelės tipas: „NanoSIM“ | 3G standartai: WCDMA | 4G standartai: LTE-TDD & LTE-FDD | 5G standartas: NR/Sub6 | „Voice over LTE“ (VoLTE) palaikymas: Taip | Duomenų tinklas: CDMA/GSM | „Wi-Fi“ standartas: Wi-Fi 6E (802.11ax) | Wi-Fi standartai: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 6E (802.11ax) | Bluetooth: Taip | Bluetooth versija: 5.4 | Mažo nuotolio radijo ryšys (NFC): Taip | USB jungtis: C tipo USB | Ausinių jungtis: 3,5 mm | GPS (palydovinis): Taip | NavIC: Taip | „BeiDou“: Taip | GLONASS: Taip | „Galileo“: Taip | „Quasi-Zenith Satellite System“ (QZSS): Taip | Elektroninis kompasas: Taip | GPS: Taip | Atvirkštinio laidinio įkrovimo galia: 10 | Atvirkštinis laidinis įkrovimas: Taip | Grafikos adapteris: Mali-G615 MC2 | Adapterio grafiniai branduoliai: 2 | Grafinio apdorojimo įrenginio dažnis: 1400 | Pirštų antspaudų skaitytuvas: Taip | Veido atpažinimas: Taip | Karinis standartas: MIL-STD-810H | Restauruotas: Ne | Mikrofonų kiekis: 1 | Palaikomi audio formatai: AAC/AMR/FLAC/M4A/MKA/MP2/MP3/OGG/Vidurinė | Palaikomi vaizdo formatai: 3GP/MKV/MOV/MP4 | Palaikomi vaizdo formatai: BMP/GIF/JPEG/PNG | Palaikomi dokumentų formatai: HTML/TXT | Platforma: Android | Numatyta operacinė sistema: Android 15 | Baterijos technologija: Ličio-jonų (Li-Ion) | Baterijos įtampa: 7.74 | Akumuliatoriaus veikimo ciklų skaičius: 1000 | Baterijos talpa: 21200 | Nepertraukiama vaizdo įrašo peržiūra (max): 27 | Energijos efektyvumo klasė: A | Energijos efektyvumo skalė: Nuo A iki G | Akumuliatoriaus veikimo trukmė vienam ciklui: 13338 | Pakartotinio laisvojo kritimo patikimumo klasė: A | Taisomumo klasė: C | Remontuojamumo indeksas: 3.1 | Tarptautinės apsaugos (IP) kodas: IP68, IP69K | Akcelerometras: Taip | Aplinkos šviesos jutiklis: Taip | Artimumo jutiklis: Taip | Giroskopas: Taip | Gravitacijos jutiklis: Taip | Geomagnetinis jutiklis: Taip | Infraraudonųjų spindulių jutiklis: Taip | Reikalinga įkrovimo galia (didž.): 120 | Reikalinga įkrovimo galia (maž.): 10 | USB „Type-C“ įkrovimo lizdas: Taip | Žingsniamatis: Taip | Plotis: 85.6 | Ilgis: 33.8 | Aukštis: 177.35 | Svoris: 688 | SAR galvai (ES): 0.263 | SAR kūnui (ES): 1.148 | Darbo temperatūros diapazonas (TT): -20 - 55 | Kintamosios srovės adapteris: Taip | Ekrano apsauga: Taip | Garantijos kortelė: Taip | Instrukcija: Taip | Pridėti kabeliai: Iš C tipo USB į C tipo USB | Budėjimo laikas: 1140 | Kalbų palaikymas: Daugybė | Pokalbio laikas: 114 | Energy efficiency class: A | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2404845/fiches?language=LT> | EPREL Version Number: 1 | EPREL Registration Number: 2404845 | Bruto svoris: 0.9 | Neto svoris: 0.688 | Vienetų skaičius vienoje siuntimo dėžėje: 1 | Name: MOBILE PHONE ARMOR 29 PRO/THERMAL 16/512GB BLACK ULEFONE | Model name: 29 Pro

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950