



Samsung Galaxy S25 FE SM- S731B/DS 17 cm (6.7") Dual SIM Android 16.0 5G USB Type-C 8 GB 512 GB 4900 mAh White

Model: SM-S731BZWIEUE

Manufacturer: SAMSUNG

EAN: 8806097644576

Product Code: 1182044

R15,136

Slow motion rate: 240fps @FHD, 120fps @FHD, 120fps @UHD | Depth: 7.4 mm | Repairability class: C | Height: 161.3 mm | Cables included: USB Type-C | Display diagonal: 17 cm (6.7") | Energy efficiency class: B | Processor cores: 10 | Protection features: Dust resistant | Battery endurance per cycle: 2557 min | MIMO: Yes | Battery endurance in cycles: 2000 | Processor boost frequency: 3.2 GHz | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Bluetooth: Yes | Display number of colours: 16 million colours | Modulation: 1024-QAM | Repeated free fall reliability class: A | AC adapter included: No | Product colour: White | Processor family: Samsung Exynos | USB connector type: USB Type-C |

Display resolution: 2340 x 1080 pixels | Processor model: 2400 | International Protection (IP) code:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

IP68 | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 4 (802.11n) | Width: 76.6 mm | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Wi-Fi standards: 802.11g | Wi-Fi standards: Wi-Fi 6E (802.11ax) | Weight: 190 g | Protection features: Water resistant | Wi-Fi standards: 802.11b | Operating system installed: Android 16.0 | USB version: 3.2 Gen 1 (3.1 Gen 1) | Maximum frame rate: 240 fps | Video formats supported: 3G2 | Maximum refresh rate: 120 Hz | Housing material: Aluminium | Near Field Communication (NFC): Yes | Optical zoom: 3x | Video formats supported: MKV | Video formats supported: FLV | Audio formats supported: AWB | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: RTTTL | Image stabilizer: Yes | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Platform: Android | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Video formats supported: MP4 | Audio formats supported: WAV | Audio formats supported: AMR | Video formats supported: AVI | Video formats supported: WEBM | Video formats supported: 3GP | NavIC: Yes | Internal storage capacity: 512 GB | Audio formats supported: M4A | Wi-Fi Direct: Yes | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Audio formats supported: IMY | Audio formats supported: DSF | Audio formats supported: 3GA | Bluetooth version: 5.4 | GPS (satellite): Yes | Battery capacity: 4900 mAh | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 3700 | Video recording modes: 4320p | 5G bands supported: 2500 | 5G bands supported: 850 | 5G bands supported: 1500 MHz | 5G bands supported: 2100 | Frequency band: Tri-band | 5G bands supported: 3500 MHz | 5G bands supported: 1900 | Audio formats supported: Mid | Video formats supported: M4V | Headphone connectivity: USB Type-C | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | Digital zoom: 30x | 5G standard: Sub6 SDL | 5G standard: Sub6 FDD | 5G standard: Sub6 TDD | 3G standards: UMTS | 3G standards: WCDMA | RAM capacity: 8 GB | Front camera aperture number: 2.2 | Display technology marketing name: Dynamic AMOLED 2X | USB Type-C required charging power (max): 45 W | Speakers: stereo | Ambient light sensor: Yes | 3G bands supported: 850 | Slow motion mode: Yes | Accelerometer: Yes | Quasi-Zenith Satellite System (QZSS): Yes | 3G bands supported: 1900 | Galileo: Yes | Rear camera flash: Yes | Barometer: Yes | 4G bands supported: 1800 | GLONASS: Yes | Display glass type: Corning Glass | 4G bands supported: 2100 | 4G bands supported: 800 | Rear camera resolution (numeric): 50 MP | 4G standard: LTE-TDD & LTE-FDD | Geomagnetic sensor: Yes | Hall sensor: Yes | Proximity sensor: Yes | Third rear camera aperture number: 2.4 | 3G bands supported: 900 | USB Type-C charging port: Yes | 4G bands supported: 900 | Front camera resolution (numeric): 12 MP | 3G bands supported: 2100 | USB Type-C required charging power (min): 10 W | User memory: 483.7 GB | BeiDou: Yes | 4G bands supported:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

700 | Removable battery: No | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 1500 | Rear camera type: Triple camera | Position location: Yes | Energy efficiency scale: A to G | 4G bands supported: 1900 | Rear camera aperture number: 1.8 | Second rear camera aperture number: 2.2 | SIM card type: NanoSIM + eSIM | Third rear camera resolution (numeric): 8 MP | Gyroscope: Yes | Image stabilizer type: Optical Image Stabilization (OIS) | Gorilla Glass version: Gorilla Glass Victus+ | SIM card ejector pin: Yes | Mobile network generation: 5G | SIM card capability: Dual SIM | USB Power Delivery (USB PD): Yes | Video capture resolution (max): 7680 x 4320 pixels | Second rear camera resolution (numeric): 12 MP | Front camera type: Single camera | Continuous video playback time (max): 28 h

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950