



**Switch DAHUA
S3006-4GT-36
Switch type
Unmanaged
Form factor
Desktop/Wall-
Mounting 4xRJ-
45 ports RJ-45
Ports Type
Gigabit Ethernet
(10/100/1000)
Power over
Ethernet (PoE)
Yes 4xPower
over Ethernet
(PoE) ports
quantity Total
Power over
Ethernet (PoE)
budget 36 W**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

S3006-4GT-36



Model: S3006-4GT-36

Manufacturer: DAHUA

Product Code: 1182939

R1,067

Highly reliable, the unmanaged PoE switch is equipped with a high performance switching engine, has large buffer memory and optimizes transmission performance. The device supports long distance PoE, and the PoE port provides up to 30 W, making it suitable for small and medium sized settings that require PoE power supplies. It can operate in temperatures ranging -10°C to 55°C. It also features EMC and has protection against overvoltage, overcurrent, static electricity, lightning strikes, pulses and other types of interference.

Plug and Play

Hassle-free, it does not require any configuration. Simply use after it is powered on.

Easy Installation

Both desktop and wall mount installation are supported, making it suitable for a wide variety of scenarios.

Long Distance PoE

The transmission distance of a PoE port can be up to 250 m, meeting the requirement of wired transmission (bandwidth reduced to 10 Mbps).

Wide Operating Temperature

Supports working at ambient temperatures of -10 °C to +55 °C, and has built-in professional lightning-proof circuits that effectively reduce the impact of thunderstorms on network systems and

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

improve system robustness, allowing the device to adapt to harsh environments.

- Easy to install, and is plug and play
- Meets the requirements of IEEE802.3af and IEEE802.3at standards
- Performs long-distance transmission
- With its solid full metal design, the device has great heat dissipation and no fan
- Wide operating temperature ranging from -10 °C to +55 °C
- Supports wall mount and desktop mount

Summary: Dahua Technology PoE S3006-4GT-36. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 4. MAC address table: 2000 entries, Switching capacity: 12 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x. DC input voltage: 53 V. Power connector: DC-in jack. Power over Ethernet (PoE). Wall mountable, Form factor: Desktop/Wall-Mounting | Vendor Homepage: <https://transmission.dahuasecurity.com/en/product-list/Business/Switches/PoESwitchForSecurity/S3006-4GT-36> | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 4 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Uplink ports quantity: 2 | Power connector: DC-in jack | Networking standards: IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3u/IEEE 802.3x | 10G support: No | Ethernet LAN data rates: 10,100,1000 | Switching capacity: 12 | Forwarding rate: 8.928 | MAC address table: 2000 | Jumbo frames support: Yes | Jumbo frames: 9216 | Packet buffer memory: 1 | Rack mounting: No | Form factor: Desktop/Wall-Mounting | Product colour: Blue | Housing material: Metal | LED indicators: Yes | Wall mountable: Yes | Power source: DC/PoE | Power supply included: Yes | DC input voltage: 53 | Input current: 0.8 | Power consumption (max): 40.7 | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) type supported: Active PoE | Power over Ethernet (PoE) ports quantity: 4 | Total Power over Ethernet (PoE) budget: 36 | Operating temperature (T-T): -10 - 55 | Storage temperature (T-T): -40 - 75 | Operating relative humidity (H-H): 10 - 90 | Storage relative humidity (H-H): 5 - 95 | Width: 84.3 | Depth: 115.5 | Height: 27 | Weight: 200 | Cables included: Power | Manual: Yes | Package type: Box | Package width: 115 | Package depth: 196 | Package height: 85 | Package weight: 650 | Compliance certificates: CE | Unit Calculated Weight: 0.65 | Product Net Weight: 0.2 | Unit Calculated Volume: 0.0019159 | Units per Shipping Box: 1 | Name: NET SWITCH 6PORT 4POE/S3006-4GT-36 DAHUA | Model name: S3006-4GT-36

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950