



Samsung Galaxy SM- S741BZVDEUE smartphone 17 cm (6.7") Dual SIM Android 17 5G USB Type-C 128 GB 4900 mAh Blueberry

Model: SM-S741BZVDEUE

Manufacturer: SAMSUNG

EAN: 8806099395278

Product Code: 1183111

R12,407

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Battery capacity: 4900 mAh | GPS (satellite): Yes | Bluetooth version: 5.4 | Accelerometer: Yes | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Audio formats supported: RTTTL | Audio formats supported: MP3 | Audio formats supported: OTA | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Display brightness: 1200 cd/m² | GLONASS: Yes | Audio formats supported: Mid | Internal storage capacity:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

128 GB | Audio formats supported: 3GA | Audio formats supported: IMY | Audio formats supported: DSF | Audio formats supported: AWB | Audio formats supported: M4A | Wi-Fi Direct: Yes | Maximum frame rate: 240 fps | Proximity sensor: Yes | Headphone connectivity: USB Type-C | Optical zoom: 3x | Ambient light sensor: Yes | Wi-Fi standards: 802.11g | USB version: 2.0 | Gyroscope: Yes | Near Field Communication (NFC): Yes | Battery recharge time: 1.1 h | Maximum refresh rate: 120 Hz | Audio formats supported: WAV | Audio formats supported: AMR | AC adapter included: No | Platform: Android | Processor family: Samsung Exynos | Processor model: 2500 | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Weight: 193 g | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | USB connector type: USB Type-C | Processor cores: 10 | Image stabilizer: Yes | Product colour: Blueberry | Display number of colours: 16 million colours | Maximum display brightness (HDR): 1900 cd/m² | Display resolution: 2340 x 1080 pixels | Third rear camera sensor size: 1/4.4" | Wi-Fi standards: 802.11b | Wi-Fi standards: Wi-Fi 4 (802.11n) | Front camera aperture number: 2.2 | 4G standard: LTE-TDD & LTE-FDD | Front camera resolution (numeric): 12 MP | 5G standard: Sub6 TDD | 5G standard: Sub6 FDD | Gorilla Glass version: Gorilla Glass Victus | 4G bands supported: 2100 | 4G bands supported: 800 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | Barometer: Yes | Second rear camera sensor size: 1/3.2" | 4G bands supported: 1900 | Second rear camera resolution (numeric): 12 MP | Magnetic sensor: Yes | Position location: Yes | Night mode: Yes | Panorama: Yes | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Rear camera field of view (FOV) angle: 84° | Hall sensor: Yes | Rear camera flash: Yes | Mobile network generation: 5G | Display diagonal: 17 cm (6.7") | Rear camera type: Triple camera | Third rear camera field of view (FOV) angle: 32° | BeiDou: Yes | Front camera sensor size: 1/3.2" | Third rear camera resolution (numeric): 8 MP | Quasi-Zenith Satellite System (QZSS): Yes | Pixel density: 382 ppi | Rear camera resolution (numeric): 50 MP | SIM card type: NanoSIM + eSIM | Front camera field of view (FOV) angle: 85° | Energy efficiency scale: A to G | 5G bands supported: 2500 | Rear camera sensor size: 1/1.56" | 5G bands supported: 3500 MHz | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | Portrait mode: Yes | 4G bands supported: 700 | 4G bands supported: 2300 | 5G bands supported: 1900 | Display glass type: Gorilla Glass | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | Rear camera aperture number: 1.8 | Front camera type: Single camera | Image stabilizer type: Optical Image Stabilization (OIS) | 3G standards: WCDMA | Third rear camera aperture number: 2.4 | Video capture resolution (max): 4320 x 7680 pixels | Second rear camera aperture number: 2.2 | 4G bands supported: 900 | 5G bands supported: 3700 | 3G bands supported: 1900 | 3G standards: UMTS | 3G bands supported: 850 | Display technology marketing name: Dynamic AMOLED 2X | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Bluetooth: Yes | Face

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

recognition: Yes | SIM card capability: Dual SIM | 5G standard: Sub6 SDL | 4G bands supported: 1800 | 5G bands supported: 2100 | Flash type: LED | 3G bands supported: 2100 | Video formats supported: 3G2 | Wireless charging: Yes | Galileo: Yes | Second rear camera field of view (FOV) angle: 123° | Depth: 7.4 mm | Operating system installed: Android 17 | Video formats supported: MKV | Width: 76.9 mm | Video formats supported: M4V | Video formats supported: FLV | 5G bands supported: 850 | USB Type-C charging port: Yes | Height: 161.6 mm | International Protection (IP) code: IP68 | USB Type-C required charging power (min): 10 W | Compatible memory cards: Not supported | Video formats supported: AVI | Video formats supported: WEBM | Energy efficiency class: A | Video formats supported: 3GP | Video formats supported: MP4 | Rear camera pixel size (Quad Pixel technology): 1.12 µm | Slow motion mode: Yes | Battery endurance per cycle: 3000 min | Battery endurance in cycles: 1200 | USB Type-C required charging power (max): 45 W | Repeated free fall reliability class: A | Repairability class: C | Third rear camera pixel size (Quad Pixel technology): 1 µm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950