



Graphics Card

MSI NVIDIA

GeForce RTX

5060 2535 MHz

8 GB GDDR7 128

bit PCI Express

x16 5.0 Active

RTX50608G VENTUS 2X OC V1

Model: RTX 5060 8G VENTUS 2X OC V1

Manufacturer: MSI

EAN: 4711377460880

Product Code: 1183614

R14,300

TAKE THE ESSENTIALS

VENTUS focuses on the essentials to tackle any challenge. Its efficient thermal solution is encased in a resilient enclosure with a neutral aesthetic, allowing this sleek graphics card to integrate seamlessly into any build.

DUAL-FAN THERMAL DESIGN

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Two fans on a large heatsink ensure great cooling performance with a quieter experience.

MSI CENTER

BRINGING IT ALL TOGETHER

MSI's exclusive MSI Center software empowers you to maximize your MSI products. Monitor, tweak, and optimize in real-time with just a few clicks. One of its standout features, AI Tuning, intelligently adjusts your system to meet AI-oriented requirements.

AFTERBURNER

PRECISION CONTROLS, UNLIMITED POWER

MSI Afterburner is the world's leading graphics card overclocking software, offering complete control and real-time system monitoring. It's free and compatible with most graphics cards.

MSI APP PLAYER

SEAMLESS GAMING EXPERIENCE

Developed under an exclusive partnership with BlueStacks, the MSI APP Player provides a seamless gaming experience between mobile gaming and the PC.

- Powered by the NVIDIA Blackwell architecture and DLSS 4.5
- Core Clocks:
- Extreme Performance: 2535 MHz (MSI Center)
- Boost: 2527 MHz
- TORX Fan 5.0: Fan blades linked by ring arcs work to stabilize and maintain high-pressure airflow
- Heat Pipes designed for efficient heat transfer, the heat pipes effectively draw thermal energy away from the GPU, improving overall cooling performance
- Reinforcing Backplate: The reinforcing backplate features an airflow vent that allows exhaust air to directly pass through
- MSI Center: The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time
- Afterburner software takes full control with the most recognized and widely used graphics card overclocking software in the world

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Summary: MSI GeForce RTX 5060 8G VENTUS 2X OC V1. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX 5060, Processor frequency: 2535 MHz. Discrete graphics card memory: 8 GB, Graphics card memory type: GDDR7, Memory bus: 128 bit. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate, OpenGL version: 4.6. Interface type: PCI Express x16 5.0. Cooling type: Active, Number of fans: 2 fan(s) | Vendor Homepage: <https://www.msi.com/Graphics-Card/GeForce-RTX-5060-8G-VENTUS-2X-OC-V1> | Grafikos procesoriaus šeima: NVIDIA | Grafikos procesorius: GeForce RTX 5060 | Procesoriaus dažnis: 2535 | Procesoriaus laikrodžio greičio padidinimas: 2527 | Maksimali rezoliucija: 7680 x 4320 | CUDA: Taip | CUDA šerdys: 3840 | Maksimalus ekranų skaičius kiekvienai vienai vaizdo plokštei: 4 | Diskrečiojo grafikos adapterio atmintis: 8 | Grafikos adapterio atminties tipas: GDDR7 | Atminties magistralė: 128 | Duomenų perdavimo sparta: 28 | Sąajos tipas: PCI Express x16 5.0 | HDMI portų kiekis: 1 | HDMI versija: 2.1b | „DisplayPort“ kiekis: 3 | „DisplayPort“ versija: 2.1b | Integruotas TV tiuneris: Ne | „DirectX“ versija: 12 Ultimate | OpenGL versija: 4.6 | HDCP: Taip | Dvi DVI išvestys: Ne | NVIDIA G-SYNC: Taip | Aušinimo tipas: Aktyvus | Aušinimo technologija: MSI TORX FAN 5.0 | Ventiliatorių skaičius: 2 | Forma: Full-Height/Half-Length (FH/HL) | Minimalus sistemos maitinimas: 550 | Energijos suvartojimas: 145 | Papildomos maitinimo jungtys: 1x 8-pin | Svoris: 548 | Ilgis: 197 | Ilgis: 41 | Aukštis: 120 | Paketo svoris: 840 | Bruto svoris: 1 | Vienetų skaičius vienoje siuntimo dėžėje: 12 | Vieneto plotis: 7.5 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 32 | Vieneto gylis: 28 | Vieneto aukštis: 21.5 | Name: VGA PCIE16 RTX5060 8GB GDDR7/RTX5060 8G VENTUS 2X OC V1 MSI | Model name: GeForce RTX 5060 8G VENTUS 2X OC V1

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950