



Samsung Galaxy S26 FE 17 cm (6.7) Dual SIM Android 17 5G USB Type-C 8 GB 256 GB 4900 mAh Graphite

Model: SM-S741BZKGEUE

Manufacturer: SAMSUNG

EAN: 8806099395360

Product Code: 1186480

R14,760

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Display number of colours: 16 million colours | Operating system installed: Android 17 | Internal storage capacity: 256 GB | Wi-Fi standards: Wi-Fi 4 (802.11n) | Weight: 193 g | Video formats supported: 3GP | Video formats supported: M4V | Video formats supported: FLV | Video formats supported: MKV | USB version: 2.0 | AC adapter included: No | Video formats supported: AVI | Video formats supported: WEBM | Maximum refresh rate: 120 Hz | Product colour: Graphite | Platform: Android | USB connector type: USB Type-C | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Video formats supported: 3G2 | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

supported: DFF | Image stabilizer: Yes | Audio formats supported: Mid | Fingerprint reader: Yes | Audio formats supported: RTTTL | Audio formats supported: M4A | Audio formats supported: MP3 | Audio formats supported: OTA | Depth: 7.4 mm | Audio formats supported: IMY | Audio formats supported: DSF | Audio formats supported: AWB | Audio formats supported: MIDI | Audio formats supported: MXMF | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Audio formats supported: 3GA | Wi-Fi standards: 802.11g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Battery recharge time: 1.1 h | Wi-Fi standards: 802.11b | Optical zoom: 3x | Audio formats supported: WAV | Audio formats supported: AMR | Video formats supported: MP4 | Energy efficiency class: A | Headphone connectivity: USB Type-C | Compatible memory cards: Not supported | Processor cores: 10 | Display diagonal: 17 cm (6.7") | Battery capacity: 4900 mAh | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Width: 76.9 mm | International Protection (IP) code: IP68 | Processor family: Samsung Exynos | Bluetooth version: 5.4 | Height: 161.6 mm | Display brightness: 1200 cd/m² | Processor model: 2500 | Display resolution: 2340 x 1080 pixels | Bluetooth: Yes | Maximum frame rate: 240 fps | Near Field Communication (NFC): Yes | GPS (satellite): Yes | Proximity sensor: Yes | Front camera type: Single camera | Flash type: LED | Second rear camera sensor size: 1/3.2" | Front camera resolution (numeric): 12 MP | Second rear camera resolution (numeric): 12 MP | Face recognition: Yes | Rear camera field of view (FOV) angle: 84° | Display technology marketing name: Dynamic AMOLED 2X | Video capture resolution (max): 4320 x 7680 pixels | 5G standard: Sub6 TDD | Rear camera resolution (numeric): 50 MP | 5G standard: Sub6 FDD | 3G standards: UMTS | 3G bands supported: 850 | RAM capacity: 8 GB | Accelerometer: Yes | SIM card type: NanoSIM + eSIM | 4G standard: LTE-TDD & LTE-FDD | 5G standard: Sub6 SDL | 3G bands supported: 1900 | SIM card capability: Dual SIM | Wireless charging: Yes | Galileo: Yes | Pixel density: 382 ppi | GLONASS: Yes | Rear camera flash: Yes | 3G standards: WCDMA | Third rear camera aperture number: 2.4 | Third rear camera resolution (numeric): 8 MP | Barometer: Yes | Rear camera type: Triple camera | 3G bands supported: 2100 | Ambient light sensor: Yes | BeiDou: Yes | Front camera sensor size: 1/3.2" | Front camera aperture number: 2.2 | Second rear camera aperture number: 2.2 | Magnetic sensor: Yes | Gyroscope: Yes | Wi-Fi Direct: Yes | Display glass type: Gorilla Glass | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | 4G bands supported: 1800 | Third rear camera sensor size: 1/4.4" | Hall sensor: Yes | 4G bands supported: 900 | 4G bands supported: 700 | 4G bands supported: 2300 | 4G bands supported: 1900 | 4G bands supported: 2100 | 4G bands supported: 800 | Rear camera sensor size: 1/1.56" | Maximum display brightness (HDR): 1900 cd/m² | Position location: Yes | Night mode: Yes | Second rear camera field of view (FOV) angle: 123° | Rear camera aperture number: 1.8 | Repairability class: C | Repeated free fall reliability class: A | Battery endurance in cycles: 1200 | Third rear camera pixel size (Quad Pixel technology): 1 µm | Image

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

stabilizer type: Optical Image Stabilization (OIS) | Third rear camera field of view (FOV) angle: 32° | Front camera field of view (FOV) angle: 85° | Quasi-Zenith Satellite System (QZSS): Yes | Gorilla Glass version: Gorilla Glass Victus | 5G bands supported: 850 | Portrait mode: Yes | 5G bands supported: 2500 | Mobile network generation: 5G | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 1900 | 5G bands supported: 3700 | Energy efficiency scale: A to G | 5G bands supported: 3500 MHz | 5G bands supported: 2100 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | Panorama: Yes | Rear camera pixel size (Quad Pixel technology): 1.12 µm | Slow motion mode: Yes | USB Type-C required charging power (max): 45 W | USB Type-C charging port: Yes | Battery endurance per cycle: 3000 min | USB Type-C required charging power (min): 10 W

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950