



Samsung Galaxy A27 5G 17 cm (6.7") Dual SIM Android 16.0 USB Type-C 8 GB 256 GB 5000 mAh Blue

Model: SM-A276BZBCEUB

Manufacturer: SAMSUNG

EAN: 8806099353513

Product Code: 1187106

R7,836

Slow motion rate: 240fps @HD | Compatibility: Galaxy Ring, Galaxy Buds Core, Galaxy Buds4 Pro, Galaxy Buds3 Pro, Galaxy Buds2 Pro, Galaxy Buds Pro, Galaxy Buds Live, Galaxy Buds+, Galaxy Buds4, Galaxy Buds3, Galaxy Buds2, Galaxy Buds, Galaxy Buds3 FE, Galaxy Buds FE, Galaxy Fit3, Galaxy Fit2, Galaxy Watch FE, Galaxy Watch Ultra, Galaxy Watch8, Galaxy Watch7, Galaxy Watch6, Galaxy Watch5, Galaxy Watch4, Galaxy Watch3, Galaxy Watch, Galaxy Watch Active2, Galaxy Watch Active | Processor frequency: 1.8 GHz | AC adapter included: No | Depth: 7.8 mm | Wi-Fi standards: Wi-Fi 4 (802.11n) | Processor boost frequency: 2.4 GHz | Wi-Fi standards: 802.11b | Display resolution: 1080 x 2340 pixels | Energy efficiency class: A | Weight: 200 g | Wi-Fi standards: 802.11g | Cables included: USB Type-C to USB Type-C | Height: 162.4 mm | Compatible memory cards:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

MicroSD (TransFlash) | USB connector type: USB Type-C | Operating system installed: Android 16.0 | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Width: 78.2 mm | Display diagonal: 17 cm (6.7") | Display number of colours: 16 million colours | Processor model: 6 Gen 3 | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Processor family: Snapdragon | Processor cores: 8 | International Protection (IP) code: IP64 | Bluetooth: Yes | Product colour: Blue | USB Type-C required charging power (max): 25 W | Repairability class: C | USB Type-C required charging power (min): 10 W | Security update term: 31 July 2032 | USB Type-C charging port: Yes | Third rear camera pixel size (Quad Pixel technology): 1.75 µm | Battery endurance per cycle: 3066 min | Repeated free fall reliability class: B | Slow motion mode: Yes | Battery endurance in cycles: 1200 | Rear camera pixel size (Quad Pixel technology): 1.12 µm | Fingerprint reader: Yes | Video formats supported: 3GP | Audio formats supported: RTTTL | Battery recharge time: 1.4 h | Audio formats supported: M4A | Audio formats supported: 3GA | Video formats supported: M4V | Digital zoom: 10x | Audio formats supported: IMY | Audio formats supported: MIDI | Audio formats supported: MXMF | Audio formats supported: Mid | Video formats supported: FLV | Audio formats supported: AWB | Video formats supported: MKV | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Zoom capability: Yes | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Video formats supported: AVI | Video formats supported: WEBM | Audio formats supported: WAV | Audio formats supported: AMR | Video formats supported: MP4 | Audio formats supported: MP3 | Audio formats supported: OTA | Maximum memory card size: 2 TB | Video formats supported: 3G2 | 5G standard: Sub6 TDD | Third rear camera sensor size: 1/5" | Macro photography: Yes | Bluetooth version: 5.1 | Near Field Communication (NFC): Yes | GPS (satellite): Yes | Mobile High-Definition Link (MHL): No | Headphone connectivity: USB Type-C | Maximum frame rate: 30 fps | Wi-Fi Direct: Yes | USB version: 2.0 | Maximum refresh rate: 120 Hz | Platform: Android | Internal storage capacity: 256 GB | Battery capacity: 5000 mAh | Image stabilizer: Yes | Second rear camera field of view (FOV) angle: 115° | Rear camera aperture number: 1.8 | 3G standards: WCDMA | 3G bands supported: 900 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | Second rear camera resolution (numeric): 5 MP | Rear camera flash: Yes | 3G bands supported: 850 | Flash type: LED | GLONASS: Yes | Resolution at capture speed: 1280x720@30fps | Resolution at capture speed: 1920x1080@60fps | RAM capacity: 8 GB | 3G bands supported: 1700 MHz | Galileo: Yes | 2G bands (primary SIM): 850 | 2G standards: GSM | Ambient light sensor: Yes | Front camera resolution (numeric): 12 MP | 3G bands supported: 1900 | Position location: Yes | Night mode: Yes | 4G bands supported: 1700 | Display glass type: Gorilla Glass | Accelerometer: Yes | Second rear camera aperture number: 2.2 | 3G bands supported: 2100 | Resolution at capture speed: 1920x1080@30fps | 2G bands (primary SIM): 1900 | 4G standard: LTE-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

TDD & LTE-FDD | Geomagnetic sensor: Yes | Front camera aperture number: 2.2 | Processor architecture: ARM Cortex-A78+Cortex-A55 | BeiDou: Yes | Front camera sensor size: 1/3.2" | 2G bands (primary SIM): 900 MHz | Continuous video playback time (max): 23 h | 2G bands (primary SIM): 1800 | Fast charging: Yes | 4G bands supported: 900 | 4G bands supported: 1500 | Second rear camera sensor size: 1/5" | 4G bands supported: 2100 | 4G bands supported: 800 | 4G bands supported: 1900 | 4G bands supported: 1800 | Video capture resolution (max): 3840 x 2160 pixels | Rear camera field of view (FOV) angle: 77° | SIM card capability: Dual SIM | User memory: 231.5 GB | 4G bands supported: 700 | 4G bands supported: 2300 | Resolution at capture speed: 3840x2160@30fps | Pixel density: 387 ppi | Rear camera resolution (numeric): 50 MP | Rear camera type: Triple camera | SIM card type: NanoSIM | Display technology marketing name: Super AMOLED | SIM card ejector pin: Yes | Gyroscope: Yes | Proximity sensor: Yes | Front camera type: Single camera | Rear camera sensor size: 1/2.76" | 5G bands supported: 850 | 5G bands supported: 2100 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 3500 MHz | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 2500 | 5G bands supported: 1700 | 5G bands supported: 3700 | Portrait mode: Yes | Third rear camera aperture number: 2.4 | Memory card slot type: Hybrid slot | Front camera field of view (FOV) angle: 81° | Removable battery: No | Hearing aid compatibility: Yes | Third rear camera resolution (numeric): 2 MP | Speakers: Mono | Gorilla Glass version: Gorilla Glass Victus | Energy efficiency scale: A to G | Mobile network generation: 5G | Fourth rear camera resolution (numeric): 50 MP | Quasi-Zenith Satellite System (QZSS): Yes | Panorama: Yes | Third rear camera field of view (FOV) angle: 89° | Image stabilizer type: Optical Image Stabilization (OIS)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950