


# Samsung Galaxy S26 FE 17 cm (6.7) Dual SIM Android 17 5G USB Type-C 8 GB 256 GB 4900 mAh Green

Model: TKOSA1SZA2198

Manufacturer: SAMSUNG

EAN: 8806099395087

Product Code: 1190166

## R14,921

Slow motion rate: 240fps @FHD, 120fps @FHD, 120fps @UHD | Compatibility: Galaxy Ring, Galaxy Buds Core, Galaxy Buds4 Pro, Galaxy Buds3 Pro, Galaxy Buds2 Pro, Galaxy Buds Pro, Galaxy Buds Live, Galaxy Buds+, Galaxy Buds4, Galaxy Buds3, Galaxy Buds2, Galaxy Buds, Galaxy Buds3 FE, Galaxy Buds FE, Galaxy Fit3, Galaxy Fit2, Galaxy Watch FE, Galaxy Watch Ultra2, Galaxy Watch Ultra, Galaxy Watch9, Galaxy Watch8, Galaxy Watch7, Galaxy Watch6, Galaxy Watch5, Galaxy Watch4, Galaxy Watch3, Galaxy Watch, Galaxy Watch Active2, Galaxy Watch Active | Video formats supported: 3GP | Energy efficiency class: A | Compatible memory cards: Not supported | Video

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

formats supported: MP4 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Video formats supported: M4V | Video formats supported: 3G2 | Processor cores: 10 | Weight: 193 g | International Protection (IP) code: IP68 | Height: 161.6 mm | Processor model: 2500 | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11g | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Video formats supported: FLV | Video formats supported: AVI | Video formats supported: WEBM | Bluetooth: Yes | Processor family: Samsung Exynos | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Display resolution: 1080 x 2340 pixels | Display diagonal: 17 cm (6.7") | Video formats supported: MKV | Modulation: 1024-QAM | Operating system installed: Android 17 | Processor boost frequency: 3.3 GHz | Display number of colours: 16 million colours | USB connector type: USB Type-C | Product colour: Green | Fingerprint reader: Yes | AC adapter included: No | MIMO: Yes | Width: 76.9 mm | Processor frequency: 2.74 GHz | Depth: 7.4 mm | Second rear camera sensor size: 1/3.2" | Barometer: Yes | Fourth rear camera resolution (numeric): 50 MP | User memory: 229.6 GB | Internal storage capacity: 256 GB | Hall sensor: Yes | 3G bands supported: 2100 | 3G bands supported: 1900 | Battery capacity: 4900 mAh | Front camera resolution (numeric): 12 MP | Front camera type: Single camera | Proximity sensor: Yes | Wireless charging: Yes | 3G bands supported: 1700 MHz | Galileo: Yes | Platform: Android | Rear camera resolution (numeric): 50 MP | Optical zoom: 3x | Third rear camera field of view (FOV) angle: 32° | Front camera field of view (FOV) angle: 85° | Near Field Communication (NFC): Yes | RAM capacity: 8 GB | 2G bands (primary SIM): 900 MHz | 4G standard: LTE-TDD & LTE-FDD | Geomagnetic sensor: Yes | 3G bands supported: 850 | Ambient light sensor: Yes | USB Power Delivery (USB PD): Yes | Video capture resolution (max): 7680 x 4320 pixels | SIM card capability: Dual SIM | Rear camera field of view (FOV) angle: 84° | Headphone connectivity: USB Type-C | 3G bands supported: 900 | Third rear camera aperture number: 2.4 | 3G standards: WCDMA | Third rear camera resolution (numeric): 8 MP | Mobile network generation: 5G | GPS (satellite): Yes | Panorama: Yes | Rear camera aperture number: 1.8 | Position location: Yes | Night mode: Yes | 2G bands (primary SIM): 850 | Second rear camera field of view (FOV) angle: 123° | Maximum frame rate: 30 fps | 2G bands (primary SIM): 1800 | Mobile High-Definition Link (MHL): No | Pixel density: 382 ppi | 2G bands (primary SIM): 1900 | Continuous video playback time (max): 29 h | Front camera aperture number: 2.2 | BeiDou: Yes | Front camera sensor size: 1/3.2" | 4G bands supported: 1500 | Display glass type: Gorilla Glass | 4G bands supported: 1700 | Rear camera type: Triple camera | Energy efficiency scale: A to G | Rear camera sensor size: 1/1.56" | Image stabilizer: Yes | 4G bands supported: 2100 | 4G bands supported: 800 | 4G bands supported: 1800 | USB version: 2.0 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | 4G bands supported: 700 | 4G bands supported: 2300 | Battery recharge time: 1.1 h | Image stabilizer type: Optical Image Stabilization (OIS) | Gyroscope: Yes | SIM card type: NanoSIM + eSIM | Flash type: LED

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

| Portrait mode: Yes | Digital zoom: 30x | Face recognition: Yes | Removable battery: No | Audio formats supported: RTTTL | Bluetooth version: 5.4 | Quasi-Zenith Satellite System (QZSS): Yes | Accelerometer: Yes | Maximum refresh rate: 120 Hz | Hearing aid compatibility: Yes | Gorilla Glass version: Gorilla Glass Victus | Second rear camera resolution (numeric): 12 MP | Speakers: stereo | Rear camera flash: Yes | 4G bands supported: 900 | Display brightness: 1200 cd/m² | Second rear camera aperture number: 2.2 | Audio formats supported: AWB | Audio formats supported: IMY | Audio formats supported: DSF | Audio formats supported: MP3 | Audio formats supported: OTA | Magnetic sensor: Yes | Audio formats supported: Mid | Audio formats supported: M4A | Wi-Fi Direct: Yes | Audio formats supported: WAV | Audio formats supported: AMR | 2G standards: GSM | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | GLONASS: Yes | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Audio formats supported: MIDI | Audio formats supported: MXMF | Audio formats supported: 3GA | Display technology marketing name: Dynamic AMOLED 2X | 4G bands supported: 1900 | 5G bands supported: 3700 | 5G bands supported: 2500 | 5G bands supported: 1700 | 5G bands supported: 2100 | 5G bands supported: 3500 MHz | 5G bands supported: 850 | 5G bands supported: 1500 MHz | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 1900 | Maximum display brightness (HDR): 1900 cd/m² | Repeated free fall reliability class: A | Battery endurance per cycle: 3000 min | USB Type-C required charging power (max): 45 W | 5G standard: Sub6 TDD | Third rear camera pixel size (Quad Pixel technology): 1 µm | Third rear camera sensor size: 1/4.4" | Battery endurance in cycles: 1200 | USB Type-C required charging power (min): 10 W | Security update term: 30 September 2033 | Rear camera pixel size (Quad Pixel technology): 1.12 µm | Slow motion mode: Yes | USB Type-C charging port: Yes | Repairability class: C

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950