

InLine 57885D KVM switch Rack mounting Black

Model: 57885D

Manufacturer: INLINE

EAN: 4043718344277

Product Code: 1222016

R4,516

Four PCs, one workspace: Control four computers with just one mouse, keyboard and HDMI display – ideal for IT professionals, server rooms or training systems.
8K HDMI 2.1 + HDR10+: Brilliant image quality with Dolby Vision, HDR10+ and 4K@144Hz – even with graphics-intensive applications.
USB 3.2 Gen.1 hub for peripherals: Connect a webcam, storage device or printer – with 5 Gb/s on all four PCs.
Flexible control: Switch via button, hotkey, IR remote control or RS-232 – individually controllable and automatable.
Maximum compatibility: Platform-independent (Windows, macOS, Linux), no drivers required.

The InLine KVM Switch 4-way with HDMI 2.1 allows four computers to be controlled centrally from a single workstation – with one HDMI monitor, one mouse and one keyboard. It is ideal for IT departments, technical workstations or demanding home workstations with multiple systems. Thanks to HDMI 2.1, the switch supports resolutions up to 8K@60Hz and HDR formats such as Dolby

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Vision, HDR10+ and HLG. The four USB 3.2 Gen.1 ports allow peripheral devices such as printers, external drives or webcams to be shared across all connected computers at speeds of up to 5 Gb/s. Switching between the four sources can be done as required via hotkey, front button, IR remote control or RS-232 control. The robust metal housing, ESD protection and extensive accessories ensure smooth and professional operation. The switch is operating system independent and requires no drivers.

HDMI inputs: 4 × HDMI (Type A, 19-pin)
HDMI output: 1 × HDMI (Type A, 19-pin)
USB ports: 4 × USB 3.2 Gen.1 (USB-A), 4 × USB host (USB-B)
RS-232: 3-pin terminal connection
IR EXT: 3.5 mm stereo jack (38 kHz)
Audio output: 3.5 mm stereo jack (PCM 2.0CH)
Video resolution: up to 8K@60 Hz, 4K@120 Hz/144 Hz, 1080p@240 Hz
Colour depth: 8, 10, 12 bits
Colour spaces: RGB 4:4:4, YCbCr 4:4:4 / 4:2:2 / 4:2:0
HDR support: HDR, HDR10, HDR10+, Dolby Vision, HLG
HDMI version: HDMI 2.1
HDCP compatibility: HDCP 2.3
Audio formats HDMI IN/OUT: LPCM, Dolby Digital/Plus/EX, Dolby TrueHD, Dolby Atmos, DTS, DTS-EX, DTS-96/24, DTS High Res, DTS-HD Master Audio, DTS:X, DSD
Latency: no video or audio delay
CEC support: yes
ESD protection: ±8 kV air / ±4 kV contact
Housing: Metal housing, colour black
Dimensions: 270 × 100 × 30 mm
Weight: 756 g
Operating ambient temperature: 0–40 °C
Storage ambient temperature: –20–60 °C
Humidity: 20–90% (non-condensing)

Recommended HDMI cable lengths

Up to 2 m: 8K / 4K@120 Hz

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Up to 5 m: Ultra HDMI 2.1

Up to 10 m: 1080p with standard cable

External power supply (power adapter)

Type: External plug-in power adapter with lock

Input voltage: 100–240 V AC, 50/60 Hz

Output voltage: 12.0 V DC

Output current: max. 1.0 A

Output power: 12.0 W

Average efficiency during operation: 85.23%

Efficiency at low load (10%): 78.53%

Power consumption at zero load: 0.09 W

Contents of delivery

1 × InLine® KVM switch, 4-port, HDMI, 8K60Hz

1 × IR remote control

1 × IR receiver cable (1.5 m, 38 kHz)

4 × HDMI cable (1.5 m)

4 × USB 3.2 Gen.1 cables (1.8 m, USB-A to USB-B)

1 × 12 V/1 A power supply with lock

1 × 3-pin terminal connection plug

2 × mounting brackets

4 × screws (KM3×4)

1 × user manual in German/English

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950