



**Dell PowerEdge
R740 Enterprise
Server 8-Bay
LFF 3.5 1x Intel
Xeon Silver
4114 (10C/20T)
1x 32GB DDR4
ECC Reg RAM
1xC3 Riser Card
H740P RAID
Controller PERC
H330 Dell Intel
I350 Quad-Port
1Gb 1000BASE-T
PCI-e R Series
Daughtercard
NIC 1x 8TB SATA
Enterprise NL
HDD iDRAC 9
Express Dual**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Redundant Platinum 750W PSU Server



Model: R740BSE

Manufacturer: DELL

Product Code: 13095

R74,795 ~~R78,245~~

- Key Features: Processor Up to two 2nd Generation Intel® Xeon® Scalable processors with up to 28 cores per processor Operating System Canonical® Ubuntu® LTS Citrix® XenServer® Microsoft Windows Server® with Hyper-V Red Hat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi Accelerators Up to three 300W or six 150W GPUs Up to three double-width or four single-width FPGAs Memory5 DIMM Speed Up to 2933MT/s Memory Type RDIMM LRDIMM NVDIMM DCPMM (Intel® Optane™ DC persistent memory) Memory Module Slots 24 DDR4 DIMM slots (12 NVDIMM or 12 DCPMM only) Supports registered ECC DDR4 DIMMs only Maximum RAM RDIMM 1.53TB LRDIMM 3TB NVDIMM 192GB DCPMM 6.14TB (7.68TB with LRDIMM) Storage Front Bays Up to 16 x 2.5" SAS/SATA/SSD, max 122.88TB Up to 8 x 3.5" SAS/SATA, max 128TB Storage Controllers Internal Controllers PERC H330, H730P, H740P, HBA330 External Controllers H840, 12 Gbps SAS HBA Software RAID S140 Internal Boot Boot Optimized Storage Subsystem (BOSS): HWRAID 2 x M.2 SSDs 240GB, 480GB Internal Dual SD Module Security Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires OpenManage Enterprise) TPM 1.2/2.0, TCM 2.0 optional Management Embedded / At-the-Server iDRAC9 iDRAC Restful API with Redfish iDRAC Direct Quick Sync 2 BLE/wireless module Consoles OpenManage Enterprise OpenManage Power Center Mobility OpenManage Mobile Tools Dell RACADM CLI Dell Repository Manager Dell System Update Dell Server Update Utility Dell Update Catalogs iDRAC Service Module IPMI Tool OpenManage Server Administrator OpenManage Storage Services OpenManage Integrations

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

BMC Truesight IBM Tivoli® Network Manager IP Editio Microsoft® System Center RedHat® Ansible® Modules VMware® vCenter OpenManage Connections IBM Tivoli Netcool/OMNibus Micro Focus Operations Manager I Nagios® Core Nagios® XI Power Supplies 495W Platinum 750W Platinum 750W 240VDC6 Platinum 1100W Platinum 1100W -48VDC Gold 1100W 380VDC7 Platinum 1600W Platinum 2000W Platinum 2400W Platinum 750W Titanium Hot plug power supplies with full redundancy option Up to 6 hot plugs fans with full redundancy Ports Network Options 4 x 1GbE 2 x 10GbE + 2 x 1GbE 4 x 10GbE 2 x 25GbE Front Ports 1 x Dedicated iDRAC direct USB 2 x USB 2.0 1 x USB 3.0 (optional) 1 x VGA Rear Ports 1 x Dedicated iDRAC network port 1 x Serial 2 x USB 3.0 1 x VGA Slots PCIe 8 x Gen3 slots (4 x16) Video Card 1 x VGA Bezel Optional LCD bezel or security bezel Form Factor 2U Rack Server Dimensions & Weight Height 86.8mm (3.4") Width8 434.0mm (17.1") Depth8 737.5mm (29.0") Weight 28.6kg (63.0lbs.)

- Warranty: 1 Year
- Media Physical Size: 3.5"
- Capacity Range: Over 10TB

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950