



**Graphics Card**  
**GIGABYTE**  
**NVIDIA GeForce**  
**RTX 5080 16 GB**  
**GDDR7 256 bit**  
**PCIE 5.0 16x**  
**GPU 2617 MHz**  
**Dual Slot**  
**Fansink 1xHDMI**  
**3xDisplayPort**  
**GV-**  
**N5080AORUSMICE-**  
**16GD**

Model: GV-N5080AORUSM ICE-16GD 1.0

Manufacturer: GIGABYTE

EAN: 4719331355692

Product Code: 14378

---

**R34,997**

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Unlock unparalleled gaming prowess with GIGABYTE's NVIDIA graphics cards. Engineered for peak performance and visual excellence, our GPUs redefine gaming standards. With advanced cooling solutions and cutting-edge technologies, GIGABYTE NVIDIA graphics cards deliver stunning visuals and seamless gameplay experiences, empowering gamers to dominate every virtual battlefield with confidence and precision.

- Powered by GeForce RTX 5080
- Integrated with 16GB GDDR7 256bit memory interface
- WINDFORCE cooling system
- LCD Edge View
- RGB Halo
- Dual BIOS (Performance / Silent)
- Reinforced structure and versatile VGA holder
- 4 Years Warranty (Online registration required)

Summary: GIGABYTE AORUS GeForce RTX 5080 MASTER ICE 16G Graphics Card - 16GB GDDR7, 256bit, PCI-E 5.0, 2805MHz Core Clock, 3 x DP 2.1a, 1 x HDMI 2.1b, NVIDIA DLSS 4, GV-N5080AORUSM ICE-16GD. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX 5080, Processor frequency: 2805 MHz. Discrete graphics card memory: 16 GB, Graphics card memory type: GDDR7, Memory bus: 256 bit, Memory clock speed: 30000 MHz. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12.0, OpenGL version: 4.6. Interface type: PCI Express x16 5.0. Cooling type: Active, Number of fans: 3 fan(s) | Vendor Homepage: <https://www.gigabyte.com/> | Graphics processor: GeForce RTX 5080 | Graphics processor family: NVIDIA | Maximum displays per videocard: 4 | Maximum resolution: 7680 x 4320 | Processor frequency: 2805 | Discrete graphics card memory: 16 | Graphics card memory type: GDDR7 | Memory bandwidth (max): 30 | Memory bus: 256 | Memory clock speed: 30000 | DisplayPort version: 2.1b | DisplayPorts quantity: 3 | HDMI ports quantity: 1 | HDMI version: 2.1b | Interface type: PCI Express x16 5.0 | DirectX version: 12.0 | Dual Link DVI: No | NVIDIA G-SYNC: Yes | OpenGL version: 4.6 | Overclocked (OC) edition: Yes | TV tuner integrated: No | Warranty period: 4 | Cooling technology: GIGABYTE WINDFORCE 3X | Cooling type: Active | Form factor: Full-Height/Full-Length (FH/FL) | Number of fans: 3 | Number of slots: 2 | Product colour: White | Minimum system power supply: 850 | Supplementary power connectors: 1x 16-pin | Depth: 75 | Height: 149 | Length: 360 | Weight: 2000 | Package depth: 453 | Package height: 160 | Package type: Box | Package weight: 3000 | Package width: 245 | Cables included: Power |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

Products per shipping (inner) case: 1 | Model: AORUS GeForce RTX 5080 MASTER ICE 16G | Units per Shipping Box: 4 | Unit Calculated Volume: 0.02296 | Product Net Weight: 2.5 | Unit Calculated Weight: 3.96

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](https://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950