

**Graphics Card  
PNY NVIDIA  
Quadro RTX  
A4000 16 GB  
GDDR6 256 bit  
PCIe 4.0 16x  
Single Slot  
Fansink  
4xDisplayPort  
VCNRTXA4000-  
SB**



Model: VCNRTXA4000-SB

Manufacturer: PNY

EAN: 3536403383893

Product Code: 14387

**R25,365**

**NVIDIA RTX A4000, OEM package**

**Sleek Design. Powerful Performance.**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The NVIDIA Ampere architecture builds on the power of NVIDIA RTX to deliver the next generation of accelerated visual computing. As millions of professionals continue to work from anywhere, they rely on a wide range of devices to deliver the power and performance they need to work effectively.

The NVIDIA RTX A4000 is the most powerful single-slot GPU for professionals, delivering real-time ray tracing, AI-accelerated compute, and high-performance graphics performance to your desktop. Built on the NVIDIA Ampere architecture, the RTX A4000 combines 48 second-generation RT Cores, 192 third-generation Tensor Cores, and 6144 CUDA cores with 16 GB of graphics memory. So you can engineer next-generation products, design cityscapes of the future, and create immersive entertainment experiences of tomorrow, today, from your desktop workstation. And with a power-efficient, single-slot PCIe form factor that fits into a wide range of workstation chassis, you can do exceptional work without limits.

Vendor Homepage: <https://www.pny.com/nvidia-rtx-a4000> | DisplayPort: 4 | Chipset: NVIDIA Quadro RTX A4000 | Graphics memory size: 16 | Graphics memory type: GDDR6 | Memory bus: 256 | Graphics connector: PCIe 4.0 16x | CUDA Cores: 6144 | Multi GPU support: 4x Display Port 1.4a | Max resolution: 4096x2160 | Graphics modes supported: SLI | Cooling system: Single Slot Fansink | Power consumption: 140 | Power connectors: 6 pin | Card's length: 240 to 280 mm | Dimensions: 4.4" H x 9.5" L Single Slot | Units per Shipping Box: 1 | Unit Calculated Volume: 0 | Product Net Weight: 0 | Unit Calculated Weight: 1