



Graphics Card
ASUS NVIDIA
GeForce RTX
5060 Ti 16 GB
GDDR7 128 bit
PCIE 5.0 16x
Dual Slot
Fansink 1xHDMI
3xDisplayPort
DUAL-
RTX5060TI-
O16G

Model: DUAL-RTX5060TI-O16G

Manufacturer: ASUS

EAN: 4711387994306

Product Code: 14444

R15,512

DUAL GEFORCE RTX™ 5060 Ti

Dual Fans, Perfect Fit

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

ASUS Dual GeForce RTX™ 5060 Ti combines powerful thermal performance with broad compatibility. Advanced cooling solutions from flagship graphics cards — including two Axial-tech fans for optimizing airflow to the heatsink. Designed in a compact 2.5-slot form factor, delivering more power in less space. These enhancements make ASUS Dual the perfect choice for gamers who want heavyweight graphics performance in a compact build.

Build Small. Play Big.

You can pack high performance into a smaller footprint with this SFF-Ready Enthusiast GeForce card. Look for cases that are compatible with SFF-Ready Enthusiast GeForce Cards to get a sure fit and streamline your PC build.

Cooling

2.5-slot Design

A carefully designed shroud, heatsink, and heatpipe layout enables the two Axial-tech fans to leverage chassis side-panel ventilation, delivering thermal performance that beyond the compact size.

Axial-tech Upgrades

Two tried-and-true Axial-tech fans feature a smaller hub facilitates longer blades and a barrier ring to increase downward air pressure.

0dB Technology

To eliminate unnecessary noise, the stop mode automatically halts all fans when the GPU temperature drops below 50 degrees and power consumption is low.

Dual Ball Fan Bearings

Fan bearings come in different types, each with its own advantages. Dual ball bearings provide superior durability and can last up to twice as long as sleeve-bearing designs.

Vented Backplate

A vented backplate significantly enhance heat dissipation, helping to keep the GPU cooler during intense tasks. This additional airflow helps ensure optimal temperatures, boosting performance, longevity and stability by defending against overheating and thermal throttling. Long Description:

ASUS Dual -RTX5060TI-O16G. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

5060 Ti. Discrete graphics card memory: 16 GB, Graphics card memory type: GDDR7, Memory bus: 128 bit. Maximum resolution: 7680 x 4320 pixels. OpenGL version: 4.6. Interface type: PCI Express 5.0. Cooling type: Active, Number of fans: 2 fan(s) | Vendor Homepage: <https://www.asus.com/motherboards-components/graphics-cards/dual/dual-rtx5060ti-o16g/> | Cooling type: Active | Cooling technology: ASUS Axial-tech | Number of fans: 2 | TV tuner integrated: No | Form factor: Full-Height/Half-Length (FH/HL) | Number of slots: 2.5 | OpenGL version: 4.6 | HDCP: Yes | HDCP version: 2.3 | Graphics processor family: NVIDIA | Graphics processor: GeForce RTX 5060 Ti | Discrete graphics card memory: 16 | Processor boost clock speed: 2602 | Graphics card memory type: GDDR7 | Processor frequency (OC mode): 2632 | Interface type: PCI Express 5.0 | NVIDIA G-SYNC: Yes | Maximum resolution: 7680 x 4320 | Weight: 656 | Memory bus: 128 | CUDA: Yes | CUDA cores: 4608 | Minimum system power supply: 550 | Length: 229 | HDMI ports quantity: 1 | Depth: 50 | HDMI version: 2.1b | Height: 120 | Data transfer rate: 28 | Manual: Yes | Supplementary power connectors: 1x 8-pin | SFF ready: Yes | NPU performance up to: 759 | Overclocked (OC) edition: Yes | DisplayPort version: 2.1b | DisplayPorts quantity: 3 | Maximum displays per videocard: 4 | Parallel processing technology support: Not supported | Product colour: Black/Grey | Package width: 364 | Package depth: 219 | Package height: 67 | Package weight: 1116 | Package type: Box | Model: DUAL-RTX5060TI-O16G | Units per Shipping Box: 8 | Unit Calculated Volume: 0.006912 | Product Net Weight: 0.6 | Unit Calculated Weight: 1.26

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950