



Graphics Card
ASUS AMD
Radeon RX 9060
XT 16 GB GDDR6
128 bit PCIE 5.0
16x Triple slot
Fansink 1xHDMI
2xDisplayPort
PRIME-
RX9060XT-O16G

Model: PRIME-RX9060XT-O16G

Manufacturer: ASUS

EAN: 4711387994214

Product Code: 14454

R12,164

Primed for Power

Experience Primal performance with the Prime Radeon™ RX 9060 XT graphics card featuring a compact 2.5-slot design for expansive compatibility, enhanced by a triple-fan setup for supreme cooling.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Cooling

2.5-slot Design

The Prime Radeon™ RX 9060 XT features a 2.5 slot design with a carefully arranged layout for the shroud, heatsink and heat pipes to let the three Axial-tech fans leverage chassis side-panel ventilation and deliver optimal thermal performance.

Axial-tech Upgrades

Three tried-and-true Axial-tech fans feature a smaller hub that facilitates longer blades and a barrier ring to increase downward air pressure for lower temperatures, less noise and higher performance.

0dB Technology

All three fans come to a standstill when GPU temperatures are below 55°C, letting you play less demanding games or perform light tasks in relative silence. Fans start up again when temperatures are over 60°C, establishing a speed curve that balances performance and acoustics for work or play.

Dual Ball Fan Bearings

Different bearing types have unique pros and cons. Dual-ball bearings excel at durability and can last up to twice as long as sleeve bearing designs.

Vented Backplate

Large backplate vents significantly enhance heat dissipation, helping to keep the GPU cooler during intense tasks. This additional airflow helps ensure optimal temperatures, boosting performance, longevity and stability by defending against overheating and thermal throttling.

MaxContact Design

MaxContact is a special ASUS manufacturing process that effectively expands the surface area of the heat spreader that sits atop the GPU by 5%, compared to traditional designs. This improves temperatures by up to 2°C, in concert with an extensive heatsink array and powerful Axial-tech fans.

Unmatched Reliability

ASUS GPU Guard

ASUS GPU Guard applies adhesive to secure all four corners to reduce the risk of cracks.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Protective Backplate

The PCB is reinforced by a backplate that adds structural rigidity, helping to prevent flex and to protect components and trace pathways from damage.

Stainless Steel Bracket

The mounting bracket features grade 304 stainless steel, chosen for its strength and high resistance to corrosion.

Engineering

Dual BIOS

Do you prioritize low core temps or low noise levels? Performance mode lets the fans spin up to keep the card running cool all the time, and Quiet mode keeps the same power target and top-end settings while offering a less aggressive fan curve for quieter operation at moderate temperatures.

Auto-Extreme Technology

An automated manufacturing process that sets new standards in the industry by allowing all soldering to be completed in a single pass, ASUS Auto-Extreme technology reduces thermal strain on components and avoids the use of harsh cleaning chemicals, resulting in less environmental impact, lower manufacturing power consumption and a more reliable product overall.

Summary: ASUS Prime Radeon RX 9060 XT O16G. Graphics processor family: AMD, Graphics processor: Radeon RX 9060 XT. Discrete graphics card memory: 16 GB, Graphics card memory type: GDDR6, Memory bus: 128 bit. Maximum resolution: 7680 x 4320 pixels. OpenGL version: 4.6. Interface type: PCI Express 5.0. Cooling type: Active, Number of fans: 3 fan(s) | Vendor Homepage: <https://www.asus.com/motherboards-components/graphics-cards/prime/prime-rx9060xt-o16g/> | CUDA: No | Graphics processor: Radeon RX 9060 XT | Graphics processor family: AMD | Maximum displays per videocard: 3 | Maximum resolution: 7680 x 4320 | Parallel processing technology support: Not supported | Processor boost clock speed: 3310 | Stream processors: 2048 | Discrete graphics card memory: 16 | Graphics card memory type: GDDR6 | Memory bandwidth (max): 20 | Memory bus: 128 | DisplayPort version: 2.1a | DisplayPorts quantity: 2 | HDMI ports quantity: 1 | HDMI version: 2.1b | Interface type: PCI Express 5.0 | DirectX version: No | Dual Link DVI: No | HDCP: Yes | HDCP version: 2.3 | OpenGL version: 4.6 | Overclocked (OC) edition: Yes | TV tuner integrated: No | Cooling technology: ASUS Axial-tech | Cooling type: Active | Form factor: Full-Height/Full-Length

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(FH/FL) | Number of fans: 3 | Number of slots: 2.5 | Product colour: Black | Minimum system power supply: 550 | Supplementary power connectors: 1x 8-pin | Depth: 50 | Height: 126 | Length: 304 | Weight: 871 | Package depth: 233 | Package height: 88.5 | Package type: Box | Package weight: 1485 | Package width: 405 | Manual: Yes | Model: PRIME-RX9060XT-O16G | Units per Shipping Box: 5 | Unit Calculated Volume: 0.01002 | Product Net Weight: 0.7 | Unit Calculated Weight: 1.67

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950