



Graphics Card ASUS NVIDIA GeForce RTX 5060 8 GB GDDR7 128 bit PCIE 5.0 16x Dual Slot Fansink 1xHDMI 3xDisplayPort DUAL-RTX5060- O8G

Model: DUAL-RTX5060-O8G

Manufacturer: ASUS

EAN: 4711636057899

Product Code: 14477

R6,908

DUAL GEFORCE RTX™ 5060

Dual Fans, Perfect Fit

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

ASUS Dual GeForce RTX™ 5060 combines powerful thermal performance with broad compatibility. Advanced cooling solutions from flagship graphics cards — including two Axial-tech fans for optimizing airflow to the heatsink. Designed in a compact 2.5-slot form factor, delivering more power in less space. These enhancements make ASUS Dual the perfect choice for gamers who want heavyweight graphics performance in a compact build.

Build Small. Play Big.

You can pack high performance into a smaller footprint with this SFF-Ready Enthusiast GeForce card. Look for cases that are compatible with SFF-Ready Enthusiast GeForce Cards to get a sure fit and streamline your PC build.

Cooling

2.5-slot Design

A carefully designed shroud, heatsink, and heatpipe layout enables the two Axial-tech fans to leverage chassis side-panel ventilation, delivering thermal performance that beyond the compact size.

Axial-tech Upgrades

Two tried-and-true Axial-tech fans feature a smaller hub facilitates longer blades and a barrier ring to increase downward air pressure.

0dB Technology

To eliminate unnecessary noise, the stop mode automatically halts all fans when the GPU temperature drops below 50 degrees and power consumption is low.

Dual Ball Fan Bearings

Fan bearings come in different types, each with its own advantages. Dual ball bearings provide superior durability and can last up to twice as long as sleeve-bearing designs.

Vented Backplate

A vented backplate significantly enhance heat dissipation, helping to keep the GPU cooler during intense tasks. This additional airflow helps ensure optimal temperatures, boosting performance, longevity and stability by defending against overheating and thermal throttling.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Summary: ASUS Dual -RTX5060-O8G. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX 5060. Discrete graphics card memory: 8 GB, Graphics card memory type: GDDR7, Memory bus: 128 bit. Maximum resolution: 7680 x 4320 pixels. OpenGL version: 4.6. Interface type: PCI Express 5.0. Cooling type: Active, Number of fans: 2 fan(s) | Vendor Homepage: <https://www.asus.com/motherboards-components/graphics-cards/dual/dual-rtx5060-o8g/> | CUDA: Yes | CUDA cores: 3840 | Graphics processor: GeForce RTX 5060 | Graphics processor family: NVIDIA | Maximum displays per videocard: 4 | Maximum resolution: 7680 x 4320 | Parallel processing technology support: Not supported | Processor boost clock speed: 2535 | Processor frequency (OC mode): 2565 | Data transfer rate: 28 | Discrete graphics card memory: 8 | Graphics card memory type: GDDR7 | Memory bus: 128 | DisplayPort version: 2.1b | DisplayPorts quantity: 3 | HDMI ports quantity: 1 | HDMI version: 2.1b | Interface type: PCI Express 5.0 | HDCP: Yes | HDCP version: 2.3 | NPU performance up to: 623 | NVIDIA G-SYNC: Yes | OpenGL version: 4.6 | Overclocked (OC) edition: Yes | TV tuner integrated: No | Virtual Reality (VR) ready: Yes | Cooling technology: ASUS Axial-tech | Cooling type: Active | Form factor: Full-Height/Half-Length (FH/HL) | Number of fans: 2 | Number of slots: 2.5 | Product colour: Black/Grey | SFF ready: Yes | Minimum system power supply: 550 | Supplementary power connectors: 1x 8-pin | Depth: 50 | Height: 123 | Length: 228 | Weight: 647 | Package depth: 220 | Package height: 68 | Package type: Box | Package weight: 1107 | Package width: 368 | Manual: Yes | Model: DUAL-RTX5060-O8G | Units per Shipping Box: 8 | Unit Calculated Volume: 0.006947 | Product Net Weight: 0.5 | Unit Calculated Weight: 1.24

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950