



Graphics Card

SAPHIRE AMD

Radeon RX 7600

8 GB GDDR6 128

bit PCIE 4.0 8x

Dual Slot

Fansink 1xHDMI

3xDisplayPort

11324-01-20G

Model: 11324-01-20G

Manufacturer: SAPHIRE

EAN: 4895106293618

Product Code: 14512

R7,006

Fuse Protection

In order to protect your card, the SAPHIRE cards have fuse protection built into the circuit of the external PCI-E power connector to keep the components safe.

Optimized Composite Heatpipe

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

The composite heatpipes are fine-tuned for each individual cooling design with optimal heat flow, efficiently and evenly spreading out the heat to the entire cooling module.

Two-Ball Bearing

These feature Dual Ball bearing fans, which have an approximately 85% longer lifespan than sleeve bearings in our tests. The improvements to the fan blades means the solution is up to 10% quieter than the previous generation.

Tough Metal Backplate

The all-aluminum backplate provides additional rigidity that guarantees nothing bends and dust stays out. It also helps cool your card by increasing heat dissipation.

Summary: Sapphire PULSE 11324-01-20G. Graphics processor family: AMD, Graphics processor: Radeon RX 7600, Processor frequency: 2355 MHz. Discrete graphics card memory: 8 GB, Graphics card memory type: GDDR6, Memory bus: 128 bit. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate. Interface type: PCI Express x8 4.0. Cooling type: Active, Number of fans: 2 fan(s) | Vendor Homepage: <https://www.sapphiretech.com/en/consumer/pulse-radeon-rx-7600-8g-gddr6#Specification> | CUDA: No | Graphics processor: Radeon RX 7600 | Graphics processor family: AMD | Infinity cache: 32 | Maximum displays per videocard: 4 | Maximum resolution: 7680 x 4320 | Processor boost clock speed: 2755 | Processor frequency: 2355 | Ray accelerators: 32 | Stream processors: 2048 | Data transfer rate: 18 | Discrete graphics card memory: 8 | Graphics card memory type: GDDR6 | Memory bus: 128 | DisplayPort version: 1.4 | DisplayPorts quantity: 3 | HDMI ports quantity: 1 | Interface type: PCI Express x8 4.0 | AMD FreeSync: Yes | DirectX version: 12 Ultimate | Dual Link DVI: No | TV tuner integrated: No | Cooling technology: Sapphire Dual-X | Cooling type: Active | Number of fans: 2 | Number of slots: 2 | Minimum system power supply: 550 | Power consumption (typical): 185 | Supplementary power connectors: 1x 8-pin | Linux operating systems supported: Yes | Minimum RAM: 8192 | Windows operating systems supported: Windows 10 x64/Windows 11 x64 | Depth: 44.07 | Height: 107.1 | Length: 240 | Quick installation guide: Yes | Country of origin: China | Model: 11324-01-20G | Units per Shipping Box: 1 | Unit Calculated Volume: 0.00407 | Product Net Weight: 0.7 | Unit Calculated Weight: 0.893

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950