



## **QNAP TS-264 NAS Tower Intel Celeron N5095 8 GB 0 TB QNAP QTS Black, Gold**



Model: TS-264-8G

Manufacturer: QNAP

EAN: 4711103082331

Product Code: 20014

---

## **R12,480**

---

Reset button: Yes | On-board graphics card model: Intel® UHD Graphics | AC input voltage: 100 - 240 V | LED indicators: Power | Product colour: Black | Server operating systems supported: Windows Server 2012 | Ethernet LAN data rates: 10 | Processor boost frequency: 2.9 GHz | Ethernet LAN data rates: 1000 Mbit/s | Type: NAS | Server operating systems supported: Windows Server 2019 | Ethernet LAN data rates: 100 | LED indicators: Status | LED indicators: LAN | Ethernet LAN data rates: 2500 Mbit/s | Chassis type: Tower | Product colour: Gold | Enhanced Intel SpeedStep Technology: Yes | LED indicators: USB | Security algorithms: FIPS 140-2 | Intel Virtualization Technology for Directed I/O (VT-d): Yes | LED indicators: HDD | Supported storage drive types: HDD & SSD | Storage temperature (T-T): -20 - 70 °C | Browser supported: Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox | Security algorithms: 256-bit AES | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2008 R2 | DHCP server: Yes | Package type: Box | Flash memory: 4000 MB | Buzzer: Yes | Operating temperature (T-T): 0 - 40 °C |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

RAID support: Yes | RAID levels: 0 | Operating relative humidity (H-H): 5 - 95% | Snapshot: Yes | Processor family: Intel® Celeron® | Weight: 1.55 kg | RAID levels: 1 | Backup function: Yes | Cable lock slot: Yes | Intel 64: Yes | Ethernet LAN (RJ-45) ports: 2 | Package weight: 2.68 kg | Number of users: 4096 user(s) | Processor frequency: 2 GHz | Cable lock slot type: Kensington | Fan diameter: 7 cm | CPU configuration (max): 1 | Cooling type: Active | USB 2.0 ports quantity: 2 | USB port: Yes | Idle States: Yes | Fan voltage: 12 V | RAID rebuild: Yes | Installed storage drive type: No | Power supply location: External | Supported network protocols: IPv4, IPv6 | Share folder: 512 | RAID levels: JBOD | Total installed storage capacity: 0 TB | Linux operating systems supported: Yes | Supported storage drive interfaces: Serial ATA III | Built-in FTP server: Yes | Disk roaming: Yes | Storage drives installed: No | Supported file systems: FAT32 | Processor cores: 4 | Processor model: N5095 | Supported file systems: exFAT | Processor cache: 4 MB | Online RAID migration: Yes | Concurrent connections: 1500 | HDMI version: 2.0 | PCI Express x2 (Gen 3.x) slots: 1 | Number of fans: 1 fan(s) | Jumbo frames support: Yes | S.M.A.R.T. support: Yes | Power consumption (sleep): 18.288 W | Device class: Home & Home Office | Other operating systems supported: Solaris 11 SPARC | Multilingual support: Yes | Access Control List (ACL): Yes | Number of screws: 12 | Ethernet LAN: Yes | Other operating systems supported: IBM AIX 7.2 | Other operating systems supported: IBM AIX 7.1 | Dynamic DNS (DDNS): Yes | Supported file systems: ext4 | Intel Trusted Execution Technology: No | On/off switch: Yes | USB copy function: Yes | Other operating systems supported: Solaris 10 | Processor threads: 4 | Other operating systems supported: Solaris 10 SPARC | Backup features: USB drive | Intel VT-x with Extended Page Tables (EPT): Yes | Online RAID expansion: Yes | Backup features: iSCSI LUN | Operating system version: 5.0.1 | Supported file systems: HFS+ | Internal memory: 8 GB | System log: Yes | Number of M.2 (M & B) slots: 2 | Fibre Channel: Yes | Remotely operated: Yes | Number of storage drives supported: 2 | Operating system installed: QNAP QTS | Other operating systems supported: Solaris 11 | Depth: 226 mm | HDMI ports quantity: 1 | Maximum RAM supported: 8 GB | Supported file systems: ext3 | Supported file systems: NTFS | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 10 Pro x64 | Power supply unit (PSU) capacity: 65 W | Hot spare: Yes | Package width: 313 mm | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows 11 x64 | Windows operating systems supported: Windows 10 Education x64 | Cables included: LAN (RJ-45) |

**Windows operating systems supported: Windows 10 Enterprise | Windows operating systems**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

supported: Windows 7 Home Basic x64 | iSCSI support: Yes | Width: 105 mm | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | External power adapter: Yes | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Height: 168 mm | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 11 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows 10 Education | Package depth: 278 mm | Quick installation guide: Yes | Hot-swap drive bays: Yes | Share folder access right management: Yes | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Cables included: AC | Mac operating systems supported: Mac OS X 10.10 Yosemite | Mac operating systems supported: Mac OS X 10.12 Sierra | Mac operating systems supported: Mac OS X 10.14 Mojave | Mac operating systems supported: Mac OS X 10.11 El Capitan | Processor manufacturer: Intel | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Power cables quantity: 1 | Mac operating systems supported: Mac OS X 12.0 Monterey | Intel Virtualization Technology (VT-x): Yes | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Power consumption (typical): 12.448 W | Package height: 205 mm | Storage drive sizes supported: 2.5 | Warranty period: 3 year(s) | Storage drive sizes supported: 3.5" | Warnings: Do not dispose of the device in the regular rubbish bin. The product requires special disposal. | Warnings: Avoid contact with liquids. | Warnings: Do not dismantle the appliance yourself.

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950