



**Qnap TS-  
435XeU-4G, 1U,  
4 x 2.5/3.5 SATA  
, Marvell Octeon  
TX2 CN9130  
CN9131 quad-  
core, 4GB DDR4  
SODIMM (Max.  
32GB), 2 x  
10GbE SFP+, 2 x  
2.5GbE, Single  
PSU**

Model: TS-435XEU-4G

Manufacturer: QNAP

EAN: 4713213519332

Product Code: 20015

---

**R17,213**

---

RAID levels: 10 | On/off switch: Yes | Supported file systems: ext4 | Universal Plug and Play (UPnP):

Yes | Ethernet LAN data rates: 1000 Mbit/s | Mac operating systems supported: Yes | RAID support:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Yes | iSCSI support: Yes | Memory form factor: SO-DIMM | Maximum RAM supported: 32 GB | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | Buzzer: Yes | Package weight: 5.86 kg | Cables included: LAN (RJ-45) | Ethernet LAN data rates: 2500 Mbit/s | Chassis type: Rack (1U) | Windows operating systems supported: Yes | AC input frequency: 50 - 60 Hz | Supported storage drive interfaces: M.2, Serial ATA II, Serial ATA III | Operating relative humidity (H-H): 5 - 95% | RAID levels: 5 | Supported file systems: exFAT | RAID levels: 0 | Supported file systems: HFS+ | Dynamic DNS (DDNS): Yes | Wake-on-LAN ready: Yes | Supported storage drive types: HDD & SSD | Fan voltage: 12 V | Ethernet LAN (RJ-45) ports: 2 | Disk roaming: Yes | RAID levels: JBOD | Supported file systems: FAT32 | Server operating systems supported: Windows Server 2012 | Storage drives installed: No | Storage drive sizes supported: M.2 | Share folder: Y | Depth: 291 mm | System log: Yes | Total installed storage capacity: 0 TB | Weight: 4.17 kg | Internal memory: 4 GB | RAID levels: 1 | Number of storage drives supported: 4 | Ethernet LAN: Yes | Backup features: Cloud | Number of power supply units: 1 | RAID rebuild: Yes | Internal memory type: DDR4 | USB port: Yes | Fiber ports quantity: 2 | Bad block scan: Yes | Built-in FTP server: Yes | Cable lock slot: Yes | Ethernet LAN data rates: 10000 Mbit/s | Warranty period: 3 year(s) | Package height: 542 mm | Backup function: Yes | DHCP client: Yes | RAID levels: 6 | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Storage drive sizes supported: 2.5 | Type: NAS | Server operating systems supported: Windows Server 2019 | Load balancing system: Yes | LED indicators: Yes | Power supply location: Built-in | Online RAID expansion: Yes | Power supply unit (PSU) capacity: 100 W | Server operating systems supported: Windows Server 2008 R2 | Auto-rebuild: Yes | Cables included: AC | Processor manufacturer: Marvell | Reset button: Yes | Package width: 415 mm | Hot spare: Yes | Processor family: Marvell | Supported file systems: ext3 | Supported file systems: NTFS | Ethernet LAN data rates: 100 | Power cables quantity: 1 | Harmonized System (HS) code: 84714100 | Width: 439 mm | Fiber optic connector: SFP+ | AC input voltage: 100 - 240 V | Power consumption (typical): 30.878 W | Browser supported: Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox, Microsoft Edge | Linux operating systems supported: Yes | Device class: Small & Medium Business | Processor frequency: 2.2 GHz | Package type: Box | Remotely operated: Yes | USB 2.0 ports quantity: 2 | Storage drive sizes supported: 3.5" | DHCP server: Yes | Flash memory: 4000 MB | S.M.A.R.T. support: Yes | Number of screws: 28 | Operating temperature (T-T): 0 - 40 °C | Jumbo frames support: Yes | Multilingual support: Yes | Backup features: iSCSI LUN | Product colour: Black | Package depth: 179 mm | Disk scan: Yes | Fan diameter: 4 cm | Snapshot: Yes | Number of fans: 3 fan(s) | Operating system version: 5.0.0 | Cable lock slot type: Kensington | Memory slots: 1 | Rack mount kit: Yes | Hot-swap drive bays: Yes | Cooling type: Active | Storage temperature (T-T): -20 - 70 °C | Access Control List (ACL): Yes | Operating system installed: QNAP QTS | Link aggregation: Yes | Product colour: Grey

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

| Height: 44 mm | Power consumption (HDD standby): 17.367 W | Installed storage drive type: No | Online RAID migration: Yes | Processor cores: 4 | Concurrent connections: 1500 | Processor model: CN9131 | Warnings: Do not dismantle the appliance yourself. | Warnings: Do not dispose of the device in the regular rubbish bin. The product requires special disposal. | Warnings: Avoid contact with liquids.

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950