

**SSD SANDISK
5100xTBW
rating MTBF
1750000 h Read
speed 3400
MB/s Write
speed 3100
MB/s NVMe Yes
PCI Express 3.0
M.2 4000 GB
POWERED BY
SANDISK Red
SN700
WDS400T1R0C**



Model: WDS400T1R0C

Manufacturer: SANDISK

EAN: 718037891422

Product Code: 23787

R24,302

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Accelerate Your NAS

Tackle extreme workloads in high-intensity NAS environments with the fast-caching WD Red SN700 NVMe™ SSD. The drive's robust system responsiveness and exceptional I/O performance are perfect for multi-user, multitasking applications, letting you tame your SMB's toughest projects from virtualization to collaborative editing to intensive database storage with efficient caching—all while helping to lower your TCO.

Accelerate Your NAS

The fast-caching power of the WD Red SN700 NVMe™ SSD delivers robust system responsiveness and exceptional I/O performance compared to our SATA SSDs.

Built to Last

Tackle 24/7 NAS workload environments with reliability and endurance of up to 5100 TBW (4TB model), backed by a 5-year limited warranty.

Step Up to NVMe™

Tame your SMB's toughest projects—from virtualization to collaborative editing to intensive database storage with efficient caching—with storage designed to outperform while helping to lower your TCO.

Perfect for SMBs

Even in smaller operations, multiple people working at the same time can tax a NAS device. NVMe caching easily handles random workloads in multi-user, multitasking applications to let small-to-medium businesses do more.

Scale Up to Keep Up

Keep ahead of the data explosion with huge capacities up to 4TB.

Optimize Your Workflow

Purpose-built and tested to be compatible with many of today's most popular NAS systems for maximum flexibility to optimize your workflow.

Summary: SanDisk Red WD™ SN700 NVMe™ POWERED BY 4 TB. SSD capacity: 4 TB, SSD form

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

factor: M.2, Read speed: 3400 MB/s, Write speed: 3100 MB/s, Data transfer rate: 8 Gbit/s,
Component for: NAS | Vendor Homepage: <https://shop.sandisk.com/products/ssd/internal-ssd/wd-red-sn700-nvme-ssd?sku=WDS400T1R0C-68BDK0> | Component for: NAS | Data transfer rate: 8 |
Hardware encryption: No | Interface: PCI Express 3.0 | Mean time between failures (MTBF): 1750000 |
NVMe: Yes | PCI Express interface data lanes: x4 | Random read (4KB): 550000 | Random write
(4KB): 520000 | Read speed: 3400 | SSD capacity: 4000 | SSD form factor: M.2 | TBW rating: 5100 |
Write speed: 3100 | Current: 2.8 | Power consumption (sleep): 0.005 | Depth: 80 | Height: 2.38 |
Weight: 9.57 | Width: 22 | Maximum operating temperature: 70 | Minimum operating temperature: 0
| Operating temperature (T-T): 0 - 70 | Storage temperature (T-T): -55 - 85 | Harmonized System (HS)
code: 84717070 | Model: WD Red SN700 NVMe POWERED BY SANDISK 4 TB | SSD series: Red SN700
| Additional model naming: POWERED BY SANDISK | Units per Pallet: 0 | Units per Shipping Box: 10 |
Unit Calculated Volume: 0.0003542 | Unit Calculated Weight: 0.06

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950