

External SSD ADATA SE880 4TB USB-C Write speed 2000 MBytes/sec Read speed 2000 MBytes/sec AELI-SE880- 4TCGY



Model: AELI-SE880-4TCGY

Manufacturer: ADATA

EAN: 4711085945570

Product Code: 23815

R11,666 ~~R13,710~~

Speed Ahead with USB 3.2 Gen2 x2

The SE880 supports USB 3.2 Gen2 x2, capable of reaching transmission speeds of 20Gb/s. This is twice as fast as USB 3.2 Gen 2x1 and 4 times faster than USB 3.2 Gen 1x1.

Fast Speeds of up to 2000 MB/s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

The SE880 is capable of reaching read/write speeds of up to 2000MB/s, which is roughly 20 times faster than ordinary external hard drives, which only reach about 100MB/s. This allows you to directly perform intensive task right on the SE880, whether is A/V editing or other applications.

Made for On the Go

The compact and lightweight SE880 can be easily held in the palm of the hand or placed into bags or packets for unrivalled portability.

Your Game Library

Supporting many of the latest game consoles, the SE880 is ideal for storing all your games without out taking up too much physical space.

Expand your iPhone 15's storage

The SE880's type-C connection supports the iPhone 15 series smartphones, so you no longer have to worry about capacity limitations. Connect for instant storage, fast backup, and file sharing regardless of location or network restrictions.

Hassle-Free Compatibility

Whether Android, macOS, Windows, or other operating systems, you won't need to fret about compatibility. Just connect via its Type-C port and go.

- Supports USB 3.2 Gen2 x2
- Performance up to 2000MB/s
- Highly portable, lightweight, and compact form factor
- Supports new generation game consoles
- Supports multiple operating systems support

Summary: ADATA Elite SE880. SSD capacity: 4 TB. USB connector: USB Type-C, USB version: USB 3.2 Gen 2x2. Read speed: 2000 MB/s, Write speed: 2000 MB/s. Data transfer rate: 20 Gbit/s. Product colour: Grey | Vendor Homepage: <https://www.adata.com/en/consumer/category/external-ssds-and-hard-drives/external-solid-state-drive-SE880/> | NVMe: No | Read speed: 2000 | SSD capacity: 4000 | Write speed: 2000 | Data transfer rate: 20 | Thunderbolt technology: No | USB connector: USB Type-C | USB version: USB 3.2 Gen 2x2 | Wi-Fi: No | Linux operating systems supported: Kernel 2.6/Kernel 2.6.31/Kernel 2.6.33/Kernel 3.12/Kernel 3.17/Kernel 3.3/Kernel 4.6.4/Linux Kernel 5.10/Linux Kernel

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

5.11/Linux Kernel 5.12/Linux Kernel 5.13/Linux Kernel 5.14/Linux Kernel 5.15/Linux Kernel 5.4/Linux Kernel 5.8/Linux Kernel 5.9 | Mac operating systems supported: Mac OS X 10.10 Yosemite/Mac OS X 10.11 El Capitan/Mac OS X 10.12 Sierra/Mac OS X 10.13 High Sierra/Mac OS X 10.14 Mojave/Mac OS X 10.15 Catalina/Mac OS X 10.15.3 Catalina/Mac OS X 10.6 Snow Leopard/Mac OS X 10.7 Lion/Mac OS X 10.7.5 Lion/Mac OS X 10.8 Mou | Mobile operating systems supported: Android 10.0/Android 11.0/Android 12.0/Android 13.0/Android 8.0/Android 8.1/Android 9.0 | Product colour: Grey | Windows operating systems supported: Windows 10/Windows 11/Windows 8/Windows 8.1 | Hardware encryption: No | Password protection: No | Operating voltage: 5 | Operating temperature (T-T): 5 - 50 | Depth: 64.8 | Height: 12.25 | Weight: 31 | Width: 35 | Package type: Box | Cables included: USB Type-C to USB Type-A,USB Type-C to USB Type-C | Quick start guide: Yes | Model: AELI-SE880-2TCGY | Units per Shipping Box: 1 | Unit Calculated Volume: 0.0004 | Unit Calculated Weight: 0.11

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950