



NAS STORAGE TOWER 4BAY/4GB DS925+ SYNOLOGY

Model: DS925+

Manufacturer: SYNOLOGY

EAN: 4711174726004

Product Code: 332489

R20,552

2.5GbE connectivity and diverse storage options The DS925+ features built-in 2.5GbE networking and supports both SATA flash drives and HDDs in 2.5"/3.5" internal bays, as well as M.2 NVMe drives via M.2 slots for use as either cache or storage pools

Purchase a NAS together with Synology HAT series drives and benefit from the Synology Express Replacement Program, ensuring same-day drive replacement when needed.
Contact your Sales Manager for more details.

- Dependable Performance
- Up to 522/565 MB/s sequential read/write throughput3 supports stable data transfers
- Fast and Flexible Networking

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- Dual 2.5GbE ports provide fast network transfer speeds and increased redundancy
- Versatile Network Storage
- Leverage built-in file and photo management, data protection virtualization, and surveillance solutions
- Capacity Expansion
- Add 5 extra drive bays for up to 180 TB 4 of storage with one DX525 expansion unit¹
- Extendable Product Support

Summary: Synology DiskStation DS925+. Type: NAS, Device class: Home & Home Office. Processor family: Ryzen Embedded, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 0 TB | Vendor Homepage: <https://www.synology.com/en-global/products/DS925+/#features> | Hot-swap drive bays: Yes | Installed storage drive type: No | Maximum supported storage capacity: 180 | Number of M.2 (M & B) slots: 2 | Number of storage drives supported: 9 | RAID levels: 0/1/10/5/6/JBOD | RAID support: Yes | Storage drive capacity: 0 | Storage drive interface: M.2, Serial ATA | Storage drive sizes supported: 2.5/3.5/M.2 | Storage drives installed: No | Supported file systems: BTRFS/exFAT/ext3/ext4/FAT32/HFS+/NTFS | Supported storage drive interfaces: M.2, Serial ATA | Supported storage drive types: HDD & SSD | Total installed storage capacity: 0 | Processor cores: 4 | Processor family: Ryzen Embedded | Processor frequency: 2.2 | Processor generation: AMD Ryzen Embedded V1000 Series | Processor manufacturer: AMD | Processor model: V1500B | Processor threads: 8 | ECC: Yes | Internal memory: 4 | Internal memory type: DDR4 | Maximum RAM supported: 32 | Memory form factor: SO-DIMM | Memory slots: 2 | Ethernet LAN: Yes | Ethernet LAN data rates: 2500 | Supported network protocols: SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPS, FTP, SNMP, LDAP, CalDAV | Wake-on-LAN ready: Yes | Ethernet LAN (RJ-45) ports: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | USB port: Yes | Cooling type: Active | Drive bay locking: Yes | Fan diameter: 92 | Fan diameter 2: 92 | LED indicators: Yes | Number of fans: 2 | Product colour: Black | Access Control List (ACL): Yes | Backup features: Cloud/iSCSI LUN | Backup function: Yes | Browser supported: Chrome, Firefox, Edge, Safari | Device class: Home & Home Office | Multilingual support: Yes | Noise level: 20.5 | Number of users: 512 | On/off switch: Yes | Snapshot: Yes | System log: No | Type: NAS | Web-based management: Yes | AC input frequency: 50 - 60 | AC input voltage: 100 - 240 | Power consumption (HDD standby): 12.33 | Power consumption (typical): 37.91 | Power supply location: External | Power supply unit (PSU) capacity: 100 | Depth: 223 | Height: 166 | Weight: 2260 | Width: 199 | Cables included: AC/LAN (RJ-45) | External power adapter: Yes | Power cables quantity: 1 | Operating relative humidity (H-H): 5 -

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](mailto:sales@cssi.co.za) | sales@cssi.co.za | +27 (11)541-9950

95 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 95 | Storage temperature (T-T): -20 - 60 | Certification: FCC CE BSMI VCCI RCM UKCA EAC CCC KC BIS | Compliance certificates: RoHS | Warranty period: 3 | Model: DS925+ | Model name: DS925+ | Units per Shipping Box: 4 | Unit Calculated Volume: 0.02182 | Unit Calculated Weight: 3.99

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950