



## **Wireless Router TP-LINK**

**Wireless Router  
1800 Mbps IEEE  
802.11a IEEE  
802.11 b/g IEEE  
802.11n IEEE  
802.11ac IEEE  
802.11ax  
2x10/100/1000M  
LAN \ WAN ports  
1 ARCHERNX200**

Model: ARCHERNX200

Manufacturer: TP-LINK

EAN: 8885020621075

Product Code: 333122

---

## **R6,224**

---

## **Unrivalled Speed with 5G, Revolutionary Experience**

Take advantage of your advanced 5G network with download speeds up to 4.67 Gbps. Share your 5G network with multiple Wi-Fi devices and enjoy uninterrupted Ultra HD movies, blazingly fast file downloads, and smooth video chats and video conferences. At the same time, NX200 is backward compatible with 4G mode. §

Plug and Play, Enjoy 5G Network Everywhere

### **Simple, just one SIM card**

Traditional broadband or cable installation is expensive and time-consuming for your vacation home, farm, or suburban warehouse. Long contract periods also create headaches for short-rentals, pop-up venues, and temporary shops to access the internet. Archer NX200 ensures a comfortable and no-block network installation. Plug in your SIM card and enjoy high-speed internet!

### **Powerful Wi-Fi 6**

Armed with WiFi 6 technology, NX200 is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more. △

### **EasyMesh-Compatible Networking**

Mesh networking creates smooth, fast, stable roaming. Eliminate Wi-Fi dead zones, expand your network, and fill your entire home with high-speed Wi-Fi.\*

### **Available WAN Connection**

The gigabit WAN/LAN port enables NX200 to work as a traditional wireless router which is compatible with cable, fiber, and DSL modems. And when it's set as a wireless router, its 5G/LTE connection works as a backup to provide a sustained and reliable internet connection for you.

- **Boost Your 5G Speed** - Take advantage of your advanced 5G network with download speeds up to 4.67 Gbps. Share your 5G network with multiple Wi-Fi devices and enjoy uninterrupted Ultra HD movies, blazingly fast file downloads, and smooth video chats and video conferences
- **AX1800 Dual-Band Wi-Fi 6 Speed** - 1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- **Plug & Play** - Enjoy 5G network right after inserting a SIM card

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- EasyMesh-Compatible - Co-work with EasyMesh products, to provide a more flexible and cost-effective Mesh network with a single Wi-Fi name for seamless whole-home coverage
- Gigabit WAN/LAN Port - The gigabit WAN/LAN port enables NX200 to work as a traditional wireless router which is compatible with cable, fiber, and DSL modems

Summary: TP-Link Archer NX200. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 1201 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, VPN support: PPTP VPN, IPSec VPN, OpenVPN. Mobile network generation: 5G, 3G standards: DC-HSDPA, HSPA, HSPA+, UMTS, 4G standard: LTE-TDD & LTE-FDD. Security algorithms: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, Firewall security: IPv4 SPI Firewall, IPv6 Firewall | Vendor Homepage: <https://www.tp-link.com/my/home-networking/mifi/archer-nx200/#overview> | Modulation: 1024-QAM | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax) | WLAN data transfer rate (first band): 574 | WLAN data transfer rate (max): 1201 | WLAN data transfer rate (second band): 1201 | 3G/4G USB modem compatibility: No | Ethernet WAN: Yes | SIM card slot: Yes | WAN connection type: RJ-45 | Dynamic DNS (DDNS): Yes | Ethernet LAN: Yes | Ethernet LAN data rates: 10/100/1000 | Ethernet LAN interface type: Gigabit Ethernet | Number of guest networks (2.4 GHz): 1 | Number of guest networks (5 GHz): 1 | Port triggering: Yes | VPN support: PPTP VPN, IPSec VPN, OpenVPN | 3G bands supported: 2100/850/900 | 3G standards: DC-HSDPA/HSPA/HSPA+/UMTS | 4G bands supported: 1500/1800/2100/2300/2500/2600/3500/3700/700/800/850/900 | 4G standard: LTE-TDD & LTE-FDD | 5G bands supported: 1800/2100/2300/2500/2600/3500/3700/700/800/850/900 | Mobile network generation: 5G | SIM card type: NanoSIM | Ethernet LAN (RJ-45) ports: 3 | USB port: No | MU-MIMO technology: Yes | Quality of Service (QoS) support: Yes | Reset button: Yes | Wi-Fi Multimedia (WMM)/(WME): Yes | WPS push button: Yes | Access Control List (ACL): Yes | DMZ support: Yes | DoS attack prevention: Yes | Firewall: Yes | Firewall security: IPv4 SPI Firewall, IPv6 Firewall | Parental control: Yes | Security algorithms: 128-bit WEP/64-bit WEP/WPA/WPA2/WPA2-PSK/WPA-PSK | DHCP client: Yes | DHCP server: Yes | Supported network protocols: IPv4, IPv6 | On/off switch: Yes | Product colour: White | Product type: Tabletop router | AC adapter included: Yes | Cables included: LAN (RJ-45) | Compliance certificates: CE/RoHS | Quick installation guide: Yes | Antenna design: Internal | Antennas quantity: 10 | Detachable antenna(s): Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Output current: 2 | Output voltage: 12 | Power source type: AC | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Browser supported: Internet Explorer

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser | Linux operating systems supported: Yes | Mac operating systems supported: Yes | Windows operating systems supported: Windows 10/Windows 2000/Windows 7/Windows 8/Windows 8.1/Windows 98SE/Windows NT/Windows Vista/Windows XP | Depth: 99 | Height: 190 | Width: 99 | Product Net Weight: 1 | Shipping Box Height: 26 | Unit Calculated Volume: 0.007488 | Unit Calculated Weight: 1.41 | Units per Pallet: 0 | Units per Shipping Box: 8 | Model name: Archer NX200

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950