



Wireless Router MIKROTIK

**Wireless Router
1167 Mbps Wi-Fi
5 IEEE 802.11ac
USB 2.0**

5x10/100/1000M

LAN \ WAN ports

5 D53G-

5HACD2HNDTC&EG120KE

Model: D53G-5HACD2HND-TC&EG120K-EA

Manufacturer: MIKROTIK

EAN: 4752224009623

Product Code: 333659

R3,880

Remove the bottleneck in your mobile internet setup

Are you tired of ISP or operator-issued routers that limit your speed and coverage? Chateau LTE12 is the solution, delivering faster, more reliable mobile internet, whether you are in the city or the countryside. With carrier aggregation and expanded 4x4 MIMO support, you'll experience:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- Faster speeds in crowded areas
- More stable connections in remote locations
- Wider coverage across multiple LTE bands

New and improved LTE connectivity

- Upgraded LTE12 modem for stronger, reliable connections.
- Expanded 4x4 MIMO support on more bands: 1 / 3 / 7 / 38 / 40 / 41
- Dual-band Wi-Fi for seamless performance across all devices
 - Now with B32 support for improved LTE performance in supported regions!

Built for homes and businesses

- 5x Gigabit Ethernet ports to connect media servers, PC towers, TVs, or smart home systems.
- Dual-band Wi-Fi (2.4 GHz & 5 GHz) ensures stable connections for all your devices.
- External LTE antenna support (SMA female ports) to boost signal strength in tricky signal areas.
- RouterOS for advanced security, VPNs, and full network control.

Summary: Mikrotik Chateau LTE12. WAN connection type: RJ-45, USB. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 866 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Mobile network generation: 4G, SIM card type: MicroSIM. Number of data streams: 4x4 | Vendor Homepage: https://mikrotik.com/product/chateau_lte12_2025#fndtn-downloads | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | WLAN data transfer rate (first band): 300 | WLAN data transfer rate (max): 866 | WLAN data transfer rate (second band): 866 | 3G/4G USB modem compatibility: Yes | DSL WAN: No | Ethernet WAN: No | SIM card slot: Yes | WAN connection type: RJ-45,USB | Cabling technology: 10/100/1000Base-T(X) | Ethernet LAN: Yes | Ethernet LAN data rates: 10/100/1000 | Ethernet LAN interface type: Gigabit Ethernet | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | 3G: Yes | 4G: Yes | Mobile network generation: 4G | SIM card type: MicroSIM | DC-in jack: Yes | Ethernet LAN (RJ-45) ports: 5 | USB 2.0 ports quantity: 1 | USB port: Yes | MIMO: Yes | MU-MIMO technology: Yes | Number of data streams: 4x4 | Reset button: Yes | Web-based management: Yes | WPS push button: Yes | Product colour: Black/White | Product type: Tabletop router | Antenna connector type: SMA | Antenna design: Internal & external | Built-in processor: Yes | Flash memory: 32 | Internal memory: 256 | Operating system installed: RouterOS | Processor cores: 4 | Processor frequency: 448 | Processor

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

manufacturer: Qualcomm | Processor model: Qualcomm Atheros IPQ4019 | External power adapter: Yes | Output voltage: 12 - 28 | Power consumption (typical): 18 | Power source type: DC | Operating temperature (T-T): -20 - 70 | Depth: 44 | Height: 156 | Width: 240 | Product Net Weight: 0.62 | Shipping Box Height: 36 | Unit Calculated Volume: 0.003672 | Unit Calculated Weight: 0.95 | Units per Pallet: 0 | Units per Shipping Box: 20 | Model: D53G-5HacD2HnD-TC&EG120K-EA | Model name: CHATEAU LTE12

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950