

Wireless Router MIKROTIK Wireless Router 1167 Mbps Wi-Fi 5 IEEE 802.11ac USB 2.0 5x10/100/1000M LAN \ WAN ports 5 D53G-5HACD2HNDTC&EG120KE

Model: D53G-5HACD2HND-TC&EG120K-EA

Manufacturer: MIKROTIK

EAN: 4752224009623

Product Code: 333659

R4,079

Remove the bottleneck in your mobile internet setup

Are you tired of ISP or operator-issued routers that limit your speed and coverage? Chateau LTE12 is the solution, delivering faster, more reliable mobile internet, whether you are in the city or the countryside. With carrier aggregation and expanded 4x4 MIMO support, you'll experience:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- Faster speeds in crowded areas
- More stable connections in remote locations
- Wider coverage across multiple LTE bands

New and improved LTE connectivity

- Upgraded LTE12 modem for stronger, reliable connections.

Expanded 4x4 MIMO support on more bands: 1 / 3 / 7 / 38 / 40 / 41

- Dual-band Wi-Fi for seamless performance across all devices
- Now with B32 support for improved LTE performance in supported regions!

Built for homes and businesses

- 5x Gigabit Ethernet ports to connect media servers, PC towers, TVs, or smart home systems.
- Dual-band Wi-Fi (2.4 GHz & 5 GHz) ensures stable connections for all your devices.
- External LTE antenna support (SMA female ports) to boost signal strength in tricky signal areas.
- RouterOS for advanced security, VPNs, and full network control.

Summary: Mikrotik Chateau LTE12. WAN connection type: RJ-45, USB. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 866 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Mobile network generation: 4G, SIM card type: MicroSIM. Number of data streams: 4x4 | Vendor Homepage: https://mikrotik.com/product/chateau_lte12_2025#fndtn-downloads | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | WLAN data transfer rate (max): 866 | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | WLAN data transfer rate (first band): 300 | WLAN data transfer rate (second band): 866 | Ethernet WAN: No | DSL WAN: No | SIM card slot: Yes | 3G/4G USB modem compatibility: Yes | WAN connection type: RJ-45,USB | Ethernet LAN: Yes | Ethernet LAN interface type: Gigabit Ethernet | Ethernet LAN data rates: 10/100/1000 | Cabling technology: 10/100/1000Base-T(X) | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Mobile network generation: 4G | 3G: Yes | 4G: Yes | SIM card type: MicroSIM | Ethernet LAN (RJ-45) ports: 5 | USB port: Yes | USB 2.0 ports quantity: 1 | DC-in jack: Yes | Web-based management: Yes | Reset button: Yes | WPS push button: Yes | MIMO: Yes | MU-MIMO technology: Yes | Number of data streams: 4x4 | Product colour: Black/White | Product type: Tabletop router | Antenna design: Internal & external | Antenna connector type: SMA | Built-in processor: Yes | Processor manufacturer: Qualcomm | Processor model: Qualcomm Atheros IPQ4019 | Processor frequency: 448 | Processor cores: 4 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Internal memory: 256 | Flash memory: 32 | Operating system installed: RouterOS | Power source type: DC | Output voltage: 12 - 28 | Power consumption (typical): 18 | External power adapter: Yes | Operating temperature (T-T): -20 - 70 | Depth: 44 | Height: 156 | Width: 240 | Unit Calculated Weight: 0.95 | Product Net Weight: 0.62 | Unit Calculated Volume: 0.003672 | Units per Shipping Box: 20 | Unit Width: 16 | Units per Pallet: 0 | Shipping Box Height: 36 | Unit Depth: 33 | Unit Height: 6 | Name: WRL ROUTER CHATEAU LTE12/5HACD2HND-TC&EG120KEA MIKROTIK | Model: D53G-5HacD2HnD-TC&EG120K-EA | Model name: CHATEAU LTE12

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950