



Access Point MIKROTIK 1xLAN ports L22UGS- 5HAXD2HAXD- 15S



Model: L22UGS-5HAXD2HAXD-15S

Manufacturer: MIKROTIK

EAN: 4752224009142

Product Code: 333682

R3,413

Managing outdoor wireless network has never been easier: mANTBox ax 15s can provide unparalleled wireless point-to-multipoint connectivity for a vast variety of devices over a distance of 20 kilometers!*

A potent combination of modern dual-core ARM CPUs, our latest 802.11ax Wi-Fi 6 dual-band radios and powerful built-in sector antennas will take your signal stability, speed, and responsiveness to the next level! There's a Gigabit Ethernet port with PoE-in and an SFP port with 2.5 Gigabit support for extra fast fiber uplinks.

Upgrading your setup to Wi-Fi 6 offers multiple benefits:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Speed: we've seen up to 40% higher speed in the 5 GHz spectrum and up to 90% higher speed in the 2.4 GHz spectrum.

Security: WPA3 encryption and management frame protection prevent all sorts of attacks, like bruteforcing and WPA2 handshakecapture deauthentication attacks

Reliability: seamless fast transition (roaming) enables smooth, non-stop signal when you have to switch between access points. Also, Wi-Fi 6 ensures a fair traffic distribution if the connection is shared by a large number of users.

Energy efficiency: features like Target Wake Time reduce power consumption in the long run. Better for your wallet and the planet!

mANTBox package includes everything you need: a Gigabit PoE injector, a power supply, a hose clamp and a fastening set, and the MikroTik quickMOUNT pro. This advanced wall mount adapter allows turning antenna within 140° both horizontally and vertically. With the quickMOUNT pro it is possible to perfectly set antenna alignment using an integrated graduated scale.

*It's important to note that while longer links are feasible, their reliability may vary.

Summary: Mikrotik mANTBox ax 15s. 2.4 GHz, 5 GHz, Ethernet LAN data rates: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Product colour: White. Power consumption (max): 21 W | Vendor Homepage: https://mikrotik.com/product/mantbox_ax_15s#fndtn-specifications | 2.4 GHz: Yes | 5 GHz: Yes | Ethernet LAN data rates: 10/100/1000 | Networking standards: IEEE 802.11ac/IEEE 802.11ax/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Ethernet LAN (RJ-45) ports: 1 | USB 2.0 ports quantity: 1 | USB connector type: USB Type-A | Power consumption (max): 21 | Power over Ethernet (PoE): Yes | Placement: Pole,Wall | Product colour: White | Antenna gain level (max): 15 | Antenna type: Sector antenna | Polarization: Dual polarization | Built-in processor: Yes | Chipset: QCN-6102, IPQ-5010 | Compatible operating systems: RouterOS v7 | Flash memory: 256 | Internal memory: 126 | Operating system installed: RouterOS | Processor frequency: 800 | Certification: CE, FCC, IC, EAC, ROHS | AC adapter included: Yes | Mounting kit: Yes | Packaging content: 24V 1.2A power adapter Gigabit PoE injector Hose clamp 1 QMP K-41 fastening set | PoE adapter included: Yes | Operating temperature (T-T): -40 - 70 | Model: L22UGS-5HAXD2HAXD-15S | Model name: mANTBox ax 15s | Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.007722 | Unit Calculated

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Weight: 2

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950