



**SSD TRANSCEND
2TB PCIe Gen3
NVMe NAND
flash technology
3D NAND Write
speed 1900
MBytes/sec
Read speed
3200 MBytes/sec
Form Factor M.2
TBW 800 TB
MTBF 200000
hours
TS2TMTE115S**

Model: TS2TMTE115S

Manufacturer: TRANSCEND

EAN: 760557862789

Product Code: 333731

R15,481

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Upgrade your computer performance to a whole new level with Transcend's PCIe SSD 115S! Boasting the slick PCIe Gen 3x4 interface and slim M.2 2280 size, the PCIe SSD 115S is the perfect speedy and sizable companion for your desktops, laptops, and ultrabooks!

Astounding Performance

Transcend's PCIe SSD 115S follows NVMe 1.4 specifications and comes with the PCIe™ Gen3 x4 interface, meaning four lanes are used for transmitting and receiving data simultaneously, resulting in excellent performance of read speeds up to 3,200MB/s and write speeds up to 2,000MB/s.

Low Power Consumption

The PCIe SSD 115S comes in the M.2 2280 form factor, perfect for desktops, laptops, and ultrabooks! The low-power design makes PCIe performance possible with the best power efficiency.

Ample Storage Capacity

Transcend's PCIe SSD 115S is available in capacities of up to 2TB, giving users plenty of space to store multiple files.

Always Reliable, Always Evolving.

Transcend's PCIe SSD 115S is engineered with LDPC (Low-Density Parity Check) coding, a powerful ECC algorithm, to keep data secure. Designed with the dynamic thermal throttling mechanism, it guarantees superior endurance and stability for high-end applications.

Transcend SSD Scope Software

Transcend's SSD Scope is an advanced, user-friendly software that makes it easy to monitor the condition and optimize the performance of your Transcend SSD, ensuring that it remains healthy and continues to run fast and error-free.

Guaranteed Quality

To ensure the utmost level of quality, Transcend SSDs undergo rigorous testing at all stages of production, including tests for temperature, speed, and functionality.

Summary: Transcend 115S. SSD capacity: 2 TB, SSD form factor: M.2, Read speed: 3200 MB/s, Write speed: 1900 MB/s, Component for: PC/Laptop | Vendor Homepage: <https://www.transcend->

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

info.com/product/internal-ssd/mte115s | Certification: CE, FCC, BSMI, KC, RCM, UKCA | Component for: PC/Laptop | ECC: Yes | Hardware encryption: No | Interface: PCI Express 3.0 | Linux operating systems supported: Kernel 2.6.31/Kernel 2.6.33/Kernel 3.12/Kernel 3.17/Kernel 3.3/Kernel 4.6.4/Linux Kernel 5.10/Linux Kernel 5.11/Linux Kernel 5.12/Linux Kernel 5.13/Linux Kernel 5.14/Linux Kernel 5.15/Linux Kernel 5.8/Linux Kernel 5.9 | M.2 SSD size: 2280 (22 x 80 mm) | Mean time between failures (MTBF): 2000000 | Memory type: 3D NAND | NVMe: Yes | NVMe version: 1.4 | PCI Express interface data lanes: x4 | Random read (4KB): 200000 | Random write (4KB): 250000 | Read speed: 3200 | S.M.A.R.T. support: Yes | SSD capacity: 2000 | SSD form factor: M.2 | TBW rating: 800 | Windows operating systems supported: Windows 10/Windows 11/Windows 7/Windows 8/Windows 8.1 | Write speed: 1900 | Operating voltage: 3.3 | Depth: 80 | Weight: 8 | Width: 22 | Operating temperature (T-T): 0 - 70 | Product Net Weight: 0.008 | Shipping Box Height: 1 | Unit Calculated Volume: 0.00013 | Unit Calculated Weight: 0.02 | Units per Shipping Box: 1 | Model: PCIe SSD 115S

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950