




Wireless Router SYNOLOGY

**Wireless Router
2200 Mbps IEEE
802.11a/b/g IEEE
802.11n IEEE
802.11ac USB
3.0 1 WAN
1x10/100/1000M
DHCP
MR2200AC**

Model: MR2200AC

Manufacturer: SYNOLOGY

EAN: 4711174723010

Product Code: 333738

R3,321

Synology Mesh Router MR2200ac

Coming with intelligent mesh Wi-Fi capability and best-in-class parental controls, MR2200ac is

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

designed to keep all devices connected and everyone safe. Experience the award-winning Synology Router Manager (SRM) with an MR2200ac, and add more when you are ready to expand your coverage even further.

Smart Wi-Fi all around

Multiple MR2200ac can work together as a system to bring Wi-Fi to every corner of your home. Wherever you go, stay on a single Wi-Fi network and enjoy seamless connectivity from one place to another.

The intelligence behind your mesh network

The algorithms built into SRM make deployment incredibly easy. The system intelligently self-configures, self-optimizes, and even self-heals, always giving you the fastest possible path to the Internet.

Whole-home Wi-Fi, easily managed

State-of-the-art technology doesn't have to be complicated. See how Wi-Fi Connect makes your mesh Wi-Fi straightforward – and powerful.

Create a kid-friendly online world

We want kids to be safe online, even when we're not there. Safe Access helps you lay down rules for each kid without having to look for parental control solutions for every device. Now you can get a full picture of how they're exploring the world every day, and protect them until they're ready.

Security at the perimeter

It's not just people that you need to protect. It's all the connected things: IP cameras, smart doorbells, alarm systems... things that can make a smart home vulnerable. MR2200ac installs multiple layers of protection to shield your network against cyberattacks happening every day.

Advanced functionality made accessible

For small offices who don't want the hassle of wiring access points everywhere, a mesh Wi-Fi solution fits in perfectly. Unlike others, MR2200ac doesn't leave out the network management features businesses care about.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Be mobile

Deploy a mesh network from your phone. Stay on top of the traffic usage, user activities, and security events wherever you are, and act on them with just one tap on the screen. With DS router, you're never too far away from home.

Summary: Synology MR2200AC. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 867 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 1000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r,.... Security algorithms: IPSec, MAC address table: 64 entries. Product type: Tabletop router, Product colour: Black | Vendor Homepage: <https://www.synology.com/en-us/products/MR2200ac#specs> | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | WLAN data transfer rate (max): 867 | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | WLAN data transfer rate (first band): 867 | WLAN data transfer rate (second band): 867 | WLAN data transfer rate (third band): 400 | Ethernet WAN: Yes | SIM card slot: No | WAN connection type: RJ-45 | Ethernet LAN: Yes | Ethernet LAN interface type: Gigabit Ethernet | Ethernet LAN data rates: 1000 | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11b/IEEE 802.11g/IEEE 802.11k/IEEE 802.11n/IEEE 802.11r/IEEE 802.11v | Port forwarding: Yes | Dynamic DNS (DDNS): Yes | VPN tunnels quantity: 4 | 3G: No | 4G: No | 5G: No | Short Message Service (SMS): Yes | Ethernet LAN (RJ-45) ports: 1 | USB port: Yes | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 1 | Memory card slot(s): No | Web-based management: Yes | Quality of Service (QoS) support: Yes | Wake-on-LAN ready: Yes | Reset button: Yes | WPS push button: Yes | Security algorithms: IPSec | Firewall: Yes | Guest access: Yes | DoS attack prevention: Yes | Filtering: Yes | MAC address filtering: Yes | MAC address table: 64 | DMZ support: Yes | DHCP client: Yes | DHCP server: Yes | Universal Plug and Play (UPnP): Yes | Product colour: Black | On/off switch: Yes | Product type: Tabletop router | Cables included: LAN (RJ-45) | AC adapter included: Yes | Quick installation guide: Yes | Digital Living Network Alliance (DLNA) certified: Yes | Certification: FCC CE BSMI VCCI Class B RCM KC iDA TELEC JATE IC | Antenna design: Internal | Built-in processor: Yes | Processor frequency: 717 | Processor cores: 4 | Power source type: AC | AC input voltage: 100 - 240 | AC input frequency: 50 - 60 | Power consumption (typical): 12.95 | Operating relative humidity (H-H): 5 - 95 | Operating temperature (T-T): 5 - 40 | Storage temperature (T-T): -20 - 60 | Depth: 65 | Height: 154 | Weight: 450 | Width: 199 | Number of products included: 1 | Harmonized System (HS) code: 85176990 | Unit Calculated Weight: 0.95 | Product Net Weight: 0.45 | Unit Calculated Volume: 0.005076 | Units per Shipping Box: 1 | Unit Width: 23.5 | Shipping Box Height: 8 | Unit Depth: 27 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Unit Height: 8 | Name: WRL ROUTER 2200MBPS 1000M/TRI-BAND MR2200AC SYNOLOGY

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950