



Switch DAHUA PFS3010-8ET- 96-V2 Desktop/pedestal PoE ports 8 96 Watts DH- PFS3010-8ET- 96-V2

Model: DH-PFS3010-8ET-96-V2

Manufacturer: DAHUA

EAN: 6923172507556

Product Code: 334145

R1,477

System Overview

DH-PFS3010-8ET-96 is an unmanaged Desktop Switch with 8 × 10/100Mbps PoE Ports. It provides 8 × 10/100 Mbps Ethernet ports and 2 × 10/100/1000 Mbps uplink ports. The product is equipped with two types of transmission modes (Extend Mode On/Extend Mode Off). The red port supports the IEEE802.3bt and the Hi-PoE standards. The maximum power consumption is 90W. It also supports

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

PoE watchdog to avoid manually maintenance and device restart, which can realize the intelligent management and reduce the cost.

Intelligent PoE

Adopt PoE power consumption management strategy, and supply power to important ports first. When total power consumption exceeds the set threshold value of the system, power down the ports from large port number to small port number. Adopt smart detection to prevent outage. Supply power with ultra-wide power range, and adapt to IPC power consumption fluctuations in severe environment.

BT 90W

The red port supports the IEEE802.3bt and the Hi-PoE standards. The maximum power consumption is 90 W.

PoE Watchdog

Adopt the PoE watchdog function to avoid manually maintenance and device restart, which can realize the intelligent management and reduce the cost.

Long Distance PoE

Breaking the IEEE 100 m transmission limit, the device supports 250 m long distance PoE transmission with a more flexible networking.

8-pin Assignment PoE Power Supply

The Eight-PIN Ethernet port supports power supply, to enhance frontend and rear-end compatibility. Reduce cable loss and promote loading capacity.

Scene

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The device is applicable for use in different scenarios, including home, office, server farm, and small mall.

- > Intelligent PoE
- > 8-pin assignment PoE power supply
- > Long distance PoE
- > PoE watchdog
- > Wide working temperature

Summary: Dahua Technology PoE PFS3010-8ET-96-V2. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 10. MAC address table: 8000 entries, Switching capacity: 5.6 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3by, IEEE 802.3u, IEEE 802.3x. DC input voltage: 48 - 57 V. Power over Ethernet (PoE) | Vendor Homepage:

<https://www.dahuasecurity.com/products/productDetail/15591> | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 10 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Fast Ethernet (copper) ports quantity: 8 | Gigabit Ethernet (copper) ports quantity: 2 | 10G support: No | Ethernet LAN data rates: 10,100,1000 | Networking standards: IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3by/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 4.17 | MAC address table: 8000 | Packet buffer memory: 4 | Switching capacity: 5.6 | Product colour: Black | DC input voltage: 48 - 57 | Power consumption (typical): 90 | Power source: DC | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 8 | Total Power over Ethernet (PoE) budget: 96 | Operating relative humidity (H-H): 5 - 95 | Operating temperature (T-T): -10 - 55 | Storage relative humidity (H-H): 5 - 95 | Storage temperature (T-T): -20 - 70 | Weight: 500 | Package depth: 100 | Package height: 30 | Package weight: 1320 | Package width: 190 | Model name: PFS3010-8ET-96-V2 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.002643 | Unit Calculated Weight: 1.25

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](mailto:sales@cssi.co.za) | sales@cssi.co.za | +27 (11)541-9950