
**Mikrotik Wired
Ethernet Router
(No Wifi)
RB750Gr3, hEX,
Dual Core
880MHz CPU,
256MB RAM, 16
MB (MicroSD),
5xGigabit LAN,
USB, PCB and
Voltage
temperature
monitor,
Beeper, IP20,
Plastic Case,
RouterOS L4
MikroTik
Ethernet Router
hEX RB750Gr3
No Wi-Fi**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Ethernet LAN (RJ-45) ports 5 Mesh Support No MU-MIMO No No mobile broadband 1 12 month(s)



Model: RB750Gr3

Manufacturer: MIKROTIK

EAN: 4752224002761

Product Code: 341495

R1,194 ~~R1,233~~

USB ports quantity: 1 | Wi-Fi: No | Producer product family: Ethernet Router hEX | Ethernet LAN (RJ-45) ports: 5 | Net weight: 0.112 | Gross weight: 0.298 | WEEE tax: Yes | Packing quantity: 20 | Volume (m3): 0.00078585 | Tare weight (kg): 0.186 | WEE classification: CL109:6:2017-04-01 | Gross depth (mm): 130 | Gross width (mm): 93 | Gross height (mm): 65 | Paper/Pasteboard: 167 | Embeeded battery: No | Wi-Fi band: No Wi-Fi | Mesh Support: No | Mobile Broadband: No mobile broadband | MU-MiMO: No | Producer product name: RB750Gr3 | Software type: RouterOS L4 | Plastic (No PET): 19 | Antennas quantity: No antennas | Processor frequency: 880 | Processor cores: 2 | Processor model: MT7621A | Dimensions (WxDxH): 113x89x28 | Internal memory: 256 | Other features: hEX is a five port Gigabit Ethernet router for locations where wireless connectivity is not required. The device has a full size USB port. This new updated revision of the hEX brings several improvements in performance. It is affordable, small and easy to use, but at the same time comes with a very powerful dual core 880MHz CPU and 256MB RAM, capable of all the advanced configurations that RouterOS supports. IPsec hardware encryption (~470 Mbps) and The Dude server

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

package is supported, microSD slot on it provides improved r/w speed for file storage and Dude. IPsec hardware acceleration. | Storage capacity: 16 | Operating temperature (T-T): -40°C to 60°C | Memory type: FLASH | Voltage: PoE in input Voltage: 8-30 | PoE in: Passive PoE | Power consumption (max): 10 | Memory card included: Yes (microSD) | Certification: CE, EAC, ROHS | Warranty: 12 | AC adapter included: Yes (24V 0.38A power adapter) | Gross depth master carton: 380 | Gross width master carton: 340 | Gross height master carton: 135 | Net weight master carton: 5.96 | Tare weight master carton: 0.174 | Palette Qty: 1980 | Producer: MikroTik

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950