
**Mikrotik Wired
Ethernet Router
RB4011iGS+RM,
Quad-core
1.4Ghz CPU, 1GB
RAM, 512 MB,
1xSFP+,
1xSerial console
port, PCB
Temperature
and Voltage
Monitor, IP20,
Cage and
Desktop Case
with Rack Ears,
RouterOS L5
MikroTik
Ethernet
Router
RB4011iGS+RM**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

No Wi-Fi
10/100/1000
Mbit/s Ethernet
LAN (RJ-45)
ports 10 Mesh
Support No MU-
MiMO No No
mobile
broadband
Antenna type No
antenna 12
month(s)



Model: RB4011iGS+RM

Manufacturer: MIKROTIK

EAN: 4752224002730

Product Code: 341636

R4,004 R4,116

Gross depth (mm): 340.00 | Gross height (mm): 145 | Gross weight: 0.986 | Gross width (mm): 50 |
Net weight: 0.687 | Packing quantity: 10 | Tare weight (kg): 0.299 | Volume (m3): 0.002465 | WEE
classification: CL109:6:2017-04-01 | Ethernet LAN (RJ-45) ports: 10 | Colour of product: Black |
Processor cores: 4 | Operating system installed: RouterOS (Level 5) | CPU configuration (max): 1.4
GHz | Producer product family: Enthernet Router | WEEE tax: Yes | Dimensions (WxDxH): _____

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

228x120x30 | Ethernet LAN data rates: 10/100/1000 | Warranty: 12 | Wi-Fi: No | Internal memory: 1000 | Antenna type: No antenna | SFP+ ports quantity: 1 | Paper/Pasteboard: 269 | Embedded battery: No | Wi-Fi band: No Wi-Fi | Mesh Support: No | Mobile Broadband: No mobile broadband | MU-MiMO: No | Plastic (No PET): 30 | Producer product name: RB4011iGS+RM | Processor frequency: 1400 | Voltage: (PoE in input Voltage) 18-57 | Other features: RB4011 series - amazingly powerful routers with ten Gigabit ports, SFP+ 10Gbps interface and IPsec hardware acceleration for a great price! The RB4011 uses a quad core Cortex A15 CPU, same as in our carrier grade RB1100AHx4 unit. The unit is equipped with 1GB of RAM, can provide PoE output on port #10 and comes with a compact and professional looking solid metal enclosure in matte black. RB4011iGS+RM (Ethernet model) includes two rackmount ears that will securely fasten the unit in a standard 1U rack space. Note: Passive DAC (MikroTik S+DA0001/S+DA0003) are not supported. | Processor model: AL21400 | PoE in: Passive PoE | Certification: CE, EAC, ROHS | Power consumption (max): 33 | Storage capacity: 512 | Operating temperature (T-T): 40°C to 70°C | Memory type: NAND | AC adapter included: Yes (24V 1.5A power adapter) | Gross depth master carton: 355 | Gross width master carton: 260 | Gross height master carton: 320 | Net weight master carton: 9.86 | Tare weight master carton: 0.502 | Palette Qty: 580 | Producer: MikroTik

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950