



Alienware AW2725DM computer monitor 68.6 cm (27) 2560 x 1440 pixels Wide Quad HD LCD Blue

Model: 210-BQWQ

Manufacturer: DELL

EAN: 5397184962718

Product Code: 378394

R4,498

LED backlight: Yes | Tilt angle range: -5 - 21° | Display brightness (typical): 400 cd/m² | Screen shape: Flat | Display diagonal: 68.6 cm (27") | Depth (with stand): 206 mm | NVIDIA G-SYNC: Yes | Package weight: 9.82 kg | Response time: 4 ms | DisplayPorts quantity: 1 | Height (with stand): 519.5 mm | Display resolution: 2560 x 1440 pixels | AC input frequency: 50/60 Hz | HDCP: Yes | LED indicators: Yes | Cable lock slot: Yes | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Product colour: Blue | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 1280 x 720 (HD 720) | Operating altitude: 0 - 5000 m | Supported graphics resolutions: 1152 x 864 (XGA+) | Supported graphics

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

resolutions: 1280 x 800 | Supported graphics resolutions: 1280 x 960 | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Native aspect ratio: 16:9 | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 720 x 480 | Supported graphics resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 720 x 576 | Supported graphics resolutions: 3840 x 2160 | Input current: 1.5 A | AC input voltage: 100 - 240 V | HD type: Wide Quad HD | Supported graphics resolutions: 720 x 400 | Power consumption (off): 0.3 W | Supported graphics resolutions: 2560 x 1440 | Supported graphics resolutions: 1440 x 900 | Width (with stand): 613 mm | Adjustable height (max): 11 cm | Operating temperature (T-T): 0 - 40 °C | Viewable size, horizontal: 59.7 cm | Built-in speaker(s): No | Headphone out: No | Pivot: Yes | Bezel width (side): 8.13 mm | Number of USB Type-B upstream ports quantity: 1 | Market positioning: Gaming | AMD FreeSync: Yes | Operating relative humidity (H-H): 10 - 80% | Weight (with stand): 6.22 kg | Height (without stand): 363.7 mm | Cable lock slot type: Kensington | Energy efficiency class (SDR): F | Bezel width (top): 8.13 mm | Energy consumption (SDR) per 1000 hours: 25 kWh | Weight (without stand): 4.23 kg | USB charging port: Yes | Display number of colours: 1.07 billion colours | DCI-P3 coverage: 95% | Pixel density: 109 ppi | Anti-glare screen: Yes | Power consumption (standby): 0.3 W | High Dynamic Range (HDR) technology: DisplayHDR 400 | Depth (without stand): 67.2 mm | Front bezel colour: Black | Picture-by-Picture (PbP): Yes | VESA mounting: Yes | Vertical scan range: 48 - 180 Hz | Display diagonal (metric): 68.58 cm | USB cable length: 1.8 m | High Dynamic Range (HDR) supported: Yes | Viewable size diagonal: 68.6 cm | Touchscreen: No | Power supply type: Internal | Cable management: Yes | Pivot angle: -90 - 90° | Feet colour: Blue | Bezel width (bottom): 1.99 cm | Storage relative humidity (H-H): 5 - 90% | Low Blue Light technology: Yes | Energy consumption (HDR) per 1000 hours: 36 kWh | Windows operating systems supported: Yes | Doesn't contain: PVC/BFR | Supported video modes: 2160p | DisplayPort cable length: 1.8 m | Swivelling: Yes | Viewable size, vertical: 33.6 cm | Panel type: Fast IPS | Supported video modes: 720p | Flicker-free technology: Yes | Viewing angle, vertical: 178° | Horizontal scan range: 30 - 285 kHz | Supported video modes: 576p | Tilt adjustment: Yes | On Screen Display (OSD): Yes | Energy efficiency scale: A to G | Picture-in-Picture: Yes | Doesn't contain: Arsenic | HDMI: Yes | Pixel pitch: 0.2331 x 0.2331 mm | Storage temperature (T-T): -20 - 60 °C | Power consumption (max): 80 W | Height adjustment: Yes | HDMI ports quantity: 2 | Supported video modes: 480p | Supported video modes: 1080p | VESA Adaptive Sync support: Yes | Panel mounting interface: 100 x 100 mm | Non-operating altitude: 0 - 12191 m | Viewing angle, horizontal: 178° | HDMI version: 2.1 | HDCP version: 1.4/2.3 | USB upstream port type: USB Type-B | Doesn't contain: Mercury | Windows operating systems supported: Windows 10 | Energy efficiency class (HDR): G | Surface hardness: 3H | Built-in camera: No | USB Type-A downstream ports quantity: 2 | Width (without stand): 613 mm | Swivel angle range: -20 - 20°

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

| Maximum refresh rate: 180 Hz | Dell ComfortView technology: Yes | Built-in USB hub: Yes |
Response time (extreme): 1 ms | Response time (fast): 2 ms | Plug and Play: Yes | Contrast ratio
(typical): 1000:1 | Power consumption (typical): 25 W | Display technology: LCD | Compliance
certificates: RoHS | Response time measurement type: GTG (Gray to Gray)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950