CSSi SA - "Securing Tomorrow, Today"
Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685
Generated: 2026-10-30 16:45

Cudy AC1300 1167 Mbit/s White Power over Ethernet (PoE)

Model: AP1300

Manufacturer: CUDY

EAN: 6971690792022

Product Code: 410762

R1,701

Connects More Devices

MU-MIMO technology allows for the simultaneous transmission of multiple data streams to multiple devices, improving efficiency and throughput under heavy use.

Boosted Coverage

Beamforming technology tracks connected devices' directions and boosts signal towards them, improving coverage performance.

Seamless Coverage with Fast Roaming

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Mesh support (802.11k/v) allows clients to switch between access points seamlessly, ensuring uninterrupted Wi-Fi calling or live streaming when moving around. This feature requires a Cudy Wi-Fi router/VPN router/access point controller as a gateway with firmware newer than 15.28.

Advanced Business Features

Captive Portal

Improve your brand awareness by displaying a customized login page for new clients (AP1200/AP1300 models will soon support this feature).

Band Steering

Assign devices to less congested bands.

Auto Channel Selection

Avoid signal interruptions with nearby access points.

Auto Mesh Optimization

Form mesh backhaul via less congested routes automatically.

Flexible Wired-and-Wireless Hybrid Backhaul

Simple Wireless Mesh Backhaul
Hybrid Backhaul for Higher Performance

Multi-Mode for Multiple Scenarios

Access Point

Simply create a Wi-Fi spot behind a router.

Wi-Fi Router

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Please use the router mode when PPPoE authorization is needed or when creating a separate subnet is needed.

Range Extender

The Wi-Fi Extender (repeater) mode extends existing Wi-Fi coverage to hard-to-cover areas.

WISP

WISP extends Wi-Fi but creates a subnet for connected devices, so it's safer than extender mode.

Versatile Powering and Installation

Flexible PoE & DC Power Options

Supports 802.3at/af PoE, 48V Passive PoE, and DC Power input. Please note: DC adapter is not included in the package.

Versatile Mounting

Mounting kits are included in the box.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950