

GIGABYTE GeForce RTX 3050 WINDFORCE OC V2 8G NVIDIA 8 GB GDDR6



GIGABYTE GeForce RTX 3050 WINDFORCE OC V2 8G NVIDIA 8 GB GDDR6

Model: GV-N3050WF2OCV2-8GD

Manufacturer: GIGABYTE

EAN: 4719331314798

Product Code: 461235

R10,381

KEY FEATURE

NVIDIA Ampere Streaming Multiprocessors

2nd Generation RT Cores

3rd Generation Tensor Cores

Powered by GeForce RTX™ 3050

Integrated with 8GB GDDR6 128-bit memory interface

WINDFORCE Cooling System

90mm unique blade fan

WINDFORCE COOLING SYSTEM

The WINDFORCE cooling system features two 90mm unique blade fans, the heatpipe directly

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

touches the GPU, alternate spinning and 3D active fan, which together provide high efficiency heat dissipation.

ALTERNATE SPINNING

Reduce the turbulence of adjacent fans and increase air pressure. GIGABYTE turns the adjacent fans in the opposite direction, so that the airflow direction between the two fans is the same, reducing the turbulence and enhancing the airflow pressure.

UNIQUE BLADE FAN

The airflow is spilt by the triangular fan edge, and guided smoothly through the 3D stripe curve on the fan surface, effectively enhancing the airflow.

3D ACTIVE FAN

The 3D Active Fan provides semi-passive cooling, and the fans will remain off when the GPU is in a low load or low power game. It allows gamers to enjoy gameplay in complete silence when the system is running light or idle.

GRAPHENE NANO LUBRICANT

Graphene nano lubricant can extend the life of fan by 2.1 times, close to the life of double ball bearing, and is quieter.

ULTRA DURABLE

ULTRA COOLING

Lower RDS(on) MOSFETs are specially designed to produce lower switching resistance for faster electric current charging and discharging at extremely low temperature.

LOW POWER LOSS

Metal Choke hold energy much longer than common iron-core chokes at high frequency, thus effectively reduce core energy loss and EMI interference.

LONGER LIFE

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Lower ESR Solid Capacitors ensure better electronic conductivity for excellent system performance and longer lifespan.

FRIENDLY PCB DESIGN

Fully automated production process ensures top quality of the circuit boards and eliminates sharp protrusions of the solder connectors seen on the conventional PCB surface. This friendly design prevents your hands from getting cut or inadvertently damaging components when making your build.

GIGABYTE CONTROL CENTER

GIGABYTE CONTROL CENTER (GCC) is a unified software for all GIGABYTE supported products. It provides an intuitive interface that allows users to adjust clock speed, voltage, fan mode and power target in real-time.