

Avtek International TS 8 Lite G 75 Interactive flat panel 190.5 cm (75) LED Wi-Fi 420 cd/m 4K Ultra HD Black Touchscreen Built-in processor Android 14 24/7

Model: 1TV355

Manufacturer: AVTEK

EAN: 5907731319775

Product Code: 47308

R47,876

VESA mounting: Yes | Internal storage capacity: 128 GB | Power consumption (standby): 0.5 W | LED backlighting type: Direct-LED | On Screen Display (OSD) languages: LAT | Display weight: 46.5 kg |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Number of microphones: 8 | Wi-Fi: Yes | On Screen Display (OSD) languages: Polish | HDMI input ports quantity: 3 | On Screen Display (OSD) languages: Ukrainian | Display technology: LED | Panel life: 50000 h | Contrast ratio (typical): 5000:1 | RMS rated power: 40 W | Ethernet LAN: Yes | Wall mountable: Yes | HDMI version: 2.0 | Processor manufacturer: ARM | Touchscreen: Yes | HDMI output ports quantity: 1 | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | Orientation: Horizontal | On Screen Display (OSD): Yes | Operating system installed: Android 14 | Operating time: 24 h | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Croatian | Processor architecture: ARM Cortex-A53+Cortex-A72 | Display brightness: 420 cd/m² | Panel type: VA | Display height: 1031 mm | Energy efficiency class (SDR): G | Audio (L/R) in: 1 | VGA (D-Sub) input ports: 1 | On Screen Display (OSD) languages: English | OPS slot: 1 | Operating hours (hours/days): 24/7 | USB ports quantity: 9 | OPS module slot: Yes | Number of OSD languages: 12 | USB port: Yes | On Screen Display (OSD) languages: Czech | Active display area (W x H): 1650 x 928 mm | On Screen Display (OSD) languages: Hungarian | On Screen Display (OSD) languages: Lithuanian | On Screen Display (OSD) languages: French | Built-in processor: Yes | Glass thickness: 3.2 mm | RS-232 interface: Yes | Package volume: 56250 cm³ | Built-in speaker(s): Yes | Felt pens included: Yes | DisplayPorts in: 1 | Display width: 1709 mm | Linux operating systems supported: Yes | DVI port: No | Native refresh rate: 60 Hz | Number of built-in speakers: 2 | Display depth: 86 mm | Touchscreen technology: Infrared | Audio (L/R) out: 1 | Panel mounting interface: 800 x 400 mm | Package height: 1155 mm | Processor family: ARM Cortex | Storage relative humidity (H-H): 10 - 90% | Power consumption (max): 380 W | AC input frequency: 50 - 60 Hz | Screen shape: Flat | Response time: 6.5 ms | Display diagonal: 190.5 cm (75") | Mac operating systems supported: Yes | Package depth: 225 mm | HD type: 4K Ultra HD | Storage temperature (T-T): -20 - 60 °C | Native aspect ratio: 16:9 | Power consumption (typical): 205 W | Package width: 1863 mm | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 8 | Cables included: USB | AC input voltage: 100 - 240 V | Cables included: Power | Windows operating systems supported: Windows 11 | Ethernet LAN (RJ-45) ports: 2 | DisplayPorts quantity: 1 | Cables included: HDMI | Display resolution: 3840 x 2160 pixels | Operating relative humidity (H-H): 10 - 90% | Product colour: Black | HDMI ports quantity: 4 | Windows operating systems supported: Windows 7 | Internal memory: 8 GB | Operating temperature (T-T): 0 - 40 °C | Viewing angle, horizontal: 178° | Product design: Interactive flat panel | On-board graphics card model: Mali-G52 MC3 | LED backlight: Yes | Display number of colours: 1.07 billion colours | Pixel pitch: 0.43 x 0.43 mm | Viewing angle, vertical: 178° | Windows operating systems supported: Windows 10 | Number of simultaneous touchpoints (Windows): 50 | Number of simultaneous touchpoints (Android): 32 | EDLA certificate: YES | Touch response time: 2.5 ms |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Warnings: Avoid dropping or bumping the monitor. | Warnings: Do not use in a damp environment or near water. | Warnings: Protect against the possibility of scratching the touchscreen.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950