



MOBILE PHONE ARMOR 33 PRO/33PRO ULEFONE



Model: 33PRO

Manufacturer: ULEFONE

EAN: 6975326660112

Product Code: 550232

R9,561

6.95-inch Huge Main Screen Feels Like an IMAX Experience

IMAX theater in your hands. Our 6.95-inch ultra-large main display can always immerse you in ultra-bright colors and vivid motion, thanks to its ultra-clear FHD+ resolution and 120Hz refresh rate. Enhanced with lower power consumption, it ensures comfort and peace of mind whether you're watching a movie or playing games.

3.4-inch Max Back Screen Front or Rear, Flexible

The largest 3.4-inch secondary screen ever on a unibody smartphone. As sharp, smooth and responsive as the main screen, it offers 412 x 960 ultra high resolution and 5-point multi-touch capability.

Dual-Screen Mastery Double the Possibilities

The large back screen fully mirrors the contents and operations from the main screen, elevating your

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

interaction with your device to new heights. Effortlessly toggle between the front and back screens for a seamless operation.

25500mAh Power Beast 10 Days on the Go

Never run out of power again! The 25500mAh monster keeps you charged for 10 full days, perfect for travel, adventures, or daily life. Stay connected, stay free, and enjoy uninterrupted energy wherever you go.

Multi-Layer Safety Protection Technology

Enhanced Battery Safety

Safe for High-Speed Trains and Airplanes

Travel with Confidence, We've Got Your Back

Solid-state Long Life Battery

66W Fast Charging Ready in Minutes

In a hurry? Just plug in for a few minutes, 66W fast charging will quickly replenish your device. Not only does it get you back in action fast, but it also helps extend the lifespan of your battery.

50MP Primary Camera Larger Sensor, Brighter Imaging

Excellent low-light, autofocus and HDR for capturing incredible detail and vibrant colors with the OMNIVISION OV50H 50MP main camera sensor. EIS anti-blur technology, a 1/1.3" ultra-large sensor, and f/1.95 large aperture result in every shot being bright and clear, while the 7P lens enhances image sharpness and clarity.

64MP Infrared Night Vision Camera NightElf 3.0 Master Algorithm

Darkness is effectively conquered by the OmniVision OV64B night vision camera, boasting ultra-high 64MP resolution, delivering more detailed images. Enhanced by Ulefone's advanced NightElf 3.0 technology and powered by upgraded 4 infrared LEDs, it captures clearer night shots even at longer distances.

50MP Ultra-wide Macro Camera Distant Scenes Not Small

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The 50MP ultra-wide sensor keeps distant objects sharp even when images are enlarged. With its shocking 117.3° ultra-wide vision, it captures more wonderful moments in a single frame. The macro capability enhances clarity for small, distant objects, making it ideal for detailed long-distance shots.

32MP HD Selfie Camera Crystal Clear, Any Angle

Armor 33 Pro features a 32MP HD Selfie Camera with an f/2.45 large aperture, capturing stunning and clear facial shots with textured makeup and natural skin tones in real-time. Whether you're recording v-logs or making online calls, your content is always crisp and visually appealing.

AI-powered Shots More Brilliant

Enhance photos with smart analysis and cloud algorithms, making photos ultra-clear. Skin pores, textures, and details are amplified for stunning realism. Capture brilliance, effortlessly.

2s Snapshot Instant Camera Key

With the dedicated physical camera key, you can skip the hassle of unlocking your screen. A long press instantly launches the camera app, while a gentle press captures the moment in an instant. From thrilling sports highlights to spontaneous pet antics, you never miss a beat.

Infinite Halo 2.0 Entertain with Dynamic Halo

Infinite Halo 2.0 dynamically adjusts based on music rhythms or video content, providing a relaxing and immersive experience after a long day of work. The notification and charging halo features make every incoming call and charging time cool and special.

118dB Loudspeaker 4W Powerful Sound

The Armor 33 Pro is your ultimate audio companion, boasting an ultra-loud 118dB speaker with a substantial 28mm diameter and a powerful 9cc sound cavity. This combination delivers a rich, powerful sound that fills any space with clarity and impact. Experience the difference that 4W of pure, powerful sound can make.

Outdoor Party Box Light Show Revelry

Elevate your outdoor gatherings with the ultra-loud halo speaker. Perfect for camping trips, beach parties, or any outdoor adventure with friends, its halo design brings the party to life with a stunning light show synchronized to the beats and patterns. Its 12800mAh battery can last for over 52 hours

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

of nonstop fun.

Armor 33 Pro with robust IP68 and IP69K ratings and MIL-STD-810H certification withstands water immersion, dust invasion, and drop resistance. This is especially beneficial for operating in dusty and challenging environments, such as construction sites or mining operations.

Corning® Gorilla® Glass 5 Safe, Front and Rear

Both our front and back screens are protected by Corning® Gorilla® Glass 5, delivering unmatched drop and scratch resistance. Thin, lightweight, and optically clear, it ensures unyielding protection in any environment.

MediaTek Dimensity 7300X Flagship SoC Built for Dual-Screen Excellence

The Dimensity 7300X features an octa-core CPU with up to 2.5GHz clock speed, delivering unmatched performance. Built on a 4nm process, it reduces CPU power consumption by up to 30%. Paired with the Arm Mali-G615 GPU and MediaTek HyperEngine optimizations, it faster FPS better energy efficiency in gaming.

MediaTek NPU 655 Enhanced AI Performance

The NPU 655 delivers twice the AI task efficiency compared to its predecessor, along with faster processing for AI-driven features like real-time image recognition, voice interactions, and AI-enhanced photography.

Comes with Google Gemini Smarter AI, Tailored to You

Your phone, your AI. The Armor 33 Pro comes equipped with Gemini AI, providing personalized assistance, streamlining tasks, and efficient voice interaction, all tailored to your individual preferences.

Capacious 16GB RAM Vast 512GB Storage

16GB RAM with an extra 16GB dynamic RAM makes lightning-fast multitasking. Massive 512GB of storage holds your entire digital collection, from HDR photos to high-res videos. Need more? Expand up to 2TB and keep your data programs organized and accessible.

Dual 5G Connectivity Connect, Create, Innovate

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Tap into the future of connectivity with lightning-fast 5G speeds and expansive coverage. Seamless streaming, instant downloads, and ultra-low latency, you're always at the forefront of technology.

Android 14 OS

Tailored, Secure, and Empowering

Armor 33 Pro is driven by Android 14, offering a deeply personalized, ultra-secure, and fully accessible experience. Enhanced photo capabilities, dynamic AI-generated wallpapers, and robust privacy features safeguard your health, safety, and data. With advanced accessibility options and optimized performance, Android 14 keeps your device running smoothly, no matter the workload.

uSmart Expansion Connector Engineered for Precision and Performance

Designed exclusively for seamless expansion connectivity, the uSmart Expansion Connector offers unparalleled stability and efficiency. Compatible with the uSmart E03, E02, E01 endoscopes and uSmart C01 microscope, it ensures reliable performance and enhanced workflow in demanding professional environments. uSmart 2.0 technology enables you to use the uSmart Connector while charging.

Service Center 2.0 Faster Support, Smarter Assistance

To elevate your experience, our Service Center app has been upgraded to Version 2.0. Enjoy lightning-fast responses, instant access to user manuals, FAQs, and explore the Ulefone brand, products, and accessory ecosystem. The all-new Customer Service APP is designed to make your life easier and more efficient.

Unyielding Quality Fortified to Thrive

Surviving extreme tests in the Ulefone lab, the Armor 33 Pro is a testament to resilience. Crafted with meticulous quality control, it's not just built, it's battle-ready for whatever life throws at it.

Summary: Ulefone Armor 33 Pro. Display diagonal: 17.6 cm (6.95"), Display resolution: 1080 x 2460 pixels. Processor family: MediaTek Dimensity, Processor model: 7300X. RAM capacity: 16 GB, RAM type: LPDDR5, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android 14. Battery capacity: 25500 mAh. Product colour: Black. Weight: 776.5 g | Vendor Homepage: <https://www.ulefone.com/products/armor-33-pro> | Forma: Plytelė | Produkto spalva: Juoda | Spalva:: Phantom Black | Apsaugos ypatybės: Atsparumas šalčiui/Atsparus aptaškymui/Atsparus

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

dulkėms/Atsparus numetimui/Atsparus vandeniui | Atsparumas vandeniui iki: 2 | Vidinės saugyklos talpa: 512 | RAM talpa: 16 | RAM tipas: LPDDR5 | Suderinamos atminties kortelės: MicroSD (TransFlash) | Maksimalus atminties kortelės dydis: 2000 | Ekranų įstrižainė: 6.95 | Ekranų forma: Plokščias | Ekranų stiklo tipas: Corning Glass | „Gorilla Glass“ versija: Gorilla Glass 5 | Ekranų rezoliucija: 1080 x 2460 | Maksimalus atnaujinimo dažnis: 120 | Ekranų ryškumas: 700 | Antras ekranas: Taip | Antro ekranų įstrižainė: 3.4 | Antro ekranų rezoliucija: 412 x 960 | Didžiausias antrojo ekranų skaistis: 600 | Antro ekranų tipas: IPS | Antro monitoriaus ekranų matmenų santykis: 21:9 | Antro monitoriaus ekranų atnaujinimo dažnis: 60 | Antrojo ekranų „Gorilla Glass“ versija: Gorilla Glass 5 | Procesoriaus šeima: MediaTek Dimensity | Procesoriaus modelis: 7300X | Procesoriaus architektūra: ARM Cortex-A78+Cortex-A55 | Procesoriaus branduoliai: 8 | Dideli branduoliai: 4 | Maži branduoliai: 4 | Procesoriaus padidintas dažnis: 2.5 | Neuroninis procesorius (NPU): MediaTek NPU 655 | Galinės kameros jutiklio dydis: 1/1.3 | Galinės kameros rezoliucija (skaitmeninė): 50 | Antros galinės kameros rezoliucija (skaitmeninė): 64 | Trečios galinės kameros skiriamoji geba (skaitmeninė): 50 | Galinės kameros apertūros skaičius: 1.95 | Antros galinės kameros apertūros skaičius: 1.79 | Trečios galinės kameros diafragmos numeris: 2.2 | Galinės kameros pikselių dydis: 1.197 | Galinės kameros matymo lauko (FOV) kampas: 85 | Antrosios galinės kameros matymo lauko (FOV) kampas: 79.4 | Trečios galinės kameros matymo lauko (FOV) kampas: 117.3 | Galinės kameros objektyvo elementai: 7 elementų objektyvas | Priekinės kameros objektyvo elementai: 5 elementų objektyvas | Priekinės kameros tipas: Viena kamera | Priekinės kameros rezoliucija (skaitmeninė): 32 | Priekinės kameros apertūros skaičius: 2.45 | Priekinės kameros pikselių dydis: 0.8 | Priekinės kameros matymo lauko (FOV) kampas: 80.4 | Galinės kameros blykstė: Taip | Maksimalus kadro dažnis: 30 | Vaizdo įrašymo režimai: 1080p/480p/720p | Galinės kameros tipas: Trigubas fotoaparatas | Veido aptikimas: Taip | Kameros didelio dinaminio diapazono (HDR) režimas: Taip | Foto efektai: Veidrodis | Laiko tarpų režimas: Taip | Automatinis laikmatis: Taip | Naktinis režimas: Taip | Panorama: Taip | Portreto režimas: Taip | Sulėtinto filmavimo režimas: Taip | Vietos SIM kortelėms: Dviguba SIM jungtis | Mobiliojo tinklo generavimas: 5G | SIM kortelės tipas: „NanoSIM“ | 3G standartai: WCDMA | 4G standartai: LTE-TDD & LTE-FDD | 5G standartas: Sub6 NR | „Voice over LTE“ (VoLTE) palaikymas: Taip | Duomenų tinklas: CDMA/GSM | „Wi-Fi“ standartas: Wi-Fi 6E (802.11ax) | Wi-Fi standartai: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax) | Bluetooth: Taip | Bluetooth versija: 5.4 | Mažo nuotolio radijo ryšys (NFC): Taip | Prenumeratos tipas: Be prenumeratos | USB jungtis: C tipo USB | USB versija: 2.0 | Ausinių jungtis: 3,5 mm | GPS (palydovinis): Taip | NavIC: Taip | „BeiDou“: Taip | GLONASS: Taip | „Galileo“: Taip | „Quasi-Zenith Satellite System“ (QZSS): Taip | Elektroninis kompasas: Taip | GPS: Taip | Spartusis

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Įkrovimas: Taip | Grafikos adapteris: Mali-G615 MC2 | Pirštų antspaudų skaitytuvas: Taip | Mikrofonų kiekis: 1 | Garsiakalbio galingumas: 4 | Palaikomi audio formatai: AAC/AMR/FLAC/M4A/MKA/MP2/MP3/OGG/Vidurinė | Palaikomi vaizdo formatai: 3GP/MKV/MOV/MP4 | Palaikomi vaizdo formatai: BMP/GIF/JPEG/PNG | Palaikomi dokumentų formatai: HTML/TXT | Platforma: Android | Numatyta operacinė sistema: Android 14 | Baterijos technologija: Ličio polimeras (LiPo) | Baterijos talpa: 25500 | Nepertraukiama vaizdo įrašo peržiūra (max): 33 | Energijos efektyvumo klasė: A | Akumuliatoriaus veikimo trukmė vienam ciklui: 23016 | Pakartotinio laisvojo kritimo patikimumo klasė: A | Taisomumo klasė: C | Remontuojamumo indeksas: 2.9 | Tarptautinės apsaugos (IP) kodas: IP68, IP69K | Akcelerometras: Taip | Aplinkos šviesos jutiklis: Taip | Artimumo jutiklis: Taip | Girokopas: Taip | Gravitacijos jutiklis: Taip | „USB Power Delivery“: Taip | Geomagnetinis jutiklis: Taip | Infraraudonųjų spindulių jutiklis: Taip | Reikalinga įkrovimo galia (didž.): 66 | Reikalinga įkrovimo galia (maž.): 10 | Slėgio jutiklis: Taip | USB „Type-C“ įkrovimo lizdas: Taip | Žingsniamatis: Taip | Plotis: 85.5 | Ilgis: 34 | Aukštis: 185.5 | Svoris: 776.5 | Sertifikavimas: MIL-STD-810H | Kintamosios srovės adapteris: Taip | Ekrano apsauga: Taip | Garantijos kortelė: Taip | Instrukcija: Taip | Pridėti kabeliai: Iš C tipo USB į C tipo USB | Naudojimo instrukcijos kalbos: Daugybė | Budėjimo laikas: 1380 | Garso valdymas: Mygtukai | Kalbų palaikymas: Daugybė | Pokalbio laikas: 104 | Energy efficiency class: A | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2405051/fiches?language=LT> | EPREL Version Number: 1 | EPREL Registration Number: 2405051 | Bruto svoris: 1.28 | Baterija: Lithium-Ion polymer rechargeable | Neto svoris: 0.776 | Vienetų skaičius vienoje siuntimo dėžėje: 10 | Vieneto plotis: 11 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 25 | Vieneto gylis: 21 | Vieneto aukštis: 9 | Name: MOBILE PHONE ARMOR 33 PRO/33PRO ULEFONE | Model name: 33 Pro

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950