



MOBILE PHONE ARMOR 29 ULTRA/16GB/1TB MARVEL BLACK ULEFONE

Model: 29 ULTRA MARVEL BLACK

Manufacturer: ULEFONE

EAN: 6975326668200

Product Code: 550346

R16,734

Iron Man Helmet

Elements Design

Power, Strength, Superhero

In the spirit of Iron Man, who pushes the boundaries of human potential, the Armor 29 Ultra is crafted for those who do the same in nature. It's more than a rugged smartphone; it's a tool that empowers you to conquer the outdoors with the same confidence and style as your favorite superhero.

Dimensity 9300+

Ultra Flagship Power Core

The MediaTek Dimensity 9300+ boasts a 4+4 all-big-core setup with Cortex-X4 super cores up to

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

3.4GHz, offering a 40% performance surge and a 33% power efficiency gain via 4nm tech, for snappier responses and faster app launches.

Dimensity 9300+

12-Core GPU + 2nd-Generation Hardware Ray Tracing Engine

The Immortalis-G720 GPU, boasting 12 flagship cores, boosts performance by 46% while cutting power usage by 40%, ensuring smooth gaming. Its enhanced second-generation hardware ray tracing optimizes lighting, enhancing visual immersion in large 3D games.

16GB LPDDR5X + 1TB UFS4.0

Fastest Read and Write Speeds

LPDDR5X doubles the read speed to 8533 Mbps, up from LPDDR4X's 4266 Mbps, while UFS 4.0 offers write speeds of 4300MB/s, twice as fast as UFS 3.1. With 16GB of RAM and 1TB of storage, you'll enjoy a seamless experience, keeping apps active and worry-free about storage.

MediaTek Dimensity 9300+

World's Fastest SoC

Graphene Cooling Stay Cool, Always

With over 15,314 mm of graphene cooling technology integrated into a cutting-edge heat sink design, we've achieved a remarkable CPU temperature reduction to 4.6°C. The device stays ice-cold, even under the strain of the most demanding apps and games, sustaining peak efficiency and performance without compromise.

Dimensity 9300+

Hardware-level Armor 29 Ultra

Generative AI Engine

MediaTek's next-generation APU architecture incorporates a hardware-based generative AI engine, enhancing AI computations for speed and security. Multi-modal generative AI provides users with innovative experiences in generating text, images and more.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Third-Party AI App Enabled

Harness the power of the AI engine for fast AI application experiences like Google Gemini, and converse to optimize your workflow.

A Sensor That Sets the Bar for Mobile Photography

Armor 29 Ultra's 1-inch Sony IMX989 sensor is a game-changer for your photography. It delivers photos with the kind of detail that makes every scene leap off the screen, every night scene shine, and every photo pop with a vibrancy and sharpness that's never seen before.

8K Video Recording Unbelievably Clear and Detailed

Empowered by its powerful chipset and top-tier camera sensor, the Armor 29 Ultra offers 8K video recording, providing superior clarity and detail beyond 4K and 1080P, rivaling professional camera quality. Your special moments are recorded with stunning sharpness and accuracy.

50MP Ultra-wide Beyond Sight Ultra Wide Angle and Macro in 1

Armor 29 Ultra boasts an 117.3° ultrawide lens with autofocus, enabling macro photography. Whether it's capturing grand landscapes or tiny details, the 50MP ultra wide and macro camera promises to deliver stunning images every time.

64MP Night Vision Camera NightElf 3.0, See Further, See More Clearly

Our infrared night vision camera brightens the night, equipped with a high-resolution 64MP OMNIVISION OV64B sensor and enhanced by Ulefone's NightElf 3.0 technology. The upgrade to 4 infrared LEDs significantly improves brightness and clarity, providing superior image quality and detail even at greater distances.

50MP-Class Selfie Shooter Each Shot, A Spectacle

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

With a 50MP selfie camera, vlogs and video calls are elevated to a new level of clarity and detail. Now, your cherished moments and thrilling adventures come to life in vivid, high-resolution images, turning everyday selfies into breathtaking works of visual art.

Instant Capture

Dedicated Camera Key

Utilize the physical key for swift photography. With a single long press, you bypass the lock screen and jump straight into camera mode, while a quick press takes the shot without delay. Perfect for seizing those fleeting sports plays or candid pet moments, you never miss a beat.

6.67" AMOLED Primary Display

Engaging Instantly

Redefine the colors you see on a screen, the 6.67-inch flexible AMOLED display, incredibly captivates you. Boasting a higher 120Hz refresh rate, no more glitchy games or blurry videos. In ultra-bright mode, it can reach up to 900 nits, and peak at 2200 nits, making it easy to read even in the harshest sunlight.

Luxury Watch Sub-Display

Doubling Your Vision, Doubling Your World

Experience the sophistication of the top-tier flexible AMOLED sub-screen, which enables touch interactions, keeps you updated with a persistent notification view, and serves as a hub for music control and instant selfies. And you can alter the interface, tailoring your watch's face to reflect your personal flair.

Versatile Screen, Ultra-Handy

Crisp dynamic sub-display – swipe left or right for photos, music, calendars, and more. It's all about shortcut features, seamless interaction, and versatility in one sleek display. Incredibly user-friendly.

AOD Mode

Always On Display

Both the main and sub screens feature always-on displays for quick time and notification checks, and support custom lock screen wallpapers.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

21200mAh Crazy Battery

Endless Power for 7 Days

Insane 21200mAh powerhouse, be safe outdoors. With a 7.74V high-voltage output for more reliable and efficient power, your battery endurance is significantly boosted. Designed with safety and performance in mind, this battery stands the test of time.

Fastest 120W Flash Charger

Power Surges Up at Once

Charge with lightning speed, leaving battery worries behind. Always at the ready for whatever comes your way, equipped with the versatile PD (PPS) charging protocol, capable of rapidly juicing up a variety of devices, including iPhones.

IP68/IP69K, MIL-STD-810H Fortified

Ambitious and Bold

Tough as MIL-STD-810H and IP68/IP69K ratings, Armor 29 Ultra defies the challenge of the outdoors, survives water, dust, drops and rough handling with ease. It stands strong against extreme weather and other harsh conditions.

Versatile LED Light

Armor 29 Ultra features a high-intensity rear LED light capable of emitting up to 1000 lumens, sustained by a substantial 21200mAh battery for extended use, outperforming a standalone camping lantern. Equipped with 570 LEDs and a 5-watt output, this light projects a powerful beam efficiently. The design is water-resistant and rugged, ready for the demands of challenging environments and tough use.

The Versatile LED Light provides 4 modes and infinite adjustment of brightness, duration, and a one-touch custom button, perfect for shooting fill light or whenever a dependable, portable light is needed.

Warning Light

Use in Case of Emergency

Armor 29 Ultra acts as an emergency beacon, featuring red, blue, and alternating red-blue warning lights for fire, medical, law enforcement, and other accidents, and works with selectable alarm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

sounds. It offers constant and flashing light modes for visibility and alert purposes.

uSmart Expansion Connector

More Stable and Efficient Work

Exclusive engineered for expansion connectivity of the device, this uSmart Connector has wide compatibility for uSmart E03, E02, E01 endoscopes and uSmart C01 microscope, providing stable connectivity and efficient work.

uSmart 2.0

The upgraded uSmart 2.0 technology allows the connector to work without interference with the charging function of the Type-C port.

Armor Molle Holster

Adjustable tactical phone pouch with buckle enclosure to be attached to backpack or be carried on the belt upright or sideways.

Dual 5G Connectivity

Dual Band 5G Hotspot

Embrace the future with 5G, offering rapid speeds and wide coverage. Enjoy a swift 5G hotspot that connects multiple devices reliably, anytime, anywhere.

Next-gen

Wi-Fi 7 Support

Wi-Fi 7 brings you into the future of wireless connectivity. Stream 4K or 8K videos with no lag or stutter. Transfer data to multiple devices simultaneously, with much faster data transfer speeds. Even large files move in the blink of an eye.

Newest Android 15

Smarter, Faster, Yours

Latest Android 15 enhances privacy with Private Space, lets you share screens selectively, and multitasks more efficiently with app pairs. The Home Controls screensaver turns your device into a smart home hub for convenient device management.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

USB 3.2 Gen 2 10Gbps

With A USB 3.2 Gen 2 Dual Type-C Cable

The Armor 29 Ultra is equipped with USB 3.2 Gen 2 support, enabling swift content transfers to computers or storage devices at velocities up to 10Gbps. A USB 3.2 Gen 2 cable is provided in the box, facilitating direct screen mirroring on compatible displays and also serving to charge your device.

Your Exclusive

Service Center

To elevate the caliber of our service, we have built a Service Center app in our device. You are easy access to supports such as FAQs, troubleshooting guides, and user manuals, and even leave us your questions and problems. This app can deliver product updates, and you can click into the mall to order products.

Relentless Quality

Trusted by Over 1000,000 Customers Globally

Armor 29 Ultra, forged through intensive durability and performance trials under various conditions at the Ulefone lab, embodies unwavering quality control standards, ensuring its longevity and resilience against the harshest of elements.

Summary: Ulefone Armor 29 Ultra. Display diagonal: 16.9 cm (6.67"), Display resolution: 1080 x 2400 pixels. Processor frequency: 3.4 GHz, Processor family: MediaTek Dimensity, Processor model: 9300+. RAM capacity: 16 GB, RAM type: LPDDR5X. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android 15. Battery capacity: 21200 mAh. Product colour: Black. Weight: 688 g | Vendor Homepage:

[https://store.ulefone.com/products/armor-29-](https://store.ulefone.com/products/armor-29-ultra?utm_source=OfficialWebsite&utm_medium=buybutton&utm_campaign=armor-29-ultra)

[ultra?utm_source=OfficialWebsite&utm_medium=buybutton&utm_campaign=armor-29-ultra](https://store.ulefone.com/products/armor-29-ultra?utm_source=OfficialWebsite&utm_medium=buybutton&utm_campaign=armor-29-ultra) | Form factor: Bar | Product colour: Black | Colour name: Marval Black | IK code: IK08 | Protection features: Drop resistant/Dustproof/Splash proof/Weatherproof | Waterproof up to: 2 | RAM capacity: 16 | RAM type: LPDDR5X | Compatible memory cards: MicroSD (TransFlash) | Maximum memory card size: 2000 | Display diagonal: 6.67 | Panel type: AMOLED | Display glass type: Corning Glass | Gorilla Glass version: Gorilla Glass 3 | Display resolution: 1080 x 2400 | Colour depth: 10 | Contrast ratio (typical): 5000000:1 | Maximum refresh rate: 120 | Display brightness: 900 | Oleophobic coating: Yes | Pixel

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

density: 395 | Fingerprint resistant: Yes | Second display: Yes | Second display diagonal: 1.04 | Second display brightness: 500 | Second display resolution: 340 x 340 | Second display type: AMOLED | Second display glass type: Gorilla Glass | Second display Gorilla Glass version: Gorilla Glass 3 | Second display refresh rate: 60 | Processor family: MediaTek Dimensity | Processor model: 9300+ | Processor architecture: ARM Cortex-X4+Cortex-A720 | Processor cores: 12 | Processor frequency: 3.4 | Neural processor unit (NPU): MediaTek NPU 790 | Rear camera sensor size: 1 | Second rear camera sensor size: 1/2.76 | Third rear camera sensor size: 1/2 | Rear camera resolution (numeric): 50 | Second rear camera resolution (numeric): 50 | Third rear camera resolution (numeric): 64 | Rear camera aperture number: 1.9 | Second rear camera aperture number: 2.2 | Third rear camera aperture number: 1.79 | Rear camera pixel size: 3.2 | Front camera type: Single camera | Front camera resolution (numeric): 50 | Front camera aperture number: 2.45 | Front camera pixel size: 0.64 | Front camera field of view (FOV) angle: 80.4 | Rear camera flash: Yes | Sensor type: CMOS | Maximum frame rate: 60 | Video recording modes: 1080p/720p | Rear camera type: Triple camera | Night mode: Yes | Panorama: Yes | Portrait mode: Yes | Slow motion mode: Yes | SIM card capability: Dual SIM | Mobile network generation: 5G | SIM card type: NanoSIM | SIM card hot swapping: No | 2G standards: GPRS/GSM | 3G standards: WCDMA | 4G standard: LTE-TDD & LTE-FDD | 5G standard: Sub6 NR | Voice over LTE (VoLTE) supported: Yes | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 7 (802.11be) | Bluetooth: Yes | Bluetooth version: 5.4 | 2G bands (primary SIM): 1800/1900/800/850/900 | 3G bands supported: 1700/1900/2100/800/850/900 | 4G bands supported: 1800/2100/2300/2600/700/900 | 5G bands supported: 1700/1800/1900/2100/2300/2500/2600/600/800/850/900 | Near Field Communication (NFC): Yes | USB connector type: USB Type-C | USB version: 3.2 Gen 2 (3.1 Gen 2) | Headphone connectivity: 3.5 mm | GPS (satellite): Yes | NavIC: Yes | BeiDou: Yes | GLONASS: Yes | Galileo: Yes | Quasi-Zenith Satellite System (QZSS): Yes | Position location: Yes | Fast charging: Yes | Reverse wireless charging: Yes | Reverse wireless charging power: 10 | Graphics card: Immortalis-G720 | Audio formats supported: AAC/AMR/FLAC/M4A/Mid/MKA/MP2/MP3/OGG | Video formats supported: 3GP/MKV/MOV/MP4 | Image formats supported: BMP/GIF/JPEG/PNG | Document formats supported: HTML/TXT | Platform: Android | Operating system installed: Android 15 | Battery technology: Lithium-Ion (Li-Ion) | Battery voltage: 7.74 | Battery capacity: 21200 | Continuous video playback time (max): 27 | Battery capacity: 82.044 | Energy efficiency class: A | Battery endurance per cycle: 13476 | Repeated free fall reliability class: A | Repairability class: C | Repairability index: 3.1 | International Protection (IP) code: IP68, IP69K | Ambient light sensor: Yes | Proximity sensor: Yes | Gravity sensor:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Yes | Geomagnetic sensor: Yes | Infrared sensor: Yes | Pedometer: Yes | Pressure sensor: Yes | USB Type-C charging port: Yes | Width: 85.6 | Depth: 33.8 | Height: 177.35 | Weight: 688 | Certification: MIL-STD-810H | Head SAR (EU): 0.263 | Body SAR (EU): 1.148 | AC adapter included: Yes | Screen protector: Yes | Warranty card: Yes | Cables included: USB Type-C to USB Type-C | Manual: Yes | SIM card ejector pin: Yes | Wrist strap included: Yes | Standby time: 1140 | Talk time: 114 | Energy efficiency class: A | Data Sheet (Link):

<https://eprel.ec.europa.eu/api/product/2405101/fiches?language=EN> | EPREL Version Number: 1 | EPREL Registration Number: 2405101 | Unit Calculated Weight: 1.27 | Battery: Lithium-Ion polymer rechargeable | Product Net Weight: 0.688 | Unit Calculated Volume: 0.002832 | Units per Shipping Box: 10 | Unit Width: 11 | Units per Pallet: 0 | Shipping Box Height: 25 | Unit Depth: 20 | Unit Height: 10 | Name: MOBILE PHONE ARMOR 29 ULTRA/16GB/1TB MARVEL BLACK ULEFONE | Model name: Armor 29 Ultra | Product status: New

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950