Access Point MIKROTIK 574 Mbit/s 2xLAN ports WAPGR5HAXD2HAXD&R1 LTE7

Model: WAPGR-5HAXD2HAXD&R11E-LTE7

Manufacturer: MIKROTIK

EAN: 4752224009845

Product Code: 551846

R3,813

Mikrotik wAP ax LTE7 kit (5HAXD2HAXD&R11E-LTE7)

The new wAP LTE7 kit is an evolution of the popular wAP ac LTE6. Now – with Wi-Fi 6, CAT7 LTE, a stronger ARM platform, and improved antenna gain. The unit comes in our improved next-gen IP66 weatherproof enclosure.

wAP ax LTE7 kit brings fast and reliable Wi-Fi 6 to your countryside getaway or any other challenging environment – like a rural gas station or a bus stop. The updated enclosure enhances durability even further and features a concealed anti-vandal screw behind the MikroTik logo for added security.Now upgraded with a CAT7 LTE modem, doubled upload speeds, and a more powerful ARM platform, this generation raises the performance bar without changing what people love about wAP or raising the

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

price.
A mighty dual-band, dual-chain (2x2 MIMO) radio ensures strong wireless coverage across your home, yard, or business premises – enhanced by higher antenna gain and a redesigned LTE antenna system for improved signal quality, greater range, and better stability in challenging environments.

Enhanced Hardware

for Uninterrupted Connectivity and Simple Management
This compact access point is equipped with a modern dual-core ARM CPU and runs on RouterOS v7, ensuring stable internet and excellent VPN performance across your property. The wAP ax LTE7 kit also supports our new CAPsMAN for easy centralized management of multiple devices with just a few clicks. The device features two Gigabit Ethernet ports, with PoE-in on one for flexible powering options. You can also use the standard DC jack – because we believe in giving you options.

Stealthy Design – Weatherproof and Vandalproof

wAP ax LTE7 kit is designed to blend into any environment. Its simple, elegant design doesn’t attract any unwanted attention, making it perfect for busy public spaces or private properties alike. wAP can be securely fixed to any external wall or roof from the inside of the case. A designated indentation at the back of the enclosure marks the drill point for a cable pass-through, enabling discreet and secure wall-mounted installations.
Summary: Mikrotik wAP ax LTE7 kit. 2.4 GHz, 5 GHz, Maximum data transfer rate: 574 Mbit/s, Ethernet LAN data rates: 1000,10,100 Mbit/s. Power over Ethernet (PoE). Product colour: White. Power consumption (max): 13 W | Vendor Homepage: https://mikrotik.com/product/wap_ax_lte7#product_specification | 2.4 GHz: Yes | 5 GHz: Yes | Maximum data transfer rate: 574 | Maximum data transfer rate (2.4 GHz): 574 | Maximum data transfer rate (5 GHz): 1200 | Ethernet LAN data rates: 10/100/1000 | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11ax/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n/IEEE 802.3af/IEEE 802.3at | MIMO: Yes | Mean time between failures (MTBF): 200000 | Ethernet LAN (RJ-45) ports: 2 | Mini PCI Express slots: 1 | DC-in jack: Yes | Power over Ethernet (PoE): Yes | DC voltage range: 12 - 57 | Power consumption (max): 13 | Product colour: White | International Protection (IP) code: IP66 | Antenna type: External | Antenna gain level (max): 7 | Built-in processor: Yes | Processor frequency: 800 | Internal memory: 256 | Operating system installed: RouterOS | 3G bands supported:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

2100,900,850,1800 | 4G FDD-LTE bands supported: 2100,1800,850,2600,900,800,700 | 4G TDD-LTE bands supported: 2600,2300,2500 | SIM card slot: Yes | SIM card type: MicroSIM | Compliance certificates: CE/EAC/RoHS | Quantity per pack: 1 | AC adapter included: Yes | Operating temperature (T-T): -30 - 70 | Unit Calculated Weight: 1.14 | Product Net Weight: 0.75 | Unit Calculated Volume: 0.003245 | Units per Shipping Box: 10 | Unit Width: 12 | Units per Pallet: 0 | Shipping Box Height: 32 | Unit Depth: 29.5 | Unit Height: 7.5 | Name: WRL ACCESS POINT LTE7 KIT/5HAXD2HAXD&R11E-LTE7 MIKROTIK | Model: WAPGR-5HAXD2HAXD&R11E-LTE7 | Model name: Mikrotik wAP ax LTE7 kit

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950