



CPU INTEL
Desktop Intel
Core Ultra 5
250K Plus
18xCores Cache
30 MB Socket
FCLGA1851 GPU
Yes Box
BX80768250KSA4UZ

Model: BX80768250K S A4UZ

Manufacturer: INTEL

EAN: 5032037284752

Product Code: 551943

R6,053

Summary: Intel Core Ultra 5 250K Plus. Processor family: Intel Core Ultra 5, Processor socket: FCLGA1851, Package type: Box. Neural processor unit (NPU): Intel AI Boost, AI software frameworks supported by NPU: DirectML, OpenVINO, Windows ML, ONNX RT, WebNN, Total processor performance up to: 30 TOPs. Memory channels: Dual-channel, Maximum internal memory supported by processor: 256 GB, Memory types supported by processor: DDR5-SDRAM. On-board graphics card model: Intel® Graphics, On-board graphics card base frequency: 300 MHz, On-board graphics card

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

dynamic frequency (max): 1900 MHz. Market segment: Desktop, Use conditions: Workstation, PC/Client/Tablet, PCI Express slots version: 4.0, 5.0 | Vendor Homepage: <https://www.intel.com/content/www/us/en/products/sku/245694/intel-core-ultra-5-processor-250k-plus-30m-cache-up-to-5-30-ghz/ordering.html> | Processor manufacturer: Intel | Processor generation: Intel Core Ultra (Series 2) | Processor model: 250K Plus | Processor family: Intel Core Ultra 5 | Processor cores: 18 | Processor socket: FCLGA1851 | Processor threads: 18 | Processor operating modes: 64-bit | Performance cores: 6 | Efficient cores: 12 | Processor boost frequency: 5.3 | Performance-core boost frequency: 5.3 | Performance-core base frequency: 4.2 | Efficient-core boost frequency: 4.6 | Efficient-core base frequency: 3.3 | Processor cache: 30 | Processor cache type: Smart Cache | Package type: Box | Maximum turbo power: 159 | Processor base power: 125 | AI software frameworks supported by CPU: DirectML/ONNX RT/OpenVINO/WebNN/Windows ML | Maximum number of DMI lanes: 8 | Processor codename: Arrow Lake | Processor ARK ID: 245694 | Neural processor unit (NPU): Intel AI Boost | Sparsity support: Yes | Windows Studio effects support: Yes | AI software frameworks supported by NPU: DirectML/ONNX RT/OpenVINO/WebNN/Windows ML | Total processor performance up to: 30 | NPU performance up to: 13 | GPU performance up to: 8 | Maximum internal memory supported by processor: 256 | Memory types supported by processor: DDR5-SDRAM | Memory channels: Dual-channel | ECC: Yes | Discrete graphics card: No | On-board graphics card: Yes | On-board graphics card model: Intel® Graphics | On-board graphics card base frequency: 300 | On-board graphics card dynamic frequency (max): 1900 | Number of displays supported (on-board graphics): 4 | On-board graphics card DirectX version: 12.0 | On-board graphics card OpenGL version: 4.5 | On-board graphics card maximum resolution (DisplayPort): 7680 x 4320 | On-board graphics card refresh rate at maximum resolution (DisplayPort): 60 | On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel): 120 | On-board graphics card refresh rate at maximum resolution (HDMI): 60 | On-board graphics card ID: 0x7D67 | Discrete graphics card model: Not available | Hardware encode/decode codecs supported: H.264/H.265 (HEVC) | AI software frameworks supported by GPU: DirectML/ONNX RT/OpenVINO/WebGPU/Windows ML | AV1 encode/decode: Yes | Xe-cores: 4 | Execute Disable Bit: Yes | Idle States: Yes | Thermal Monitoring Technologies: Yes | Market segment: Desktop | Use conditions: PC/Client/Tablet/Workstation | Maximum number of PCI Express lanes: 24 | PCI Express slots version: 4.0/5.0 | Supported instruction sets: AVX 2.0/SSE4.1/SSE4.2 | Direct Media Interface (DMI) Revision: 4.0 | Embedded options available: No | Scalability: 1S | Thermal solution specification: PCG 2020A | Enhanced Intel SpeedStep Technology: Yes | Intel Trusted Execution Technology: Yes | Intel® AES New Instructions (Intel® AES-NI): Yes | Intel® Hyper Threading Technology (Intel® HT Technology): No | Intel® Quick Sync Video Technology: Yes | Intel® Speed Shift Technology: Yes | Intel® Turbo

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](mailto:sales@cssi.co.za) | sales@cssi.co.za | +27 (11)541-9950

Boost Technology: 2.0 | Intel® Thunderbolt 4: Yes | Intel® Control-flow Enforcement Technology (CET): Yes | Intel® Thread Director: Yes | Intel 64: Yes | Intel Virtualization Technology (VT-x): Yes | Intel Virtualization Technology for Directed I/O (VT-d): Yes | Intel VT-x with Extended Page Tables (EPT): Yes | Intel® Active Management Technology (Intel® AMT): Yes | Intel® Boot Guard: Yes | Intel® Deep Learning Boost (Intel® DL Boost) on CPU: Yes | Intel® Deep Learning Boost (Intel® DL Boost) on GPU: Yes | Intel® One-Click Recovery: Yes | Intel® OS Guard: Yes | Intel® Remote Platform Erase (RPE): Yes | Intel® Secure Key: Yes | Intel® Stable IT Platform Program (SIPP): Yes | Intel® Standard Manageability (ISM): Yes | Intel® Virtualization Technology with Redirect Protection (VT-rp): Yes | Intel® Volume Management Device (VMD): Yes | Intel® vPro™ Platform Eligibility: Yes | Mode-based Execute Control (MBE): Yes | Intel vPro® Enterprise Platform Eligibility: Yes | Intel® Threat Detection Technology (TDT): Yes | Intel® Total Memory Encryption - Multi Key: Yes | Maximum operating temperature: 105 | OpenCL version: 3.0 | Launch date: Q1'26 | Status: Launched | Processor package size: 45 x 37.5 | Graphics output: eDP1.4b, DP 2.1 UHBR20, HDMI 2.1 FRL | L2 cache: 30720 | Maximum internal memory: 256 | Unit Calculated Weight: 0.106 | Product Net Weight: 0.03 | Unit Calculated Volume: 0.00072 | Units per Shipping Box: 5 | Unit Width: 10 | Units per Pallet: 0 | Shipping Box Height: 12 | Unit Depth: 12 | Unit Height: 4.5 | Name: CPU CORE U5-250K PLUS BOX/3.3G BX80768250K S A4UZ IN

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950