



**SSD SANDISK
1200xTBW
rating MTBF
1750000 h Read
speed 6900
MB/s Write
speed 6700
MB/s NVMe Yes
PCI Express 4.0
M.2 4000 GB
SDSP51400TAN-
000E0**

Model: SDSP51400TAN-000E0

Manufacturer: SANDISK

Product Code: 552052

R15,059

The uncompromising high performance affordable SSD for creators.

The SANDISK Optimus 5100 NVMe™ SSD strikes the ideal balance of high performance and

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

affordability for creators. Enjoy fast speeds and increased capacity with PCIe® 4.0 speeds up to 7,100MB/s (1TB and 2TB models) and capacities up to 4TB on slim M.2 2280. Seamless application multitasking and fast file copies with integrated SANDISK nCache™ 4.0 technology. Have peace of mind with our trusted 8th generation SANDISK BiCS QLC 3D CBA NAND and a 5-year limited warranty. Monitor your SSD's performance and check for updates with the downloadable SANDISK Dashboard application (Windows® only). Don't wait to upgrade your laptop or desktop PC and transform everything you do.

Storage to Revitalize Your PC

Launch creator applications fast with uncompromising PCIe® 4.0 read speeds up to 7,100MB/s (1TB and 2TB models) and write speeds up to 6,700MB/s (1TB - 4TB models). Seamless project multitasking and fast file copies with integrated SANDISK nCache™ 4.0 technology.

Create and store more

Make more room for your 4K videos and high-resolution images with capacities from 500GB up to 4TB built with our trusted 8th generation SANDISK QLC 3D CBA NAND. A slim M.2 2280 form-factor makes an easy upgrade for compatible laptops or a secondary high-capacity addition to your desktop PC.

It goes where you go

With an all-new power-efficient design, your drive delivers high performance with low power consumption, giving you more time to be productive on the go.

Uncompromising reliability

With up to 1,200 TBW (4TB model) endurance rating, your drive is designed for video editing and productivity suites. As the trusted brand for reliability, Sandisk covers your drive with Sandisk's 5-year limited warranty.

Keep your drive up to date

Monitor your SSD's performance and check for updates with the downloadable SANDISK Dashboard application (Windows® only).

Free Acronis® True Image™ software

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Download Acronis® True Image™ for SANDISK software to transfer your data to your new SSD (separate cable/enclosure may be required).

Summary: SanDisk Optimus 5100. SSD capacity: 4 TB, SSD form factor: M.2, Read speed: 6900 MB/s, Write speed: 6700 MB/s, Component for: PC/Laptop | Vendor Homepage:

<https://shop.sandisk.com/products/ssd/internal-ssd/sandisk-optimus-5100-internal-nvme-ssd?sku=SDSP51400TAN-000E0> | SSD capacity: 4000 | SSD form factor: M.2 | Interface: PCI Express 4.0 | NVMe: Yes | Memory type: QLC 3D NAND | Component for: PC/Laptop | Hardware encryption: Yes | M.2 SSD size: 2280 (22 x 80 mm) | Write speed: 6700 | Read speed: 6900 | Random read (4KB): 900000 | Random write (4KB): 1100000 | PCI Express interface data lanes: x4 | Security algorithms: TCG Pyrite | Mean time between failures (MTBF): 1750000 | Windows operating systems supported: Windows 10/Windows 11 | TBW rating: 1200 | Average power consumption (read): 4.3 | Average power consumption (write): 4.3 | Power consumption (sleep): 0.0045 | Brand specific technologies: SLC Caching | Width: 22 | Depth: 80 | Height: 2.38 | Weight: 5.7 | Operating temperature (T-T): 0 - 85 | Storage temperature (T-T): -40 - 85 | Operating vibration: 5 | Non-operating vibration: 4.9 | Operating shock: 1500 | Compliance certificates: BSMI/CB/CE/Federal Communications Commission (FCC)/KCC/RCM/UKCA/UL/VCCI | Unit Calculated Weight: 0.1 | Unit Calculated Volume: 0.00026 | Units per Shipping Box: 1 | Name: SSD PCIE G4 M.2 NVME 4TB/5100 SDSP51400TAN SANDISK | Model name: Optimus 5100

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950