



ASUS RS700A- E12-RS12U Socket SP5 Rack (1U) Black, Steel



Model: 90SF02D1-M006Z0

Manufacturer: ASUS

EAN: 4711387414620

Product Code: 559613

R116,086

PCIe 5.0 Ready

Faster storage, graphics and networking capabilities

PCI Express® (PCIe®) 5.0 delivers 32GT/s bandwidth, which is twice the speed of PCIe 4.0, and offers lower power consumption, better land scalability and backwards compatibility. ASUS servers are PCIe 5.0 ready with scalability design to satisfy the increasing workloads for modern data center.

AMD EPYC™ 9004 Series Processors

The 9004 Series EPYC CPUs amplifies the AMD history of x86 architecture innovations and record-breaking performance with next generation 5nm technology as well as introducing support for high performant DDR5 DIMMs and fast PCIe® Gen 5 I/O. EPYC 9004 CPUs support 12 memory channels with 2 DIMMs/channel capability, delivering the resources needed for memory hungry AI, ML, HPC, and large in-memory computations.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

CPU-balanced Architecture

The new AMD EPYC 9004 processors excel at providing full features and functionality for both dual-socket and single-socket platforms, but our new servers ASUS is introducing an CPU-balanced architecture to enable secure and optimal CPU-performance efficiency.

This architecture extends the full bandwidth to either dual- or single-CPU configurations, enabling more computing capability and much-improved overall power efficiency for compute-intensive workloads. This architecture allows customers to take full advantage of bandwidth capabilities of the dual-CPU architecture with a single CPU, while offering the flexibility to upgrade later with the addition of a second CPU.

World Records Leadership

ASUS holds the most amount of records in dual-socket (2P) and single-socket (1P) on SPEC CPU 2017 benchmark and dominate the computing performance. These top performance results provide a useful insight into compute-intensive workloads on different computer systems, enabling our customers to reduce complexity, tackle challenging workloads and accelerate system validations.

Computing Performance

ASUS servers feature Performance Boost technology to achieve the best server performance and agility by tuning servers to match the requirements of workloads, letting you gain greater control of your server environment. This technology improves workload throughput by maximizing processor frequency and boost power, ideal for timesensitive applications such as financial services or data center operations.

Power Efficiency

ASUS select servers achieved most power efficiency positions on the SPEC Power benchmark for energy efficiency and demonstrate to customers how they can achieve faster deployments and higher energy efficiency for their IT infrastructure.

Scalable Storage Solution

This server features scalable storage solutions to support maximum performance for data center flexibility, and enable industry-standard SAS/SATA/NVMe interfacing through Broadcom Tri-Mode RAID adapters for increased connectivity and security.

Accelerating performance for AI workloads

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Up to one dual-slot GPUs

This server features multiple PCIe 5.0 slots to meet the demands of AI and high-performance computing (HPC) workloads, including supporting up to one dual-slot active or passive GPUs, and Xilinx Alveo accelerators. The scalable configurations in one 2U system provide optimized acceleration for workloads across cloud and on-premises data centers, and for hybrid cloud environments in financial computing, machine learning, computational storage, and data search and analytics.

NVIDIA Omniverse

3D design collaboration and simulation

ASUS solutions for Omniverse give your organization a comprehensive package for Omniverse Enterprise. The diverse portfolio allows us to tailor a package to be fully compatible with your design environment and needs. As our long-term partnership with NVIDIA and ISV certifications, we're fully invested in the Omniverse ecosystem and ready to help our partners develop new segments on this exciting platform.

Front Bezel Protection

ASUS servers are designed with optional front bezel with a lock that has been tested and supported by our technical team to avoid accidental usage or removal and ensure your data center is fully safe.

Server-management Solution

Remote server management

ASUS ASMB11-iKVM is the latest server-management solution from ASUS, built upon the ASPEED 2600 chipset running on the latest AMI MegaRAC SP-X. The module provides various interfaces to enable out-of-band server management through WebGUI, Intelligent Platform Management Interface (IPMI) and Redfish® API.

Streamline IT operations via a single dashboard

ASUS Control Center (ACC) is remote IT management software designed for monitoring your hardware and software IT assets and inventory status and enabling seamless remote BIOS configurations and updates, efficient IT diagnostics and troubleshooting and enhanced security with Hotfix updates, allowing easier server management for any IT infrastructure.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Enhanced Security

Hardware Root-of-Trust Solution

Detect, recover, boot and protect

ASUS servers integrate PFR FPGA as the platform Root-of-Trust solution for firmware resiliency to prevent from hackers from gaining access to infrastructure. ASUS security solutions are fully compliant with the 2018 National Institute of Standards and Technology (NIST) SP 800 193 specification.

Trusted Platform Module 2.0

ASUS servers also include support Trusted Platform Module 2.0 (TPM 2.0) to secure hardware through integrated cryptographic keys and offer regular firmware update for vulnerabilities.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950