

HP Series 5 Pro 23.8 inch FHD Monitor - 524pf



Model: 9D9L6UT#ABB

Manufacturer: HEWLETT-PACKARD

EAN: 198122902330

Product Code: 636406

R3,781

Bundled software: HP Display Center HP Client Management Script Library | Certification: BIS BSMI CB CCC CE CECP CEL cTUVus EAC FCC GS Mark ICES ISO 9241-307 KC KCC NOM PSB RCM SEPA TUV-S VCCI WEEE ISC California Energy Commission (CEC) WW application UAE TGM Ukraine certificates NRCS PSE Ukraine EE TÜV Low Blue Light Hardware Solution certified Works with Chromebook certified Korea MEPS CEL Grade 2 Australian-New Zealand DoC EMF | Manufacturer warranty: HP three-year limited warranty | Response time measurement type: GTG (Gray to Gray) | Display diagonal: 60.5 cm (23.8") | Display surface: Matt | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Package type: Box | Height (with stand): 503.2 mm | NVIDIA G-SYNC: No | Cable lock slot: Yes | Depth (with stand): 189.5 mm | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Supported graphics resolutions: 1280 x 800 | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 720 x 400 | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | DisplayPort version: 1.2 | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Supported graphics resolutions: 720 x 480 | Response time: 5 ms | DisplayPorts quantity: 1 | Width (with stand): 539.4 mm | Quick start guide: Yes | Weight: 4.9 kg | HDCP: Yes | Supported graphics

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 720 x 576 | Tilt angle range: -5 - 23° | Display brightness (typical): 350 cd/m² | Supported graphics resolutions: 1600 x 900 | Aspect ratio: 16:9 | Supported graphics resolutions: 1280 x 720 (HD 720) | AC input voltage: 100 - 240 V | HD type: Full HD | Power consumption (off): 0.3 W | Screen shape: Flat | Native aspect ratio: 16:9 | Product colour: Black | Contrast ratio (dynamic): 10000000:1 | Viewing angle, vertical: 178° | Viewing angle, horizontal: 178° | Operating temperature (T-T): 5 - 35 °C | Package weight: 7.2 kg | Package width: 621 mm | Power consumption (max): 58 W | Anti-glare screen: Yes | Width: 538.4 mm | Low Blue Light technology: Yes | Storage relative humidity (H-H): 20 - 80% | Vertical scan range: 50 - 100 Hz | Horizontal scan range: 30 - 120 kHz | Sustainability certificates: ENERGY STAR | Display number of colours: 16.7 million colours | Pixel pitch: 0.28 x 0.28 mm | HDMI version: 1.4 | Package height: 393 mm | Depth: 38.5 mm | HDMI ports quantity: 1 | Built-in USB hub: Yes | HP segment: Business | Surface hardness: 3H | Built-in speaker(s): No | Operating relative humidity (H-H): 5 - 95% | USB Type-A downstream ports quantity: 4 | Contrast ratio (typical): 1500:1 | Adjustable height (max): 15 cm | Pivot: Yes | Built-in camera: No | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Pixel density: 93 ppi | Display diagonal (metric): 60.5 cm | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: ICES | Height (without stand): 314.3 mm | Maximum refresh rate: 100 Hz | Depth (without stand): 47.2 mm | Compliance certificates: CECP | Compliance certificates: Norma Oficial Mexicana (NOM) | Compliance certificates: KCC | Compliance certificates: CEL | Height adjustment: Yes | Feet colour: Silver | Power supply type: Internal | VESA mounting: Yes | Weight (with stand): 4.9 kg | Cables included: DisplayPort | Energy efficiency scale: A to G | On Screen Display (OSD): Yes | Energy efficiency class (SDR): C | Number of USB Type-B upstream ports quantity: 1 | HP GTIN (EAN/UPC): 197961892970 | Compliance certificates: CB | Compliance certificates: EAC | European Product Registry for Energy Labelling (EPREL) code: 1949552 | Swivelling: Yes | Power consumption (standby): 0.5 W | Compliance certificates: WEEE | Compliance certificates: RCM | Compliance certificates: BIS | Energy efficiency class (HDR): Not available | Colour gamut: 100% | Colour depth: 8 bit | Weight (without stand): 3.4 kg | Panel type: IPS | Compliance certificates: cTUVus | Pivot angle: 0 - 90° | Compliance certificates: BSMI | Compliance certificates: KC | Feet colour: Black | Compliance certificates: VCCI | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Warnings: Unplug the monitor from the power source before cleaning. | Package depth: 140 mm | VESA Adaptive Sync support: Yes | Supported video modes: 1080p | Viewable size, vertical: 29.6 cm | Touchscreen: No | Compliance certificates: CCC | Compliance certificates: CE | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Colour gamut standard: sRGB |

Viewable size, horizontal: 52.7 cm | Swivel angle range: 0 - 45° | Tilt adjustment: Yes | Compliance

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

certificates: PSE | Compliance certificates: GS mark | sRGB coverage (typical): 100% | Height: 313.7 mm | Cables included: HDMI | Cables included: AC | USB upstream port type: USB Type-A | UNSPSC-code: 43211902 | Haze rate: 25% | USB upstream port type: USB Type-B | Power consumption (typical): 22 W | Market positioning: Business | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Display technology: LCD | Cables included: USB Type-A to USB Type-B | Flicker-free technology: Yes | HDMI: Yes | AMD FreeSync: No | Width (without stand): 539.4 mm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950