

Samsung Galaxy S26 Ultra 17.5 cm (6.9) Dual SIM Android 16.0 5G USB Type-C 12 GB 256 GB 5000 mAh Black



Model: SM-S948BZKDEUE

Manufacturer: SAMSUNG

EAN: 8806097821250

Product Code: 721144

R22,309

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | 5G standard: Sub6 TDD | 5G standard: Sub6 FDD | Fourth rear camera pixel size: 0.7 µm | 5G standard: Sub6 SDL | Bluetooth version: 6.0 | Stylus included: Yes | Accelerometer: Yes | Ambient light sensor: Yes | Internal storage capacity: 256 GB | 3G standards: UMTS | Wi-Fi Direct: Yes | GLONASS: Yes | Resolution at capture speed: 1920x1080@30fps | Frequency band: Tri-band | USB Type-C required charging power (max): 60 W | Operating system installed: Android 16.0 | Platform: Android | International Protection (IP) code: IP68 | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Maximum refresh rate: 120 Hz | Package width: 183

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

mm | Pixel density: 499 ppi | 3G standards: WCDMA | Resolution at capture speed: 1280x720@30fps | Resolution at capture speed: 1920x1080@60fps | Resolution at capture speed: 3840x2160@60fps | Display technology marketing name: Dynamic AMOLED 2X | Audio formats supported: WAV | Audio formats supported: AMR | Image formats supported: WBMP | Image formats supported: WEBP | Depth: 7.9 mm | Audio formats supported: IMY | Audio formats supported: DSF | Image formats supported: DNG | SIM card type: NanoSIM + eSIM | Gyroscope: Yes | Rear camera resolution (numeric): 200 MP | 4G bands supported: 2600 MHz | 4G bands supported: 850 | 4G bands supported: 2500 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | USB Type-C required charging power (min): 10 W | Repairability class: C | Image formats supported: PNG | Audio formats supported: M4A | 4G bands supported: 1800 | 5G bands supported: 2100 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 2500 | 4G bands supported: 900 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | Third rear camera sensor size: 1/2.52" | Audio formats supported: Mid | 4G bands supported: 700 | 4G bands supported: 2300 | 5G bands supported: 1900 | 5G bands supported: 3700 | Audio formats supported: AWB | Image formats supported: HEIF | 4G bands supported: 2100 | 4G bands supported: 800 | 4G standard: LTE-TDD & LTE-FDD | 5G bands supported: 900 | GPS (satellite): Yes | Position location: Yes | Flash type: LED | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Image formats supported: GIF | Display brightness: 1500 cd/m² | 4G bands supported: 1500 | 5G bands supported: 3500 | 4G bands supported: 1900 | Resolution at capture speed: 3840x2160@30fps | Audio formats supported: 3GA | Processor model: 8 Elite Gen 5 | Audio formats supported: MP3 | Audio formats supported: OTA | Resolution at capture speed: 7680x4320@30fps | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Wi-Fi standards: Wi-Fi 6E (802.11ax) | RAM capacity: 12 GB | Image formats supported: BMP | Audio formats supported: RTTTL | Image formats supported: JPEG | Audio system: Dolby Atmos | Processor cores: 8 | Near Field Communication (NFC): Yes | Wi-Fi standards: 802.11g | Hall sensor: Yes | Wi-Fi standards: 802.11b | Parental control: Yes | 5G bands supported: 850 | 5G bands supported: 1500 MHz | Bluetooth: Yes | Weight: 214 g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 7 (802.11be) | Repeated free fall reliability class: A | Video formats supported: 3GP | Video recording modes: 720p | Google applications: Google Drive | Google applications: Google Photos | Geomagnetic sensor: Yes | User interface (UI): One UI 8.5 | Third rear camera field of view (FOV) angle: 120° | Video formats supported: FLV | Rear camera type: Quad camera | Front camera resolution (numeric): 12 MP | Cables included: USB Type-C | Google applications: Google Chrome | SIM card capability: Dual SIM | Second rear camera aperture number: 1.9 | USB version: 3.2 Gen 1

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(3.1 Gen 1) | Wireless charging: Yes | Galileo: Yes | Third rear camera aperture number: 2.9 | Rear camera field of view (FOV) angle: 84° | Image stabilizer: Yes | Video recording modes: 2160p | Google applications: Google Maps | Quasi-Zenith Satellite System (QZSS): Yes | 3G bands supported: 2100 MHz | Fourth rear camera aperture number: 2.4 | USB Power Delivery (USB PD): Yes | 3G bands supported: 850 | AI scene recognition: Yes | Video formats supported: AVI | Video formats supported: WEBM | Third rear camera resolution (numeric): 50 MP | Front camera field of view (FOV) angle: 85° | AC adapter included: No | Video capture resolution (max): 4320 x 7680 pixels | Google applications: Google Search | Fast charging: Yes | Video formats supported: MKV | Energy efficiency scale: A to G | Google applications: Gmail | Google applications: Google Play | Modulation: 4096-QAM | 3G bands supported: 1900 | Display number of colours: 16 million colours | Google applications: YouTube | Height: 163.6 mm | Battery endurance per cycle: 3300 min | Gorilla Glass version: Gorilla Glass Armor 2 | Image stabilizer type: Optical Image Stabilization (OIS) | Video formats supported: 3G2 | Display diagonal: 17.5 cm (6.9") | Neural processor unit (NPU): Qualcomm Hexagon | Proximity sensor: Yes | Front camera type: Single camera | Display resolution: 3120 x 1440 pixels | Maximum frame rate: 240 fps | Compatible memory cards: Not supported | Battery capacity: 5000 mAh | MIMO: Yes | USB Type-C charging port: Yes | Rear camera sensor size: 1/1.3" | Short Message Service (SMS): Yes | Width: 78.1 mm | Package height: 28 mm | Google applications: Google Meet | Slow motion mode: Yes | BeiDou: Yes | Front camera sensor size: 1/3.2" | Rear camera flash: Yes | Digital zoom: 100x | Video formats supported: MP4 | Package depth: 96 mm | Rear camera aperture number: 1.4 | Maximum display brightness (HDR): 2600 cd/m² | Virtual assistant: Samsung Bixby | Second rear camera resolution (numeric): 50 MP | Package weight: 280 g | Processor boost frequency: 4.74 GHz | USB connector type: USB Type-C | Barometer: Yes | Video recording modes: 4320p | Front camera aperture number: 2.2 | Brand specific technologies: Always-on display | 3G bands supported: 900 | E-mail: Yes | SIM card ejector pin: Yes | Video recording modes: 1080p | Processor family: Snapdragon | Video formats supported: M4V | Second rear camera sensor size: 1/2.52" | Second rear camera field of view (FOV) angle: 21° | Product colour: Black | Display glass type: Gorilla Glass | Battery endurance in cycles: 1200 | Energy efficiency class: A | Headphone connectivity: USB Type-C | Panorama: Yes | Portrait mode: Yes | Mobile network generation: 5G | Fourth rear camera resolution (numeric): 10 MP

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950