



Dahua Technology SG4010-2F Managed L2 Gigabit Ethernet (10/100/1000) Black

Model: SG4010-2F

Manufacturer: DAHUA

EAN: 6923172597670

Product Code: 772146

R2,190

Equipped with a high performance switching engine, the 8 Port All- Gigabit Managed Switch performs optimally. It has low transmission delay, large buffer and is highly reliable. It also has a strong switching

capability and optimizes transmission performance when accessing Ultra HD videos. With its full metal design and fanless design, the device has great heat dissipation and is low power consumption, working

in environments ranging from -10°C to 55°C (+14°F to +131°F). With protection against overvoltage, EMC and overcurrent from power input terminals, the switch effectively resists

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

interference from static electricity, lightning, and pulses. It also offers a variety of services, supporting IGMP Snooping, Link Aggregation, QoS, LLDP, STP/RSTP and various web and network management software based on SNMP.

Link Layer Discovery Protocol (LLDP)

Enables network devices to advertise their information mutually, allowing you to conveniently monitor and manage devices in the local topology. This makes it easy for administrators to effectively perform troubleshooting.

Quality of Service (QoS)

Uses mechanisms designed to control bandwidth, delay, jitter, and loss to ensure the performance of services when the capacity is limited.

Spanning Tree Protocol (STP)

Uses algorithms that calculate the best loop-free path through a Layer 2 network while providing path redundancy to prevent the occurrence of broadcast storms and enhance the stability of operations and services.

Link Aggregation

Combines multiple physical links into one virtual channel for dynamic redundancy and load balancing, ensuring that the connection remains stable.

IGMP Snooping

Listens to multicast traffic, and solely forwards information to registered clients based on the multicast forwarding table. This ensures the safety of information and improves network efficiency.

Fanless Design

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The fanless design reduces noise, enhances user experience, reduces mechanical losses and improves service life to a certain extent.